

©
ORIGINALSTYLE
MOSAICS



Mosaics

Welcome to our latest collection of beautiful mosaics.
Made from glass, precious metals, luxurious shell, natural stone, ceramic and porcelain – there's something for every occasion.

Versatile mosaics have always been in style and they are a brilliant way to add an individual touch to your home in so many different ways: as a splashback, a shower wall, a decorative wall feature, an accent within a neutral scheme, to provide a contrast of colour or texture.

We offer wall and floor suitable mosaics, with a selection of slip-resistant options too.

04-83 mosaics for walls


A dazzling range of wall mosaics – grouped by colour/mood




05
White &
Cream



17
Beige, Brown,
Copper & Gold



37
Silver, Aluminium
& Mirror



55
Blue, Aqua
& Green




65
Multicoloured



71
Grey & Black

87-110 mosaics for floors or walls

All of our floor suitable mosaics in one place - they can be used on walls too!



technical information 112 - 121
index 122 - 125



wall mosaics



light & airy...

...from white and cream,
to pale iridescent tints



Rhombus

New

300 x 300 x 8mm
12 13/16" x 12 13/16" x 5/16"

CS-ROMWHTLG
ceramic

Individual piece size:
145 x 86mm 5 1/8" x 3 3/8"

WALLS



Torcello White Hexagon

324 x 280 x 5mm
12 3/4" x 11" x 3/16"

GW-TORHEXMOS
recycled glass

Individual piece size:
25mm 3/16"

97% RECYCLED

WALLS



Torcello White Brickbond

298 x 298 x 5mm
11 13/16" x 11 13/16" x 3/16"

GW-TORBBMOS
recycled glass

Individual piece size:
98 x 44mm 3 7/8" x 1 3/4"

97% RECYCLED

WALLS



Torcello White Square

298 x 298 x 5mm
11 13/16" x 11 13/16" x 3/16"

GW-TORMOS
recycled glass

Individual piece size:
48mm 1 7/8"

97% RECYCLED

WALLS



Viano White Marble Bevel Honed ❄❄



305 x 261 x 10mm
12" x 10 1/4" x 3/8"
Individual piece size:
100x47mm 2 3/4" x 3 13/16"

EW-VIAHBBMOSB
stone



For products with icons after the name: ❄❄
please see the corresponding technical information on page 114

Shown with Earthworks Viano Polished Marble EW-VIAP61X31



Neve Linear ▲❄



300 x 295 x 12mm
11 3/4" x 11 5/8" x 1/2"
Individual piece size:
86 x 15mm 3 3/16" x 5/8"

EW-NEVMOS
stone



Viano White Marble Bevel Polished ❄❄



305 x 261 x 10mm
12" x 10 1/4" x 3/8"
Individual piece size:
100x47mm 2 3/4" x 3 13/16"

EW-VIAPBBMOSB
stone



For products with icons after the name: ❄❄
please see the corresponding technical information on page 114

Pearl Brickbond ◆◆●◆



318 x 310 x 2mm
12 1/2" x 12 3/16" x 1/16"
Individual piece size:
24 x 15mm 1 3/16" x 9/16"

EW-PRLMOSBB
shell



Purity ◆◆●◆



300 x 300 x 2mm
11 13/16" x 11 13/16" x 1/16"
Individual piece size:
15mm 5/8"

EW-PURMOS
shell



Pearl ◆◆●◆



305 x 305 x 2mm
12" x 12" x 1/16"
Individual piece size:
20mm 1 3/16"

EW-PRLMOS
shell



White Pearl Herringbone ◆◆●◆



305 x 285 x 2mm
12" x 11 1/4" x 1/16"
Individual piece size:
25 x 15mm 9/16" x 1/16"

EW-WPHERMOS
shell



White Pearl Hexagon ◆◆●◆



295 x 285 x 2mm
11 5/8" x 11 1/4" x 1/16"
Individual piece size:
15mm 9/16"

EW-WPHEXMOS
shell





White Lady




285 x 285 x 6mm
11 1/4" x 11 1/4" x 1/4"
Individual piece size:
19mm 3/4"

GW-WLYMOS
glass/iridescent



Illusion



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-ILSMOS
glass



Ultimo Shell



300 x 300 x 9mm
11 13/16" x 11 13/16" x 3/8"
Individual piece size:
48mm 1 7/8"

GW-UMSMOS
glass iridescent



Pearl Scale Frosted



296 x 256 x 8mm
11 5/8" x 10 5/16" x 5/16"
Individual piece size:
47 x 40mm 1 7/8" x 1 9/16"

GW-PRLSCMOSF
frosted glass



Example of colour-shift



Pearl Scale mosaics appear dramatically different colours depending on lighting conditions and viewing angle. Both appear pearlescent white when viewed square-on but reveal diffused iridescent pastel colours (Pearl Scale Frosted) or vivid aqua to purple hues (Pearl Scale Clear) as the viewing angle changes. Colour variation is also random and may differ from what is shown here, so we recommend seeing a sample before ordering.

Pearl Scale Clear



296 x 256 x 8mm
11 5/8" x 10 5/16" x 5/16"
Individual piece size:
47 x 40mm 1 7/8" x 1 9/16"

GW-PRLSCMOS
clear glass



Example of colour-shift



Futura Dichroic Hexagon



280 x 295 x 8mm
11" x 11 3/4" x 5/16"
Individual piece size:
95mm 3 3/4"

GW-FGHMOS
glass



Ice ♦



300 x 300 x 7-9mm
11 3/4" x 11 3/4" x 1/4"-3/8"
Individual piece size:
23 x 48mm 1 1/16" x 1 7/8"

GW-ICERRMOS
glass/iridescent



Spectre ♦❖



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"
Individual piece size:
25mm 1"

GW-SPEMOS
glass/iridescent/film faced



For products with icons after the name: ♦❖
Please see the corresponding technical information on page 114

Onya



300 x 300 x 8mm
11 1/16" x 11 1/16" x 5/16"
Individual piece size:
15mm 5/16"

EW-ONYMOS
glass/mixed/iridescent



For products with icons after the name: ♦
Please see the corresponding technical information on page 114



wall mosaics



warmer tones...

...beige, sepia, bronze, copper,
gold, and mixed metallics



Grace ◆◆●◆



305 x 305 x 2mm
12" x 12" x 1/16"
Individual piece size:
20mm 1 3/16"

EW-GRCMOS
shell



Mother of Pearl ◆◆●◆



300 x 300 x 2mm
11 13/16" x 11 13/16" x 1/16"
Individual piece size:
15mm 9/16"

EW-PARMOS
shell



Gold Pearl Brickbond ◆◆●◆



318 x 310 x 2mm
12 1/2" x 12 3/16" x 1/16"
Individual piece size:
24 x 15mm 1 5/16" x 9/16"

EW-GPLBBMOS
shell



For products with icons after the name: ◆◆●◆
please see the corresponding technical information on page 114



Mother of Pearl Dark Brickbond ◆◆●◆



318 x 310 x 2mm
12 1/2" x 12 3/16" x 1/16"
Individual piece size:
24 x 15mm 1 5/16" x 9/16"

EW-MOPDBBMOS
shell



For products with icons after the name: ◆◆●◆
please see the corresponding technical information on page 114



Modesty ◆◆●◆



305 x 305 x 2mm
12" x 12" x 1/16"
Individual piece size:
20mm 1 3/16"

EW-MDYMOS
shell



For products with icons after the name: ◆◆●◆
please see the corresponding technical information on page 114



Divine *



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"
Individual piece size:
15mm 3/8"

GW-DIVMOS
mixed materials



Savoy



324 x 280 x 5mm
12 3/4" x 11" x 3/16"
Individual piece size:
25 x 5 1" x 3/16"

GW-SAVHEXMOS
recycled glass



Aura




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
15mm 3/8"

GW-AUAMOS
mixed materials



Zamo *



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-ZAMMOS
mixed materials



Jai *



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"
Individual piece size:
15mm 3/8"

EW-JAIMOS
mixed materials



Seneca



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 13/16"

GW-SNCMOS
glass/gold fleck



For products with icons after the name: *
please see the corresponding technical information on page 114

For products with icons after the name: *
please see the corresponding technical information on page 114



Selene



295 x 280 x 8mm
11 5/8" x 11" x 5/16"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-SELMOS
glass



Theia



290 x 290 x 8mm
11 3/8" x 11 3/8" x 5/16"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-THIMOS
glass



Postojna ❖



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

EW-POSMOS
glass/stone



For products with icons after the name: ❖❖❖
please see the corresponding technical information on page 114

Golpo ❖



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"
Individual piece size:
15mm 5/8"

EW-GOLMOS
mixed materials



Ethereal



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"
Individual piece size:
15mm 5/8"

GW-ETHMOS
mixed materials



For products with icons after the name: ❖
please see the corresponding technical information on page 114



Leaf Beige Mix ✱✱




Telesto ✱✱



New

For products with icons after the name: ✱/✱
Please see the corresponding technical information on page 114

Aurelio ✱✱✱



Imphal



For products with icons after the name: ✱✱✱/✱
please see the corresponding technical information on page 114



Naga



298 x 260 x 8mm
10 1/4" x 11 1/16" x 5/16"
Individual piece size:
*73 x 23mm 2 7/8" x 7/8"

EW-NGAMOS
mixed materials



* piece length may vary slightly



Ottone



298 x 298 x 8mm
11 3/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-OTTMOS
metal



Alchemy Brick



298 x 286 x 8mm
11 3/4" x 11 1/4" x 5/16"
Individual piece size:
98 x 30mm 3 7/8" x 1 3/16"

EW-ALCABB
copper



For products with icons after the name: *//♦
please see the corresponding technical information on page 114



Sorvad




308 x 298 x 8mm
12 1/6" x 11 3/4" x 1/4"
Individual piece size:
mixed

MW-SORMOS
stone / copper



New

Orabella



290 x 285 x 8mm
11 7/16" x 11 1/4" x 5/16"
Individual piece size:
19mm 3/4"

EW-ORAMOS
metal / brushed



For products with icons after the name: *//♦
please see the corresponding technical information on page 114



Desire



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

EW-DESMOS
mixed materials



Byzantium Copper ♦♦



294 x 294 x 8mm
11 9/16" x 11 9/16" x 5/16"
Individual piece size:
25mm 1"

GW-BYZCOPMOS
glass



Byzantium Bronze ♦♦




294 x 294 x 8mm
11 9/16" x 11 9/16" x 5/16"
Individual piece size:
25mm 1"

GW-BYZBROMOS
glass



For products with icons after the name: ♦♦
please see the corresponding technical information on page 114



Flidor *♦♦



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
48mm 1 7/8"

MW-FLIMOS
copper



New

Falkus *♦♦



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
48mm 1 7/8"


MW-FALMOS
copper



New



For products with icons after the name: *♦♦
please see the corresponding technical information on page



New

Spirit Copper

298 x 298 x 6mm
11 3/4" x 11 3/4" x 1/4"

Individual piece size:
95mm 3 3/4"

CS-SPCPMOS
porcelain



Kobushi ♦♦

300 x 300 x 8mm
11 3/4" x 11 3/4" x 5/16"

Individual piece sizes:
15, 23, 48mm 9/16", 7/8", 1 7/8"

GW-KOBMOS
glass



Utopia ♦+

320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"

Individual piece size:
25mm 1"

GW-UTOMOS
glass/iridescent/film faced

Astral Copper *▲♦

270 x 260 x 8mm
10 5/8" x 10 1/4" x 5/16"

Individual piece size:

EW-ASTCPMOS
aluminium



Velvet Bloom

295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"

Individual piece size:
15mm 5/8"

GW-VTBMOS
glass

For products with icons after the name: */▲/♦
Please see the corresponding technical information on page 114

For products with icons after the name: ♦/♦♦/♦+
please see the corresponding technical information on page 114



Opulence ❖



298 x 298 x 8mm
11 3/4" x 11 3/4" x 5/16"
Individual piece size:
23mm 7/8"

EW-OPUMOS
glass



Dispur



275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-DISHEXMOS
glass



Silmaril ♦



298 x 298 x 8mm
11 7/16" x 11 7/16" x 5/16"
Individual piece size:
23mm 1"

GW-SLMMOS
glass



Tarvos ❖❖



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
20mm 3/4"

MW-TARMOS
aluminium



New



Autumn Leaf Pattern Gold



298 x 298 x 6mm
11 13/16" x 11 13/16" x 1/4"
Individual piece size:
48mm 1 7/8"

GW-AULMOS
polished glass



Medina ♦



290 x 305 x 8mm
11 3/8" x 11 3/8" x 5/16"
Individual piece size:
20 x 40mm 13/16" x 1 5/16"

GW-MDNMOS
glass



For products with icons after the name: ❖/♦
please see the corresponding technical information on page 114

For products with icons after the name: ❖/♦/♦
please see the corresponding technical information on page 114



Orla *




301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"
Individual piece size:
15mm 5/8"

EW-ORLMOS
mixed materials



Byzantium Gem ♦♦



294 x 294 x 8mm
11 5/16" x 11 5/16" x 5/16"
Individual piece size:
25mm 1"

GW-BYZGEMMOS
glass



Bullion ♦




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-BULMOS
glass



Byzantium Gold ♦♦




294 x 294 x 8mm
11 5/16" x 11 5/16" x 5/16"
Individual piece size:
25mm 1"

GW-BYZGLDMOS
glass



Reflection



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"
Individual piece size:
15mm 5/8"

GW-RFLMOS
glass



Stellar ♦♦▲



260 x 270 x 8mm
10 1/4" x 10 5/8" x 5/16"
Individual piece size:
30 x 12mm 1 3/16" x 1/2"

EW-STLMOS
metal/brushed/anodized



For products with icons after the name: */♦
please see the corresponding technical information on page 114

For products with icons after the name: ♦/♦/▲/♦
please see the corresponding technical information on page 114



wall mosaics



silver and platinum...

...from silver and bright aluminium
to metallic mirror and
glitter effects



Mimas ✦✦



New



For products with icons after the name: ✦/✦
please see the corresponding technical information on page 114

Futura Sepia Hexagon



280 x 295 x 8mm
11" x 11 3/8" x 5/16"
Individual piece size:
95mm 3 3/4"

GW-FSHMOS
glass



Skathi ✦✦



New



For products with icons after the name: ✦/✦
please see the corresponding technical information on page 114



Willis *♦



312 x 300 x 8mm
12 1/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-WILMOS
aluminium



Chrysler *♦



312 x 300 X 8mm
12 1/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-CYSMOS
glass/aluminium



Zen Copper *♦



285 x 275 x 2mm
11 3/4" x 10 7/8" x 1/16"
Individual piece size:
50mm 2"

EW-ZENCPMOS
aluminium




For products with icons after the name: *♦
please see the corresponding technical information on page 114

Shard *♦



312 x 300 x 8mm
12 1/4" x 11 1/4" x 1/16"
Individual piece size:
MIXED

EW-SHRMOS
aluminium



Empire *♦



312 x 300 x 8mm
12 1/4" x 11 3/4" x 5/16"
Individual piece size:
Mixed

EW-EMPMOS
aluminium




For products with icons after the name: *♦
please see the corresponding technical information on page 114



New

Methone ✱✱



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
20mm 1 7/32"

MW-METMOS
aluminium



New

Fenrir ✱✱



298 x 300 x 8mm
11 3/4" x 11 13/16" x 5/16"
Individual piece size:
48mm 1 7/8"

MW-FENMOS
aluminium



New

Surtur ✱✱




305 x 285 x 8mm
12" x 11 1/4" x 5/16"
Individual piece size:
48 x 42mm 1 7/8" x 1 7/32"

MW-SURMOS
aluminium



For products with icons after the name: ✱/✱
please see the corresponding technical information on page 114

Anthe ✱✱



300 x 290 x 8mm
11 13/16" x 11 7/16" x 5/16"
Individual piece size:
15mm 5/8"

MW-ANTMOS
aluminium



New



New

Skaro ✱✱



305 x 285 x 8mm
12" x 11 1/4" x 5/16"
Individual piece size:
48 x 42mm 1 7/8" x 1 7/32"

MW-SKRMOS
aluminium



For products with icons after the name: ✱/✱
please see the corresponding technical information on page 114



Dreadnought *♦



300 x 310 x 9mm
11 13/16" x 12 3/16" x 9/32"
Individual piece size:
148 x 36mm 5 7/8" x 1 1/2"

EW-DREMOS
brushed aluminium

WALL FLOOR

Rhea *♦



298 x 300 x 8mm
11 3/4" x 11 13/16" x 5/16"
Individual piece size:
48mm 1 7/8"

MW-RHEMOS
aluminium

WALL FLOOR

New



Leaf Grey & Silver *♦



275 x 280 x 9mm
10 7/8" x 11" x 23/64"
Individual piece size:
70 x 38mm 2 3/4" x 1"

EW-SGLMOS
brushed aluminium

WALL FLOOR

Astral Silver *▲♦




270 x 260 x 8mm
10 5/8" x 10 1/4" x 5/16"

EW-ASTSLMOS
aluminium

WALL FLOOR



Silver Link *♦



292 x 292 x 8mm
11 1/2" x 11 1/2" x 5/16"
Individual piece size:
20mm 13/16"

EW-SVLMOS
aluminium

WALL FLOOR


Zen Silver *♦



285 x 275 x 2mm
11 3/4" x 10 7/8" x 1/16"
Individual piece size:
50 mm 2"

EW-ZENSLMOS
aluminium

WALL FLOOR



For products with icons after the name: * / ♦
please see the corresponding technical information on page 114

For products with icons after the name: * / ▲ / ♦
Please see the corresponding technical information on page 114



New

Courier ♦♦



268 x 280 x 8mm
10 3/16" x 11" x 5/16"
Individual piece size:
25 x 50mm 1" x 2"

MW-COUMOS
aluminium



Fusion Micro ♦♦



278 x 248 x 8mm
11" x 9 3/4" x 5/16"

EW-FUSMIMOS
Aluminium



For products with icons after the name: ♦/▲
please see the corresponding technical information on page 114



Gauntlet ♦♦



260 x 295 x 7mm
10 1/4" x 11 5/8" x 9/32"
Individual piece size:
48 x 16mm 1 7/8" x 5/8"

EW-GAUMOS
brushed aluminium



Torque ♦♦▲



270 x 270 x 8, 10 & 12mm
10 5/8" x 10 5/8" x 5/16" & 3/8" & 1/2"

Individual piece size:
15 x 30mm & 15mm 5/8" x 1 3/16" & 5/8"

EW-TORMOS
metal/brushed



Silver Nugget ▲♦



300 x 300 x 10-12mm
11 3/4" x 11 3/4" x 3/8"-3/4"

Individual piece size:
30mm 1 3/16"

EW-SNUMOS
stone with foil surface



For products with icons after the name: ♦/▲
please see the corresponding technical information on page 114



Khalifa ❖❖



298 x 310 x 9mm
11 3/4" x 12 3/16" x 23/64"
Individual piece size:
Mixed

GW-KHAMOS
glass / stone / metal




Tribune ❖❖



298 x 310 x 9mm
11 3/4" x 12 3/16" x 23/64"
Individual piece size:
Mixed

GW-TRIMOS
metal / glass / stone




Futura Zircona Hexagon



280 x 295 x 8mm
11" x 11 5/8" x 5/16"
Individual piece size:
95mm 3 3/4"

GW-FZHMOS
glass



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114



Majestic ❖❖




300 x 310 x 8mm
11 13/16" x 12 3/16" x 5/16"
Individual piece size:
100 x 7mm 3 15/16" x 7/8"

GW-MAJMOS
recycled glass / metal



New

Byzantium Platinum ❖❖



294 x 294 x 8mm
11 9/16" x 11 9/16" x 5/16"
Individual piece size:
25mm 1"

GW-BYZPLAMOS
glass




For products with icons after the name: ❖❖❖❖❖
please see the corresponding technical information on page 114



Reflections Silver



300 x 300 x 8mm
11 13⁄16" x 11 13⁄16" x 3⁄16"
Individual piece size:
Mixed

GW-RSILMOS
glass



Antique Mirror Facet Silver




310 x 310 x 5mm
12 3⁄16" x 12 3⁄16" x 1⁄4"
Individual piece size:
50mm 2"

GW-SMRMMOS
glass



Antique Mirror Facet White




310 x 310 x 5mm
12 3⁄16" x 12 3⁄16" x 1⁄4"
Individual piece size:
50mm 2"

GW-ANTWHMOS
glass



El Divino ♦



301 x 301 x 8mm
12" x 12" x 3⁄16"
Individual piece size:
15mm 5⁄8"

GW-EDIMOS
glass/mirror



Antique Mirror Facet Grey



310 x 310 x 5mm
12 3⁄16" x 12 3⁄16" x 1⁄4"
Individual piece size:
50mm 2"

GW-ANTGRMMOS
glass



For products with icons after the name: ♦
please see the corresponding technical information on page 114



New

Galactic




298 x 300 x 8mm
11 3/4" x 11 13/16" x 5/16"
Individual piece size:
Mixed

GW-GALMOS
glass



Ares




290 x 290 x 8mm
11 5/8" x 11 5/8" x 5/16"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-AREMOS
glass



Agra



298 x 298 x 5mm
11 3/4" x 11 3/4" x 3/16"
Individual piece size:
10mm 3/8"

GW-AGRMOS
glass



Panaji




290 x 275 x 7mm
11 7/16" x 10 13/16" x 1/4"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-PJIHEXMOS
glass




Taj



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"
Individual piece size:
10mm 3/8"

GW-TAJMOS






wall mosaics



blue & aqua...

...from sky blue to
aquatic green

Ming



298 x 298 x 7mm
11 3/4" x 11 3/4" x 1/4"
Individual piece size:
23mm 7/8"

CS-MINMOS
porcelain



Batu *



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-BATMOS
glass/metal




Safira ♦❖



300 x 300 x 4mm
11 13/16" x 11 13/16" x 3/16"
Individual piece size:
15mm 5/8"

GW-SAFMOS
glass/iridescent/film faced



New

Wilhelmina



298 x 298 x 6mm
11 3/4" x 11 3/4" x 1/4"
Individual piece size:
74mm 2 15/16"

GW-WANMOS
recycled glass



Beryl ♦



300 x 300 x 7-9mm
11 3/4" x 11 3/4" x 1/4"-3/8"
Individual piece size:
23 x 48mm 1 1/16" x 1 7/8"

GW-BERRMOS
glass/iridescent



For products with icons after the name: ♦❖/*
please see the corresponding technical information on page 114

For products with icons after the name: ♦
please see the corresponding technical information on page 114



New

Livid Brickbond



298 x 296 x 6mm
11 3/4" x 11 5/8" x 1/4"
Individual piece size:
147 x 45mm 5 2 1/2" x 1 3/4"

GW-LIVBBMOS
recycled glass



Jaipur




275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-JIPHEXMOS
glass



Lagos



325 x 325 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 1 3/16"

GW-LAGMOS
gold fleck recycled glass



Lazuli



292 x 276 x 6-8mm
11 1/2" x 10 3/4" x 1/4"-5/16"
Individual piece size:
25mm 1"

GW-LAZMOS
glass / ceramic



New



Magalia



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 1 3/16"

GW-MAGMOS
glass/gold fleck



Eden



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-EDEMOS
glass





Fantasy ♦❖



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"
Individual piece size:
25mm 1"

GW-FANMOS
glass/iridescent/film faced



Monte Cristo



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 13/16"

GW-MOCMOS
glass/gold fleck



Rena *



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
15mm 5/8"

GW-RENMOS
mixed materials



For products with icons after the name: ♦❖/*
please see the corresponding technical information on page 114



Medak




275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-MDKHEXMOS
glass



Spirit ♦❖



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"
Individual piece size:
25mm 1"

GW-SPIMOS
glass/iridescent/film faced



For products with icons after the name: ♦❖/*
please see the corresponding technical information on page 114



Juvela ♦❖



300 x 300 x 4mm
12" x 12" x 3/16"
Individual piece size:
15mm 3/8"

GW-JUVMOS
glass/iridescent/film faced

WALL

Byzantium Treasure ♦♦



301 x 301 x 8mm
11 7/8" x 11 7/8" x 3/16"
Individual piece size:
15mm 3/8"

GW-BYZTREMOS
glass

WALL



Superior Clear Brickbond



300 x 300 x 10mm
11 13/16" x 11 13/16" x 3/8"
Individual piece size:
24 x 48mm 1" x 1 7/8"

GW-SUPMOSBBC
glass

WALL

Oasis



300 x 300 x 8mm
11 13/16" x 11 13/16" x 3/16"
Individual piece size:
23mm 7/8"

GW-OASMOS
glass

WALL



Ripple



295 x 295 x 4mm
11 5/8" x 11 5/8" x 3/16"
Individual piece size:
15mm 3/8"

GW-RPLMOS
glass

WALL

Chanda



275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-CHNHEXMOS
glass

WALL



For products with icons after the name: ♦❖
please see the corresponding technical information on page 114

For products with icons after the name: ♦♦
please see the corresponding technical information on page 114



wall mosaics



multicoloured...

...mixed hues and
vibrant designs



Pamplona ❖

300 x 300 x 8mm
11 13⁄16" x 11 13⁄16" x 5⁄16"

Individual piece size:
15mm 5⁄8"

GW-PAMMOS
mixed materials



Serene

300 x 300 x 8mm
11 13⁄16" x 11 13⁄16" x 5⁄16"

Individual piece size:
23mm 7⁄8"

GW-SREMOS
glass/iridescent



Morning Dew ◆

305 x 315 x 3mm
12" x 12 3⁄8" x 1⁄8"

Individual piece size:
Mixed

GW-MRDMOS
glass/iridescent

For products with icons after the name: ❖◆
please see the corresponding technical information on page 114



Aqua Scale Frosted

296 x 256 x 8mm
11 5⁄8" x 10 5⁄16" x 5⁄16"

Individual piece size:
47 x 40mm 1 7⁄8" x 1 5⁄16"

GW-AQUSCMOSF
frosted glass



Colour-shift example

Aqua Scale Mosaics vary dramatically in colour when viewed from different angles. Colour variation is also random and may differ from what is shown here, so we recommend seeing a sample before ordering.

Aqua Scale Clear

296 x 256 x 8mm
11 5⁄8" x 10 5⁄16" x 5⁄16"

Individual piece size:
47 x 40mm 1 7⁄8" x 1 5⁄16"

GW-AQUSCMOS
clear glass



Actamira



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
23mm 7/8"

EW-ACTMOS
glass/stone





Dream ✧✧



320 x 320 x 6mm
12 5/8" x 12 5/8" x 1/4"

Individual piece size:
25mm 1"

GW-DREMOS
glass/iridescent/film faced





Mellow ✧



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"


Individual piece size:
23mm 7/8"

GW-MELMOS
glass/iridescent





Sukai ✧✧



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"

Individual piece size:
48mm 1 7/8"

GW-SUKMOS
glass






For products with icons after the name: ✧
please see the corresponding technical information on page 114

For products with icons after the name: ✧✧✧✧✧✧
Please see the corresponding technical information on page 114



wall mosaics




grey to black...

...shades of grey, monochrome
blends and rich dark tones

Bohemia



300 x 300 x 6mm
11 3/4" x 11 3/4" x 1/4"
Individual piece size:
48mm 1 7/8"




Venetia



300 x 300 x 6mm
11 13/16" x 11 13/16" x 1/4"
Individual piece size:
48mm 1 7/8"



Caspar




324 x 280 x 5mm
12 3/4" x 11" x 3/16"
Individual piece size:
25mm 1"



Medine



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
48mm 1 7/8"





Cirrus Small ❖❖



290 x 280 x 10mm
11 7/32" x 10 53/64" x 25/64"
Individual piece size:
30mm 1 3/8"

EW-CIRMOS
matt marble



Bianco Marble



300 x 300 x 4mm
11 13/16" x 11 13/16" x 3/16"
Individual piece size:
Mixed

GW-BIAMOS
matt glass



Cirrus Large ❖❖



298 x 303 x 10mm
11 3/4" x 11 15/16" x 25/64"
Individual piece size:
48mm 1 7/8"

EW-CIRMOSLG
matt marble



Eris *



298 x 303 x 9mm
11 3/4" x 11 15/16" x 25/64"
Individual piece size:
48 x 15mm 1 7/8" x 13/16"

EW-ERIMOS
metal / marble



Murano Grey



324 x 280 x 5mm
12 3/4" x 11" x 3/16"
Individual piece size:
25 x 5mm 1" x 3/16"

GW-MRNHEXMOS
glass



Ceres *



303 x 303 x 9mm
11 13/16" x 11 13/16" x 25/64"
Individual piece size:
Mixed

EW-CERMOS
metal / glass



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114

For products with icons after the name: *
please see the corresponding technical information on page 114



Hoth



300 x 300 x 6mm
11 13/16" x 11 13/16" x 1/4"
Individual piece size:
Mixed

GW-HOTMOS
glass



Kandahar *




301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"
Individual piece size:
15mm 5/8"

GW-KANMOS
mixed materials



Herald ♦♦



300 x 300 x 10mm
11 13/16" x 11 13/16" x 3/8"

EW-HERMOS
marble



Khois



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:

EW-KHOMOS
glass/mixed/indescent



Mogao



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
23mm 7/8"

EW-MOGMOS
glass/stone



Smokey Ridge



327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 13/16"

GW-SKRMOS
glass/gold fleck



For products with icons after the name: ♦♦
please see the corresponding technical information on page 114

For products with icons after the name: *
Please see the corresponding technical information on page 114


Bihar



300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
GW-BIH MOS
glass



Kaleidoscope



297 x 297 x 6mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
48mm 1 7/8"

GW-KLDMOS
matt recycled glass



Jakku



300 x 300 x 6mm
11 13/16" x 11 13/16" x 1/4"
Individual piece size:
Mixed
GW-JAK MOS
glass



Kinetic



297 x 297 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
48mm 1 7/8"

GW-KNT MOS
matt recycled glass



Burano Grey Square



298 x 298 x 5mm
11 13/16" x 11 13/16" x 3/16"

Individual piece size:
48mm 1 7/8"

GW-BURMOS
matt recycled glass

91% RECYCLED





Burano Grey Brickbond



298 x 298 x 5mm
11 13/16" x 11 13/16" x 3/16"

Individual piece size:
98 x 44mm 3 7/8" x 1 1/4"

GW-BURBBMOS
matt recycled glass

91% RECYCLED





Burano Grey Hexagon



325 x 280 x 5mm
12 5/16" x 11" x 3/16"

Individual piece size:
25mm 1"

GW-BURHEXMOS
matt recycled glass

91% RECYCLED





Lial ❖



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"

Individual piece size:
15mm 5/8"

EW-LIAMOS
mixed materials

WALL





Fawkes



325 x 300 x 6mm
12 5/16" x 11 13/16" x 1/4"

Individual piece size:
Mixed

GW-FAWMOS
glass

WALL





For products with icons after the name: ❖
please see the corresponding technical information on page 114



Kamino



300 x 300 x 6mm
11 13/16" x 11 13/16" x 1/4"
Individual piece size:
Mixed

GW-KNMOS
glass



Poona



275 x 292 x 6mm
10 7/8" x 11 1/2" x 1/4"
Individual piece size:
30 x 25mm 1 3/16" x 1"

GW-PNAHEXMOS
glass



Raipur *



300 x 300 x 9mm
11 13/16" x 11 13/16" x 3/8"
Individual piece size:
23mm 1 1/16"

GW-RAIMOS
glass/stone/metal



Angami



298 x 260 x 8mm
10 1/4" x 11 1/16" x 5/16"
Individual piece size:
73 x 23mm 2 7/8" x 7/8"


EW-AGMMOS
mixed materials



For products with icons after the name: *
please see the corresponding technical information on page 114



Negra Black Splitface ▲❖❖



290 x 276 x 10mm
11 3/8" x 10 1/16" x 3/8"
Individual piece size:
48 x 23mm 1 7/8" x 7/8"

EW-NEGSFMOS
marble



Carinthia *



300 x 300 x 8mm
11 1/16" x 11 1/16" x 5/16"
Individual piece size:
15mm 5/8"

GW-CRAMOS
mixed materials



Kauali



295 x 295 x 8mm
11 1/16" x 11 1/16" x 5/16"
Individual piece size:
25 x 12mm 1" x 1/2"

EW-KAUBBMOS
mixed



Dias



301 x 301 x 8mm
11 7/8" x 11 7/8" x 5/16"
Individual piece size:
15mm 5/8"

EW-DASMOS
mixed



Jungfrau




327 x 327 x 4mm
12 7/8" x 12 7/8" x 3/16"
Individual piece size:
20mm 13/16"

GW-JUNMOS
glass/iridescent



Pacha



300 x 300 x 8mm
11 1/16" x 11 1/16" x 5/16"
Individual piece size:
23mm 7/8"

GW-PCHMOS
glass



For products with icons after the name: */▲❖❖
please see the corresponding technical information on page 114

For products with icons after the name: *
Please see the corresponding technical information on page 114



floor &
wall mosaics



the full spectrum...

...all suitable for walls and floors
— plus slip-resistant options



New

Mini White Gloss Penny Round

310 x 316 x 8mm
12 3/16" x 12 7/16" x 5/16"

Individual piece size:
13mm 1/2"

CS-MPWMOS
porcelain



Moonbeam Penny Round

292 x 310 x 6mm
11 1/2" x 12 1/4" x 1/4"

Individual piece size:
14mm 1/2"

CS-PRMOON
porcelain



White Honeycomb

297 x 257 x 6mm
10 1/8" x 11 3/4" x 1/4"

Individual piece size:
22mm 7/8"

CS-HNYCOMW
porcelain



White Satin Chevron

310 x 270 x 6mm
12 3/16" x 10 5/8" x 1/4"

Individual piece size:
72 x 21mm 2 7/8" x 1 3/16"

CS-WSCMOS
porcelain

New



Alto White ❖

315 x 315 x 10mm
12 3/8" x 12 3/8" x 3/8"

Individual piece size:
47mm 1 7/8"


EW-ALTMOS
marble

New

For products with icons after the name: ❖
please see the corresponding technical information on page 114



Nimbus Basketweave ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
Mixed

EW-NIMMOS
stone

WALL FLOOR

Nares Hexagon ❖❖



300 x 260 x 8mm
11 1/16" x 10 1/4" x 5/16"
Individual piece size:
48mm 1 7/8"

EW-NARX MOS
marble

WALL FLOOR



Nares Running Brick ❖❖



305 x 305 x 8mm
12" x 12" x 5/16"
Individual piece size:
48 x 14mm 1 7/8" x 9/16"

EW-NARRBMOS
marble

WALL FLOOR

Viano White Marble Brick Honed ❖❖



305 x 261 x 10mm
12" x 10 1/4" x 3/8"
Individual piece size:
100x47mm 2 3/4" x 3 1/16"

EW-VIAHBBMOS
stone

WALL FLOOR



Nares Brickbond ❖❖



305 x 305 x 8mm
12" x 12" x 5/16"
Individual piece size:
48 x 14mm 1 7/8" x 9/16"

EW-NARBBMOS
marble

WALL FLOOR

Viano White Marble Brick Polished ❖❖



305 x 261 x 10mm
12" x 10 1/4" x 3/8"
Individual piece size:
100x47mm 2 3/4" x 3 1/16"

EW-VIAPBBMOS
stone

WALL FLOOR



For products with icons after the name: ❖❖❖
please see the corresponding technical information on page 114

For products with icons after the name: ❖❖❖❖
please see the corresponding technical information on page 114

Bianco 1.0 ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
10mm 3/8"

EW-VMBIANCO
marble/tumbled



Slip Resistant



Porcelain White Square




302 x 302 x 6mm
11 7/8" x 11 7/8" x 1/4"
Individual piece size:
48mm 1 7/8"


CS-PORWSQ
matt porcelain



Slip Resistant



White Large Honeycomb




268 x 279 x 6mm
10 5/8" x 11" x 1/4"
Individual piece size:
51mm 2"

CS-HNYWHTLG-XL
porcelain



with Winchester Tile Collection Cosmopolitan Mint Bricks

Octagon and Dot Blue




295 x 295 x 6mm
11 5/8" x 11 5/8" x 1/4"
Individual piece size:
50mm 2"

CS-OCTDOTBL
porcelain



Porcelain White Hexagon



378 x 322 x 6mm
14 7/8" x 12 1/16" x 1/4"
Individual piece size:
48mm 1 7/8"

CS-PORWHX
matt porcelain




Slip Resistant



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114

Basketweave



297 x 297 x 6mm
11 1/16" x 11 1/16" x 1/4"
Individual piece size:
48x24 & 10mm 1 7/8" x 1 9/16" & 3/8"

CS-BSKMOS
porcelain






Classic Octagon and Dot



292 x 292 x 6mm
11 1/2" x 11 1/2" x 1/4"
Individual piece size:
23 & 55mm 1 9/16" x 2 1/4"

CS-OCTDOT
porcelain



Classic Octagon and Dot Large



295 x 295 x 6mm
11 5/8" x 11 5/8" x 1/4"
Individual piece size:
97 / 34mm 3 3/4" / 1 1/2"

CS-OCTDOTLG
polished ceramic



Black and White Honeycomb




297 x 257 x 6mm
11 3/4" x 10 1/8" x 1/4"
Individual piece size:
22mm 7/8"

CS-HNYCOMWB
porcelain



Basketweave White ❖❖



290 x 290 x 8mm
11 7/16" x 11 7/16" x 5/16"
Individual piece size:
64 x 30 / 15 x 15mm 2 1/2" x 1 1/4" / 5/8" x 5/8"

EW-BSKWHITE
marble



White Octagon 10 ❖❖



310 x 310 x 10mm
12 1/4" x 12 1/4" x 3/8"
Individual piece size:
100mm 4"

EW-VMOCTW10
marble/tumbled



White Octagon 48mm ❖❖




300 x 300 x 10mm
11 13/16" x 11 13/16" x 3/8"
Individual piece size:
48mm 1 7/8"

EW-VMOCTW48
marble/polished & tumbled



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114



Porcelain Black & White Square



302 x 302 x 6mm
11 7/8" x 11 7/8" x 1/4"
Individual piece size:
48mm 1 7/8"


CS-PORWBSQC
matt porcelain



Slip Resistant



Porcelain Black & White Hexagon



378 x 322 x 6mm
14 7/8" x 12 1/4" x 1/4"
Individual piece size:
48mm 1 7/8"

CS-PORWBHXC
matt porcelain



Slip Resistant



Basketweave Black ✦



290 x 290 x 8mm
11 7/16" x 11 7/16" x 5/16"
Individual piece size:
64 x 30 / 15mm 2 1/2" x 1 3/16" / 5/8"

EW-BSKBLACK
marble



Black Large Honeycomb



268 x 279 x 6mm
10 5/8" x 11 1/16" x 1/4"
Individual piece size:
51mm 2"

CS-HNYBLKLG-XL
porcelain



For products with icons after the name: ✦
please see the corresponding technical information on page 114

Porcelain Border Corner



285 x 255 x 7mm
11 1/4" x 10 1/16" x 1/4"

CS-PORCNR
matt porcelain



Slip Resistant

Porcelain Border



356 x 114 x 7mm
14" x 4 1/2" x 1/4"

CS-PORBDR
matt porcelain



Slip Resistant



Slip Resistant Mini Black Hexagon

CS-ASMBMOS
porcelain

320 x 280 x 6mm
12 5/8" x 11 1/4" x 1/4"
Individual piece size:
22mm 7/8"

WALL FLOOR

Slip Resistant

New




Alto Black ❖

EW-ALBMOS
marble

315 x 315 x 10mm
12 3/8" x 12 3/8" x 3/8"
Individual piece size:
47mm 1 7/8"

WALL FLOOR

New



Porcelain Black Square

CS-PORBSQ
matt porcelain

302 x 302 x 6mm
11 7/8" x 11 7/8" x 1/4"
Individual piece size:
48mm 1 7/8"

WALL FLOOR

For products with icons after the name: ❖
please see the corresponding technical information on page 114



Mini Black Mixed Hexagon

CS-MHBMMOS
porcelain

304 x 260 x 5mm
12" x 10 1/4" x 3/16"
Individual piece size:
22mm 7/8"

WALL FLOOR

Alto Grey ❖



315 x 315 x 10mm
12 3/8" x 12 3/8" x 3/8"
Individual piece size:
47mm 1 1/8"


EW-ALTMOS
marble



New



Crypto Small Hex ❖❖



29.5 x 25.5 x 10mm
11 7/16" x 10 1/16" x 3/8"

EW-CYSHXMOS
honed marble



Slip Resistant



Crypto Large Hexagon ❖❖



285 x 285 x 10mm
11 1/4" x 11 1/4" x 3/8"

EW-CYLHXMOS
honed marble



Slip Resistant



For products with icons after the name: ❖❖❖
please see the corresponding technical information on page 114



Grisaille 1.0 ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
10mm 3/8"

EW-VMGRIG1
marble/tumbled



Quail Maui ❖❖



290 x 290 x 10-14mm
11 7/16" x 11 7/16" x 3/8-3/16"

Individual piece size:
Mixed

EW-MAUI2
pebbles



Bora Bora ❖❖



290 x 290 x 10-14mm
11 7/16" x 11 7/16" x 3/8-3/16"


Individual piece size:
Mixed

EW-BORA2
pebbles



For products with icons after the name: ❖❖❖
please see the corresponding technical information on page 114

Mini Light Grey Penny Round



310 x 316 x 8mm
12 3/16" x 12 7/16" x 5/16"
Individual piece size:
13mm 1/2"

CS-MPGMOS
porcelain




New



New

Mini Dark Blue Gloss Hexagon




304 x 260 x 5mm
12" x 10 1/4" x 3/16"
Individual piece size:
22mm 7/8"

CS-MHDBMOS
porcelain



New

Slip Resistant Blue/Grey Hexagon



304 x 280 x 6mm
12 5/8" x 11 5/16" x 1/4"
Individual piece size:
51mm 2"

CS-ASHBGMOS
porcelain



Slip Resistant



Ibiza



306 x 306 x 8mm
12" x 12" x 5/16"
Individual piece size:
15mm 5/8"

CS-IBIMOS
porcelain



Slip Resistant



with Tileworks Mineral Portland Structured

Mini Light Blue Penny Round



310 x 316 x 8mm
12 3/16" x 12 7/16" x 5/16"
Individual piece size:
13mm 1/2"


CS-MPLBMOS
porcelain



New



Mini Light Green Penny Round



310 x 316 x 8mm
12 3/16" x 12 7/16" x 5/16"
Individual piece size:
13mm 1/2"


CS-MPLGMOS
porcelain



New



Mini Green Gloss Hexagon



304 x 260 x 5mm
12" x 10 1/4" x 3/16"
Individual piece size:
22mm 7/8"

CS-MHGRMOS
porcelain



New



Green Bali Hai ❖❖



290 x 290 x 10-14mm
11 7/16" x 11 7/16" x 3/8-9/16"
Individual piece size:
Mixed

EW-BALIHAI2
pebbles



Jade 23mm ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
23mm 7/8"

EW-VMJADE
marble/tumbled



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114

New

Mini Pink Penny Round



310 x 316 x 8mm
12 3/16" x 12 7/16" x 5/16"

Individual piece size:
13mm 1/2"

CS-MPPMOS
porcelain

WALL

FLOOR

WALL



New

Slip Resistant Pink Hexagon



304 x 280 x 6mm
12 9/16" x 11 9/16" x 1/4"

Individual piece size:
51mm 2"



CS-ASHPMOS
porcelain

WALL

FLOOR


WALL

Slip Resistant



New

Mini Pink Gloss Hexagon



304 x 260 x 5mm
12" x 10 1/4" x 3/16"

Individual piece size:
22mm 7/8"

CS-MHPIMOS
porcelain

WALL

FLOOR

WALL

Perla Large Hexagon ❖❖



300 x 297 x 10mm
11 13/16" x 11 3/4" x 3/8"
Individual piece size:
48mm 1 7/8"

EW-PRLHMOS
stone



Crema 23mm ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
23mm 7/8"

EW-VMCREMA
travertine/tumbled



Crema 48mm ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
48mm 1 7/8"

EW-VMCREMA48
travertine/tumbled



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114



Ivory Samoa ❖❖



290 x 290 x 10-14mm
11 3/8" x 11 3/8" x 3/8"-9/16"
Individual piece size:
Mixed

EW-SAMOA2
pebbles



Beige Hawaii ❖❖



290 x 290 x 10-14mm
11 7/16" x 11 7/16" x 3/8"-9/16"
Individual piece size:
Mixed

EW-HAWAII3
pebbles



Beige Hawaii Border ❖❖



270 x 100 x 10-14mm
4" x 10 5/8" x 3/8"-9/16"
Individual piece size:
Mixed

EW-HAWAII3
pebbles



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114

Mixed Travertine 23mm ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
23mm 7/8"

EW-VMTM23
travertine/tumbled



Mixed Travertine 48mm ❖❖



305 x 305 x 10mm
12" x 12" x 3/8"
Individual piece size:
48mm 1 7/8"

EW-VMTM48
travertine/tumbled



Azahar ❖❖




300 x 300 x 8mm
11 13/16" x 11 13/16" x 5/16"
Individual piece size:
30mm 1 3/16"

EW-VMAZAT30
marble/tumbled



For products with icons after the name: ❖❖
please see the corresponding technical information on page 114



How many tiles will you need?

De combien de carreaux aurez-vous besoin?

Wie viele Fliesen brauchen Sie?

Hoeveel mozaïeken hebt u nodig?

Nominal mosaic sheet size* Taille Nominale de la Plaque de Mosaïque Nennmaße des Mosaikbogens Nominale afmetingen mozaïekmat		Mosaic sheets per sq metre Plaques de mosaïque par mètre carré Mosaikbögen pro Quadratmeter Mozaïekmatten per vierkante meter	Mosaic sheets per sq foot
Metric/mm	Imperial/inches		
200 x 200	7 7⁄8 x 7 7⁄8	25	2.3
208 x 292	8 1⁄8 x 11 1⁄2	16.5	1.5
232 x 316	9 1⁄4 x 12 1⁄2	13.6	1.2
260 x 270	10 1⁄4 x 10 3⁄8	14.2	1.3
262 x 262	10 3⁄16 x 10 3⁄16	14.6	1.4
265 x 254	10 3⁄16 x 10	14.8	1.4
270 x 270	10 3⁄8 x 10 3⁄8	13.7	1.3
271 x 281	10 3⁄8 x 11	13.1	1.2
272 x 315	10 11⁄16 x 12 3⁄8	11.7	1.1
274 x 274	10 3⁄4 x 10 3⁄4	13.3	1.2
275 x 292	10 7⁄8 x 11 1⁄2	12.4	1.1
276 x 286	10 3⁄4 x 11 1⁄4	12.7	1.2
279 x 279	11 x 11	12.8	1.2
280 x 300	11 x 11 1⁄16	11.9	1.1
285 x 265	11 1⁄4 x 10 3⁄16	13.2	1.2
285 x 285	11 1⁄4 x 11 1⁄4	12.3	1.1
286 x 275	11 1⁄4 x 10 13⁄16	12.7	1.2
290 x 275	11 3⁄8 x 10 7⁄8	12.5	1.2
290 x 276	11 3⁄16 x 10 7⁄8	12.9	1.2
290 x 290	11 3⁄16 x 11 3⁄16	11.9	1.1
290 x 305	11 3⁄16 x 12	11.3	1
292 x 276	11 1⁄2 x 10 3⁄4	12.4	1.2
292 x 278	11 1⁄2 x 10 13⁄16	12.3	1.1
292 x 288	11 1⁄2 x 11 3⁄8	11.9	1.1
292 x 292	11 1⁄2 x 11 1⁄2	11.7	1.1
292 x 310	11 1⁄2 x 12 3⁄16	11	1
294 x 294	11 3⁄16 x 11 3⁄16	11.6	1.1
295 x 295	11 3⁄8 x 11 3⁄8	11.5	1.1
296 x 296	11 3⁄8 x 11 3⁄8	11.4	1.1
298 x 260	11 3⁄4 x 10 1⁄4	12.5	1.2
298 x 286	11 3⁄4 x 11 1⁄4	11.3	1
298 x 298	11 3⁄4 x 11 3⁄4	11.3	1.1
300 x 300	11 13⁄16 x 11 13⁄16	11.1	1
300 x 312	11 13⁄16 x 12 3⁄8	10.7	1
300 x 335	11 3⁄4 x 13 1⁄4	10	1
301 x 301	11 13⁄16 x 11 13⁄16	11	1
302 x 302	11 7⁄8 x 11 7⁄8	10.3	1
303 x 287	11 13⁄16 x 11 3⁄16	11.5	1.1
304 x 298	12 x 11 3⁄4	11	1
304 x 304	12 x 12	10.8	1
304 x 334	12 x 13 1⁄8	9.8	0.9
305 x 265	12 x 10 1⁄2	10.8	1.1
305 x 285	12 x 11 13⁄16	11.5	1
305 x 300	12 x 11 3⁄4	10.9	1
305 x 305	12 x 12 x 3⁄8	10.7	1
305 x 310	12 x 12 1⁄4	10.6	1
305 x 315	12 x 12 1⁄2	10.4	1
306 x 287	12 3⁄16 x 11 3⁄8	11.4	1.1
306 x 306	12 x 12 x 3⁄16	10.68	1
307 x 297	12 3⁄16 x 11 11⁄16	11	1
310 x 227	12 3⁄16 x 8 13⁄16	14.2	1.3
310 x 297	12 3⁄16 x 11 11⁄16	10.9	1
310 x 310	12 3⁄16 x 12 3⁄16	10.4	1
310 x 315	12 3⁄16 x 12 1⁄2	9.9	0.9
312 x 300	12 1⁄4 x 11 3⁄4	10.7	1
313 x 313	12 3⁄16 x 12 3⁄16	10.2	0.9
318 x 310	12 1⁄2 x 12 3⁄16	10.1	0.9
318 x 318	12 1⁄2 x 12 1⁄2	9.9	0.9
320 x 320	12 3⁄8 x 12 3⁄8	9.8	0.9
322 x 322	12 11⁄16 x 12 11⁄16	9.6	0.9
327 x 305	12 7⁄8 x 12	10	0.9
327 x 327	12 7⁄8 x 12 7⁄8	9.4	0.9
358 x 398	14 1⁄8 x 15 11⁄16	7	0.6

* All dimensions are subject to a tolerance of ± 2.5mm or 3⁄32"

* Toutes les dimensions ci-dessus sont sujettes à une tolérance de ± 2.5mm ou 3⁄32"

* Alle obigen Maße unterliegen einer Toleranz von ± 2.5 mm oder 3⁄32"

* Voor alle bovenstaande afmetingen geldt een mogelijke afwijking van ± 2.5 mm


Quantities shown exclude grout gaps between each sheet. When calculating the number of tiles you will require, do not forget to make an allowance for cutting and wastage.

Les quantités indiquées excluent les écarts des joints entre chaque plaque. Lorsque vous calculez le nombre de carreaux dont vous avez besoin, n'oubliez pas de prendre en compte les découpes et les pertes.

Die angegebenen Mengen berücksichtigen nicht die Fugenspalten. Bei der Berechnung der erforderlichen Anzahl von Fliesen denken Sie bitte daran, zusätzliche Fliesen für Verschnitt und Reststücke einzuplanen.

Er wordt bij deze hoeveelheden geen rekening gehouden met voegen tussen de matten. Houd bij het berekenen van het aantal benodigde mozaïeken rekening met snijverlies en breuk.

Anatomy of a swatch



Keys to Symbols

Signification des symboles / Symbolerklärung / Legenda

	Dry walls
	Wet & dry walls (inc.showers and wet rooms)
	Wet & dry floors (inc.showers and wet rooms)
	Dry floors only
	Internal use only
	Internal & external use

External use
All our porcelain tiles have passed the ISO 10545-12 frost resistance test, making them suitable for external use. We recommend that only tiles with shod wet (4596 shod wet) slip resistance results of 36+ are used in external situations. Original Style Ltd cannot be held liable for cracking that can occur due to adverse weather conditions or poor installation.

	Nur für Trockenwände
	Nass- und Trockenmauern (Inkl. Duschen und Nassräume)
	Nass- und Trockenböden (Inkl. Duschen und Nassräume)
	Nur für Trockenböden
	Nur für Innenbereiche
	Für Innen- und Außenbereiche

Externe Nutzung
Unsere gesamtes Feinsteinzeug hat den Frostbeständigkeitstest nach ISO 10545-12 bestanden, so dass sie für den externen Gebrauch eingesetzt werden können. Wir empfehlen, dass nur Fliesen mit einer Rutschfestigkeit von über 36 in externen Bereichen verwendet werden. Original Style Ltd haftet nicht für Risse, die durch widrige Witterungsverhältnisse oder eine falsche Installation auftreten.

	Murs secs uniquement
	Murs secs et humides (dont douches et douches italiennes)
	Sols secs et humides (dont douches et douches italiennes)
	Sols secs uniquement
	Usage intérieur uniquement
	Usage intérieur et extérieur

Usage extérieur
Tous nos carreaux en porcelaine ont passé le test ISO 10545-12 de résistance au gel et conviennent donc à un usage extérieur. Nous recommandons toutefois de poser en extérieur uniquement les carreaux dont la résistance au glissement est supérieure à 36 (selon les résultats de la VEP, 4596). Original Style Ltd déclinera toute responsabilité en cas de fissuration des carreaux due à des conditions climatiques défavorables ou à une mauvaise installation.

	Alleen droge wanden
	Natte en droge wanden (incl. douches)
	Natte en droge vloeren (incl. douches)
	Alleen droge vloeren
	Alleen voor binnengebruik
	Voor binnen- en buitengebruik

Buitengebruik
Al onze porseleinen tegels hebben de vorstbestendigheidstest doorstaan van ISO 10545-12, zodat ze geschikt zijn voor buitengebruik. We raden aan dat alleen tegels met een (4596 shod wet) slipbestendigheid van 36+ buiten worden gebruikt. Original Style Ltd is niet aansprakelijk voor scheuren die optreden als gevolg van slechte weersomstandigheden of een onjuiste installatie.

	Paper Faced/Plastic Film Faced mosaics have a covering of paper or film on the front surface rather than mesh backing. Some individual pieces are clear/translucent so any mesh backing would show through after installation to spoil the overall look. Use a white, rapid setting, cement based flexible adhesive. Because the film or paper facing is on the front of these mosaics it is difficult to see what they look like. Peel back part of the paper or plastic face on one tile BEFORE fixing to ensure the surface finish is what you expected. Plastic film faced mosaics should be adhered in the same way as other mosaics, but with the film facing outwards. Leave the adhesive for at least 24 hours to allow it to completely set and dry before peeling off the film. If it's necessary to make slight adjustments to straighten the mosaics before the adhesive sets, then cut the film carefully with a sharp knife. If the small pieces of mosaic come off when removing the plastic film it means that the adhesive has not been left long enough to dry. Use a sharp knife and cut small slits in the film to allow more air to the adhesive to speed up the process. When the adhesive is dry, remove the film by peeling it from one corner to the opposite corner. Some mosaic sheets may have a protective film covering either the whole surface or certain individual pieces. Keep the film in place during installation then carefully peel away. It is important to factor in time needed to peel off the film from some of those with film on individual pieces
 	Epoxy primer, adhesive and grout recommended Epoxy primer and adhesive with a non-sanded or superfine grout recommended
	Shower walls only, not walls in wet rooms or steam rooms
	Will fade in direct sunlight
	Contain metal. Extreme caution must be taken when using metal mosaics in an electric shower. Always consult a qualified electrician before installation. Considerable care needs to be taken when installing Fusion Micro EW-FUSMIMOS and Torque EW-TORMOS as they have very sharp edges. Wear thick protective gloves when handling these mosaics. Torque should only be installed in situations where it will not be touched or brushed past as the surface is three dimensional and some edges will be sharp even after installation. Do not install in areas where it can be brushed past or where small children will come into contact with the surface. It is important to take this into account before choosing this product. Make sure that the grain of stainless steel is going in the same direction for all mosaic sheets otherwise it will affect the appearance of the installation. Some metal mosaics have a protective film covering either the whole surface or certain individual pieces. Keep the film in place during installation then carefully peel away. It is important to factor in time needed to peel off the film from some of those with film on individual pieces.
	Mosaics containing or made from copper are not suitable for kitchens, bathrooms, showers and wet rooms or exposure to excessive moisture. When exposed to air and moisture the copper may, over time, form a patina of verdigris (a green coating). It is vital that this feature is taken into account when choosing copper mosaics.
	Seal before use
	Use white, rapid setting cement latex based flexible adhesive and a non-sanded or superfine grout unless stated otherwise
	Some mosaics may have chipped edges. This is an inherent part of these tiles and add to the rustic effect
	Do not grout
	Cutting Instructions Please see the website for details https://www.originalstyle.com/fixing-guides

These are Original Style's recommendations and are not necessarily exhaustive

Glass Mosaics

Glass thickness will have an effect on the colour of the tile. Glass mosaics near heat: glass mosaics should be installed a minimum of 3cm from any direct heat source. Handle glass mosaics with care especially when being **cut** or if broken. Ensure that the surfaces do not come into contact with each other or sharp/abrasive objects. Not recommended for use on counter tops because of the likelihood of scratching.

Iridescent mosaics

The appearance and colours of iridescent mosaics change under different lighting conditions and also vary when seen from different angles.

We recommend that you ask for samples from your retailer and try them out where you intend installing your mosaics, to make sure you get the look you are after and the most pleasing results.

Stone pebbles

To avoid visible grout lines, some pebbles may require adjusting slightly so that they interlock with adjoining pebble sheets.

Stone mosaics

Not recommended for external use as most of our stone mosaics are porous to some extent. If installed outside water could be absorbed and the tiles become susceptible to frost damage. Stone is a natural product and subject to colour variation, pitting, blemishes, chipped edges, size variation and sometimes staining. Natural stone may fade in UV light. No guarantee can be made against this happening. Some stone mosaics may have minor chips or blemishes. Such relatively insignificant imperfections should be considered normal and not the result of poor/faulty workmanship. Natural stone mosaics may also be subject to scuffing and scratching.

Installation

It is important that your tile installer understands the pattern or blended effect you want, the requirements for surface preparation and protecting newly installed tiles from on-going work. Floors and walls may require expansion joints.

Please read through the following information carefully. It will help you select the correct mosaics for your application. For more detailed instructions please refer to the Fixing Guide at www.originalstyle.com/guides.

We strongly recommend you and your tiler read through the Fixing Guide at www.originalstyle.com/guides before installation as Original Style cannot accept responsibility for any faults after mosaics have been fixed, for issues raised in this Important Information or the Fixing Guide once the product has been laid or installed.

CHOOSING THE RIGHT MOSAICS

Please check suitability of the mosaics before ordering and installation. If you are uncertain please ask your Original Style retailer for further information.

SAMPLE SERVICE

Samples and swatch cards can be sent to customers on request. Full size mosaic sheet samples are usually chargeable at a reduced rate. Please see your local stockist for details.

DIMENSIONS

Nominal sizes and thicknesses are shown throughout the brochure. Owing to the high degree of hand finishing of some mosaics, actual dimensions for individual mosaic sheets may vary from these figures and should be treated as a guide only. All dimensions are subject to a tolerance of $\pm 2.5\text{mm}$ or $\frac{3}{64}"$. When calculating the number of mosaic sheets required, please add a five per cent allowance for cutting and wastage.

COLOUR VARIATIONS AND SHADING

There may be distinctive yet subtle variations in shade to be found in many mosaics in this brochure. A single sample tile should not be taken as a completely accurate indication of colour. Some mosaic sheets and individual tiles may have distinctive yet subtle variations in shade, colour and tone, which will be an inherent feature of that particular product. We advise that you open and inspect each carton of mosaics to confirm consistency of shading. Select six random sheets from different cartons to check if there are any shading differences. We recommend that you spend time to achieve the most pleasing distribution of shades before fixing. Differences between batches can be even more marked. For this reason we recommend that you buy all the tiles at one time.

SCRATCHING

Glass and metal mosaics can be scratched. We recommend that care is taken in installation and that mosaics made from or containing glass and metal are not put in high risk areas for scratching. It is important to use a non-sanded or superfine grout to avoid scratching the surfaces of glass and metal mosaics. Always test a small area before installation.

MOSAICS AND BORDERS MADE FROM AND CONTAINING METAL

Please refer to the Fixing Guide for more information before installing mosaics and borders made from and containing metal. It is essential that a qualified electrician carries out all electrical work around metal mosaics and any borders containing metal. Extreme caution must be taken when using metal mosaics in an electric shower. Always consult a qualified electrician before installation.

INSTALLATION

We strongly recommend that your tile installer reads through this Important Information and reads the Fixing Guide at www.originalstyle.com/guides before commencing any work. This fully explains the steps necessary to plan, fix and seal your mosaics and how to maintain them in first class condition for years ahead. If in any doubt please contact our technical department prior to installation as fixing tiles incorrectly can prove costly.

CUTTING MOSAICS

Some cutting of mosaics is unavoidable. Please refer to the Fixing Guide before attempting to cut any mosaics. Metal mosaics can be cut with a water-fed electric cutting machine with a normal diamond blade. See information regarding specific products on opposite page.

Appropriate safety precautions should be always taken when cutting any mosaics. Full personal protective equipment (PPE) for hands and eyes should be used.

ADHESIVES, GROUT, SEALANTS

We strongly recommend you and your tiler read through the Fixing Guide at www.originalstyle.com/guides regarding adhesives, grouts and sealants before installation. Particular care should be taken to use the correct adhesive, grout and sealants. Carefully read manufacturers' information and always follow the manufacturer's instructions.

We recommend that a white, rapid setting cement latex based flexible adhesive and a non-sanded or superfine-sanded grout are used unless stated otherwise in the Fixing Guide (www.originalstyle.com/guides). No guarantee can be made by Original Style against some minor scratch marks appearing on mosaic tile surfaces even when using non sanded grout. Please always test the grout and grout removal on an unfixed sheet prior to installation to ensure no scratching and effective grout removal, following all manufacturers' instructions.

MAINTENANCE AND CLEANING

The use of certain acid based cleaning products may cause some of the mosaics featured in this brochure to react and change in character. We recommend the use of pH neutral cleaning products on our tiles unless otherwise stated below. **Glass:** Wash down glass mosaic surfaces with clean water; a normal spirit or alcohol based glass or window cleaner. Ensure a soft cloth is used to avoid scratching. **Gold:** Do not use acid-based cleaners on products containing gold. Follow the instructions as for Glass above. **Iridescence:** avoid any contact with products containing hydrofluoric acid (pool cleaners for example) as this will damage the lustre effects. **Metal:** Use warm soapy water then wipe with a damp cloth and buff dry. Alternatively use a stainless steel cleaner.

Do not use harsh or abrasive cleaning products, scourers or bleach. Do not allow other metals such as steel wool pads to come in contact with stainless steel mosaics, as small metal fragments may enter the surface and start to corrode, resulting in rust spots. **Copper:** avoid any contact with products containing citric acid or hydrofluoric acid (pool cleaners for example) as this will cause staining.

LIGHTING

Clever use of lighting can enhance the beauty of your mosaics, especially those containing iridescent pieces. We hope that you will be inspired by the setting photographs used throughout our brochure.

PHOTOGRAPHY

Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Original Style retailer to show you samples.

LIMITS OF LIABILITY

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Claims must be reported within seven working days from the receipt of the tiles. Tile sizes may vary slightly from the stated nominal dimensions within internationally accepted standards.

Please be advised that installation constitutes acceptance of the quality, colour, size, texture and shade of the tiles. Please note, the use of certain acid-based cleaning products may cause some of the tiles to react and change in character.

Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures. It is imperative to follow grout and adhesive manufacturers' instructions regarding their suitability with our products. If in doubt please consult the grout/adhesive stockist from whom you purchased the products. Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.

In the USA please follow the recommendations of a reputable adhesive manufacturer in conjunction with our Fixing Guide at www.originalstyle.com/guides and always comply with American National Standards Institution (ANSI) specifications as set out in the Handbook for Ceramic Tile Installation published by the Tile Council of America. Useful links: ctioa.org, tileusa.com

ACKNOWLEDGEMENTS

We gratefully acknowledge the assistance of the following companies with the photographic settings and props.

Amara	amara.com
Anthropologie	anthropologie.com/en-gb
Bathroom Village	bathroomvillage.com
Chadder & Co	chadder.com
Conran Shop	conranshop.co.uk
Cox & Cox	coxandcox.co.uk
Darts Farm	dartsfarm.co.uk
Debenhams	debenhams.com
Designers Guild	designersguild.com
Fagins	faginsantiques.com
French Connection	frenchconnection.co.uk
Furniture Village	furniturevillage.co.uk
Habitat	habitat.co.uk
Holly's House	hollys-house.com
House of Fraser	houseoffraser.co.uk
Idyll Home	idyllhome.co.uk
Industville	industville.co.uk
Laura Ashley	lauraashley.com
Maison de Marrakech	maisondemarrakech.com
Next	next.co.uk
Nkuku	nkuku.com
Not on the high street	notonthehighstreet.com
Orange Tree	theorangetree.co.uk
Penhalligon's	penhaligons.com
Rockett St George	rockettstgeorge.co.uk
Rose & Grey	roseandgrey.co.uk
Rowen and Wren	rowenandwren.co.uk
Selfridges	selfridges.com
The White Company	thewhitecompany.com
West Elm	westelm.co.uk

Adhesives, grouts, sealants	
Aquamix UK	celtexagencies.co.uk
Aquamix USA	custombuildingproducts.com/welcome.aspx
HG	hg.eu
Lithofin	lithofin-uk.co.uk
Mapei	mapei.com

	Face plastique/papier : ces mosaïques ont une fine pellicule de papier ou de plastique recouvrant leur surface plutôt qu'un filet de protection au dos. Nous recommandons l'utilisation d'une colle blanche, rapide, flexible et à base de ciment pour les carreaux recouverts d'une protection papier ou plastique. Étant donné que le papier ou plastique est sur la face avant de ces mosaïques, il est difficile de voir ce à quoi elles ressemblent. Retirez une partie du papier ou du film plastifié AVANT la pose pour vous assurer que la surface est comme vous le souhaitez. Mosaïque à face plastique : Ces mosaïques doivent être posées de la même manière que les autres mosaïques mais en vous assurant que le film se trouve sur la face supérieure. Laissez la colle sécher pendant au moins 24 heures avant de retirer le film plastique. S'il est nécessaire d'ajuster la position des mosaïques avant que la colle ne prenne, alors le film peut être découpé soigneusement à l'aide d'un couteau aiguisé. Si les carreaux individuels de la mosaïque se détachent quand vous retirez le film plastifié cela signifie que vous n'avez pas laissé sécher la colle assez longtemps. Utilisez un couteau aiguisé et coupez des petites fentes dans le film plastifié afin de permettre à la colle de recevoir plus d'air. Quand la colle est sèche, retirez le film plastifié en le tirant d'un coin au coin opposé.
 	Usage recommandé d'un apprêt, d'une colle et d'un ciment-joint époxy Apprêt et colle époxy avec joint à base de sable fin ou sans sable recommandé
	Douches uniquement - pas zoned humides: Ne convient pas aux hammams et zones où l'humidité est excessive telles que les douches italiennes mais peut être utilisée dans les couches ordinaires.
	Ne pas installer directement au soleil. Elle peut se décolorer si exposé au soleil.
	Métal Soyez extrêmement vigilants si vous installez des mosaïques en métal dans des douches électriques. Consultez toujours un électricien qualifié avant l'installation. Faites très attention lorsque vous posez les mosaïques en aluminium Fusion Micro EW-FUSMIMOS et Torque EW-TORMOS car leurs bords sont tranchants. Portez des gants épais lorsque vous manipulez ces mosaïques. Les mosaïques Torque doivent uniquement être installées dans où elles ne seront pas touchées ou effleurées, car leur surface peut blesser. La surface de Torque EW-TORMOS a trois dimensions et certains angles seront toujours coupants même après l'installation. Nous vous déconseillons d'installer ces carreaux dans des zones où ils peuvent être effleurés ou où des enfants pourront entrer en contact avec leur surface. Il est important de prendre en compte ce facteur avant de choisir ce produit. Veillez à ce que le grain de l'acier inoxydable suive la même direction dans toutes les plaques de mosaïques, sinon l'apparence générale de l'installation en sera affectée. Certains mosaïques disposent d'un film protecteur qui recouvre leur surface entière ou certains éléments individuels. Vous devez laisser ce film en place lors de l'installation, puis le retirer avec précaution.
	Carreaux avec du cuivre: Les mosaïques en cuivre ne doivent pas être posées dans les cuisines, salles de bains, douches et douches italiennes. En étant exposée à l'air et à l'humidité, la surface du cuivre risque, au fil du temps, de se patiner ou de se couvrir de vert-de-gris (une pellicule verte).
	Imperméabilisez avant usage
	Utilisez un ciment blanc et rapide, une colle flexible à base de latex et des joints non sablés ou finement sablés, sauf en cas d'indication contraire.
	Peut avoir les bords coupés: Quelques mosaïques peuvent avoir les bords coupés. C'est une partie inhérente de ces carreaux et un ajout qui a un effet rustique.
	Ne pas jointoyer
	Instruction de coupe Veuillez consulter le site Web pour plus de détails https://www.originalstyle.com/fixing-guides

Il s'agit de recommandations d'Original Style. Leur liste n'est pas nécessairement exhaustive

Verre

L'épaisseur du verre influencera aussi la coloration du carreau. Utilisation de mosaïques en verre près d'une source de chaleur : nous vous recommandons d'installer les mosaïques à une distance d'au moins 3 cm de toute source directe de chaleur.

Les mosaïques en verre doivent être maniées avec précaution, en particulier lors du découpage de celles-ci ou si elles se sont brisées. Assurez-vous que les surfaces n'entrent pas en contact les unes avec les autres ou avec des objets tranchants ou abrasifs. Nous vous déconseillons de poser des mosaïques en verre sur le plan de travail d'une cuisine car vous risquerez de les rayer. Si les carreaux en verre sont posés au sol nous ne pouvons garantir leur propriétés antidérapantes, surtout en zone humide.

Mosaïques iridescentes

L'apparence et les couleurs des mosaïques iridescent changent en fonction des conditions d'éclairage et varient aussi selon l'angle d'observation. Nous recommandons donc que vous demandiez des échantillons auprès de votre détaillant afin de les observer à l'endroit vous avez l'intention de les installer. Vous serez ainsi assuré d'obtenir l'effet que vous désirez et d'avoir des résultats répondants à vos attentes.

Galets

Pour éviter que les joints ne soient visibles, vous devrez peut-être ajuster certains galets de manière à ce qu'ils empiètent sur les plaques de galets voisines.

La pierre

La plupart de nos mosaïques en pierre sont poreuses à un plus ou moins haut degré. Installées en extérieur, elles auront tendance à absorber l'eau, ce qui les rendra vulnérables au gel. La pierre naturelle peut perdre de sa couleur lorsqu'exposée aux ultraviolets. Nous ne pouvons vous donner aucune garantie contre ce phénomène. La pierre est un matériau naturel ; en conséquence, des variations de couleur sont possibles entre chaque mosaïque de pierre et entre éléments individuels. Certaines mosaïques de pierre présenteront de petites marques ou ébréchures. Ces imperfections, relativement insignifiantes, doivent être considérées comme normales et ne sont pas dues à un défaut de fabrication. Les mosaïques en pierre naturelle sont aussi sensibles aux éraflures et aux rayures.

Installation

Il est important que l'installateur comprenne les exigences liées à la préparation de la surface, le motif ou l'effet mélangé que vous cherchez à créer et comment protéger les carreaux déjà installés jusqu'à ce que les travaux soient terminés. Des joints de dilatation seront peut-être nécessaires pour les sols et les murs internes et externes.

Nous vous recommandons de lire avec attention les informations suivantes. Celles-ci vous aideront à choisir les mosaïques les plus adaptées à vos exigences et vous permettront de vous familiariser avec certaines procédures d'installation et de maintenance. Pour consulter des instructions plus détaillées avant de procéder à l'installation, veuillez vous reporter au Guide d'Installation sur [originalstyle.com/guides](https://www.originalstyle.com/guides). Original Style n'acceptera aucune responsabilité pour toute anomalie qui apparaîtra une fois que le produit aura été posé ou installé, ni pour tout problème préalablement soulevé dans ces Informations Essentielles ou dans nos Guides d'Installation.

Choisir Les Mosaïques Adaptées

Veillez consulter le Guide d'Utilisation pour vérifier que les mosaïques désirées sont adaptées à vos besoins avant de passer commande et de les installer (intérieur / extérieur / douches / douches italiennes / sols / variation de couleur et remarques spéciales). En cas de doute, n'hésitez pas à consulter votre détaillant Original Style pour de plus amples informations.

Échantillons

Nos clients peuvent demander à recevoir des échantillons et des cartes échantillons. Les échantillons sous forme de plaques de mosaïque sont généralement facturés à un tarif réduit. Nous vous invitons à consulter votre revendeur local pour plus d'informations.

Dimensions

Toutes les dimensions et épaisseurs indiquées dans cette brochure sont nominales. Comme certaines mosaïques sont finies à la main, les dimensions réelles de chaque plaque de mosaïque peuvent varier et ne sont donc données qu'à titre indicatif. Toutes les dimensions sont sujettes à une tolérance de ± 2,5 mm. Lorsque vous calculerez le nombre de plaques de mosaïque dont vous avez besoin, n'oubliez pas de prendre en compte les découpes et déchets éventuels, qui représentent en moyenne 5% du total.

Variations de Couleur et Teintes

Un grand nombre de mosaïques comprises dans cette brochure pourront présenter des variations de couleur caractéristiques mais subtiles. Vous ne pouvez donc pas vous fier à un seul échantillon pour connaître la couleur générale de la surface une fois la pose terminée. Certaines plaques de mosaïques et certains carreaux individuels pourront présenter des variations, à la fois distinctes et subtiles, de teinte, couleur et nuance ; il s'agit d'une qualité inhérente du produit concerné. Nous vous conseillons d'ouvrir et d'inspecter chaque boîte de mosaïques pour vérifier l'homogénéité de la teinte. Sélectionnez au hasard six plaques de mosaïques dans différentes boîtes pour vérifier s'il existe des variations de teinte. Nous vous recommandons de prendre le temps d'agencer les différentes teintes de la manière la plus plaisante avant de procéder à l'installation. De surcroît, les différences peuvent être davantage marquées d'un lot à l'autre. Nous vous recommandons donc vivement d'acheter tous les carreaux en une seule fois.

Rayures

Les mosaïques en verre et en métal sont sensibles aux rayures. Nous vous recommandons de prendre le plus grand soin lors de l'installation et de ne pas poser les mosaïques contenant du verre ou du métal dans des endroits où ils seront susceptibles d'être rayés. Il est important d'utiliser un ciment à base de sable fin ou sans sable pour éviter de rayer la surface des carreaux en verre. Faites toujours un essai sur une petite zone avant l'installation.

Mosaïques et Bordures Contenant du Métal

Veillez vous référer au Guide d'Installation pour de plus amples informations avant de procéder à l'installation des mosaïques en métal. Il est indispensable que tous les travaux électriques autour des mosaïques en métal et bordures contenant du métal soient effectués par un électricien qualifié. Soyez extrêmement vigilants si vous installez des mosaïques en métal dans des douches électriques. Consultez toujours un électricien qualifié avant l'installation.

Installation

Nous recommandons vivement à votre installateur de carreaux de consulter ces Informations Essentielles de même que le Guide d'Installation (www.originalstyle.com/guides) avant de commencer tous travaux. Ces documents expliquent l'ensemble des étapes nécessaires pour planifier, installer et imperméabiliser vos mosaïques et comment les maintenir dans une condition impeccable au fil des années. En cas de doute, n'hésitez pas à prendre contact avec notre département technique avant de procéder à l'installation, car installer les carreaux incorrectement pourra s'avérer coûteux.

Découpe Des Mosaïques

Il est inévitable que certaines mosaïques devront être découpées. Veuillez vous référer au Guide d'Installation avant de procéder à la découpe des mosaïques. Les mosaïques en métal peuvent être coupées avec un coupe carrelage électrique à eau. Les mosaïques en bois et noix de coco peuvent être coupées à la scie sauteuse. Veillez à toujours prendre les plus grandes précautions en matière de sécurité lors de la découpe des mosaïques. Nous vous conseillons de porter un équipement de protection individuelle (EPI) complet pour protéger vos mains et vos yeux. Voir les informations concernant les produits spécifiques à la page 162.

Colles, Joints, Mastic D'étanchéité

Il est important de veiller à utiliser la colle, le ciment-joint et le mastic d'étanchéité les mieux adaptés. Assurez-vous de toujours lire et suivre les instructions du fabricant. Nous vous recommandons d'utiliser un ciment blanc et rapide, une colle flexible à base de latex et des joints sans sable ou à base de sable fin, sauf en cas d'indication contraire, voir le guide d'utilisation/voir ci-dessous. Original Style ne peut donner aucune garantie contre l'apparition de petites rayures sur la surface des mosaïques même en cas d'utilisation d'un joint sans sable. Tout en suivant les instructions, veuillez toujours tester le joint et le produit pour enlever le joint sur une feuille non-fixée avant l'installation pour éviter les rayures et le retrait du joint.

Entretien et Nettoyage

Veillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certaines des mosaïques présentées dans cette brochure et en modifier les caractéristiques. Nous vous conseillons d'utiliser des produits nettoyants au pH neutre sur tous nos carreaux, sauf en cas d'indication contraire ci-dessous.

Verre: Nettoyez la surface des mosaïques en verre avec de l'eau propre ou un nettoyant ordinaire ou à base d'alcool pour verre ou vitres. Utilisez toujours un chiffon doux pour éviter toute rayure.

Métal: Utilisez de l'eau chaude et savonneuse puis essuyer avec un chiffon sec et polissez jusqu'à séchage complet. Vous pouvez aussi utiliser un nettoyant pour acier inoxydable. Veillez à ne pas utiliser de produits corrosifs ou abrasifs, d'éponges à récurer ou de produit à base d'eau de Javel. Veillez aussi à ce qu'aucun autre objet métallique, comme les tampons en paille de fer, ne soient en contact avec les mosaïques en acier inoxydable car des fragments de métal pourraient alors s'y immiscer et commencer à se corroder, et des tâches de rouille pourraient alors apparaître.

Cuivre: Évitez tout contact avec des produits contenant de l'acide citrique ou fluorhydrique (par exemple, nettoyants pour piscine) car ils risqueraient tacher le cuivre.

Or: Nous vous déconseillons d'utiliser des détergents à base d'acide sur tout produit contenant de l'or. Suivez les instructions ci-dessus concernant le Verre.

Iridescence: évitez tout contact avec des produits contenant de l'acide fluorhydrique (par exemple, nettoyants pour piscine) car ils risqueraient de dégrader l'effet lustré.

Éclairage

Une utilisation astucieuse de la lumière peut optimiser la beauté de vos mosaïques, surtout si elles contiennent des éléments iridescents. Nous espérons que les photographies utilisées dans notre brochure vous inspirerons.

Photographie

A cause de la diversité des éclairages utilisés en studio et des encres utilisées pour l'impression, la couleur des carreaux présentés dans ce catalogue pourra différer légèrement de la véritable couleur des carreaux. Avant de faire votre choix, il est toujours préférable de demander à votre revendeur Original Style de vous montrer des échantillons.

Responsabilité

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses produits. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style sera confinée, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvrira pas les dommages indirects. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. La taille des carreaux pourra légèrement varier par rapport aux dimensions nominales indiquées, mais cette variation respecte les normes internationales approuvées.

Notez que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture, de la taille et de la teinte des carreaux. Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus. Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Il est impératif de suivre les instructions des fabricants de colles et de ciments-joints afin d'en vérifier la compatibilité avec nos produits. En cas de doute, consultez le revendeur qui vous aura fourni la colle ou le ciment-joint. Original Style n'assumera aucune responsabilité en ce qui concerne la compatibilité ou l'usage de colles et de ciments-joints tiers.

	Mosaikfliesen auf Papier- und Folienträgern: Diese Mosaikfliesen sind auf der Vorderseite mit Papier oder Folie verklebt, anstatt mit einem Netz auf der Rückseite. Einige Mosaiksteine sind transparent oder lichtdurchlässig. Ein werkseitiger Netzträger würde daher auch nach der Installation durch die Steine sichtbar sein und somit das Erscheinungsbild mindern. Die vorderseitige Verklebung erschwert es, die Optik Ihres Mosaiks zu beurteilen. Ziehen Sie daher VOR der Installation ein kleines Stück der Beschichtung ab, um zu sehen, ob das Mosaik Ihren Vorstellungen entspricht. Mosaikfliesen auf Folienträgern werden generell wie andere Mosaikfliesen verlegt, die Folie muss dabei aber stets nach außen zeigen. Der Kleber sollte mindestens 24 Stunden ruhen, bis er vollkommen fest und trocken ist. Erst dann darf die Folie abgezogen werden. Soll die Ausrichtung der Mosaikfliesen vor dem Aushärten des Klebers noch korrigiert werden, kann die Folie vorsichtig mit einem scharfen Messer eingeschnitten werden. Wenn sich beim Abziehen der Plastikfolie einzelne Mosaiksteine lösen, ist der Kleber noch nicht ausreichend getrocknet. Machen Sie mit einem scharfen Messer kleine Einschnitte in die Folie, um den Trocknungsprozess zu beschleunigen. Wenn der Kleber vollständig getrocknet ist, ziehen Sie die Folie diagonal von Ecke zu Ecke ab.
 	Epoxid-Grundierung, -kleber und -mörtel empfehlen Epoxidgrundierung sowie feinsandiger oder sandfreier Fugenmörtel empfohlen.
	Nur Duschwände, keine Nassbereiche.
	Nicht in direktem Sonnenlicht installieren. Können bei direkter Sonneneinstrahlung verblassen.
	Fliesen mit Metallanteil: Äußerste Vorsicht ist geboten, wenn Metallmosaikfliesen in einer elektrischen Dusche verwendet werden. Ziehen Sie vor der Installation unbedingt einen Elektrofachmann zurate. Metall: Bitte beachten Sie, dass Mosaik der Serie Fusion Micro EW-FUSMIMOS und Torque EW-TORMOS sehr scharfe Kanten haben. Wir empfehlen bei der Installation Handschuhe zu tragen und diese Fliesen nicht in Bereichen zu installieren, in denen Personen sie beim Vorbeigehen streifen oder Kinder mit ihnen in Berührung kommen könnten. Achten Sie darauf, dass die Maserung von Edelstahl auf allen Mosaikmatten immer in der gleichen Richtung verläuft, da sonst das Erscheinungsbild beeinträchtigt werden kann. Entfernen Sie eventuell vorhandene Schutzfolien erst nach der Installation durch vorsichtiges Abziehen.
	Fliesen mit Kupferanteil sind nicht geeignet für den Einsatz in Küchen, Badezimmern, Duschkabinen und Nassbereichen. Kupfer kann mit der Zeit Grünspan ansetzen. Dies kann die Optik der Fliese beeinträchtigen.
	Vor Verwendung versiegeln.
	Verwenden Sie, falls nicht anders angegeben, weißen, schnell trocknenden Zement, flexiblen Kleber auf Latexbasis und sandfreien Mörtel oder Mörtel mit feinem Sand
	Ausgebrochene Ränder: Einige Mosaik können ausgebrochene Ränder haben. Dies ist die Natur dieser Fliesen und tragen zu einem gewollt rustikalen Effekt bei.
	Nicht verfugen
	Schneideanweisungen Details finden Sie auf der Website https://www.originalstyle.com/fixing-guides

Original Style übernimmt für die Richtigkeit dieser Angaben keine Haftung

Glas

Die Dicke des Glases wirkt sich auf die Fliesenfarbe aus. Einsatz am Boden: Glasfliesen sind in nassen Bereichen nicht ausreichend rutschsicher. Einsatz in der Nähe von Wärmequellen: Wir empfehlen mindestens 3 cm Abstand zu allen direkt wirkenden Wärmequellen. Ladentheken: Die Verwendung ist wegen der Kratzanfälligkeit nicht empfohlen. Seien Sie vorsichtig beim Umgang mit Glasmosaik, besonders mit geschnittenen/ gebrochenen Fliesen. Die Oberflächen sollten nicht miteinander oder mit scharfen/scheuernden Gegenständen in Berührung kommen. Einige Glasmosaikfliesen sind besonders zerbrechlich und sollten vorsichtig behandelt werden.

Irisierende Mosaik

Das Aussehen und die Farben von irisierenden Mosaiken ändern sich in verschiedenen Lichtverhältnissen und variieren je nach Betrachtungswinkel. Wir empfehlen Ihren Händler um Muster zu bitten und diese am Installationsort zu betrachten. Nur so können Sie sicher sein, das erwünschte Ergebnis zu erlangen.

Steinmosaik

Die meisten Steinmosaik sind leicht porös und daher nicht für den Außenbereich empfohlen. Bei Installation im Freien absorbieren die Mosaik Wasser und werden dadurch anfällig für Frostschäden. Stein ist ein natürliches Material, bei dem es zu Farbabweichungen, Grübchenbildung, kleine Schönheitsfehler, Absplitterungen, Größenschwankungen und gelegentlicher Fleckenbildung kommen kann. Derartige geringfügige Unvollkommenheiten sind normal und kein Resultat unzureichender Qualität oder Herstellung. Naturstein kann unter Umständen verkratzen oder Schuppen bilden und bei UV-Einstrahlung verblassen. Hiergegen kann keine Garantie gegeben werden.

Installation

Es ist wichtig, dass Ihr Fliesenleger den von Ihnen gewünschten Muster- bzw. Mischeffekt und die Maßnahmen zur Oberflächenvorbereitung kennt sowie die frisch verlegten Fliesen vor Beschädigung durch laufende Arbeiten schützt. An Boden und Wänden im Innen- und Außenbereich sind möglicherweise Dehnungsfugen erforderlich.

Lesen Sie die folgenden Informationen bitte aufmerksam durch. Sie sollen Ihnen bei der Auswahl des richtigen Mosaiks für Ihre Zwecke helfen und enthalten außerdem Hinweise zu Installation und Pflege. Beachten Sie vor der Montage bitte auch unbedingt die Installationsanleitung unter [originalstyle.com/guides](https://www.originalstyle.com/guides). Original Style kann nach dem Verlegen oder Anbringen des Produkts keine Haftung für Probleme übernehmen, die hier oder in der Installationsanleitung behandelt wurden.

ENTSCHEIDEN SIE SICH FÜR DIE RICHTIGEN MOSAIKFLIESEN

Bitte lesen Sie vor der Bestellung und Installation im Benutzerleitfaden nach, ob die gewünschten Mosaikfliesen für Ihre Zwecke geeignet sind (innen/außen/Duschkabinen/Nassbereiche/Böden/ Farbabweichungen und besondere Hinweise). Im Zweifelsfall wenden Sie sich bitte an Ihren Original Style Fachhändler, der Sie gerne berät.

MUSTER-SERVICE

Muster und Musterkarten können dem Kunden auf Wunsch zugeschickt werden. Mosaikmattenmuster in voller Größe werden in der Regel zu einem reduzierten Preis berechnet. Für weitere Einzelheiten wenden Sie sich bitte an Ihren Fachhändler vor Ort.

ABMESSUNGEN

In dieser Broschüre werden Sollmaße und Dicken angegeben. Aufgrund der umfangreichen Handarbeiten bei bestimmten Mosaiken können die tatsächlichen Maße einzelner Mosaikmatten von diesen Sollwerten abweichen und sind daher nur als Anhaltspunkt zu betrachten. Alle Maße unterliegen einer Toleranz von ± 2,5 mm. Planen Sie bei der Berechnung der erforderlichen Anzahl Mosaikmatten bitte 5 % zusätzlich für Verschnitt und Reststücke ein.

FARBABWEICHUNGEN UND FARBNUANCEN

Bei vielen Mosaiken in dieser Broschüre können leichte, aber dennoch unverkennbare Unterschiede in der Farbnuance auftreten. Eine Musterfliese kann daher niemals als absoluter Garant für eine bestimmte Farbe gesehen werden. Einige Mosaikmatten und einzelne Fliesen können in ihrer Schattierung, Farbe und im Farbton feine Abweichungen aufweisen, die als Eigenschaft des jeweiligen Produkts anzusehen sind. Wir empfehlen Ihnen, jeden Karton zu öffnen und die Fliesen auf eine konstante Farbgebung zu überprüfen. Wählen Sie aus verschiedenen Kartons sechs beliebige Matten aus und vergleichen Sie den jeweiligen Farbton. Nehmen Sie sich Zeit bei der Anordnung der Fliesen und optimieren Sie den Effekt durch eine bestmögliche Anordnung der verschiedenen Schattierungen. Unterschiede zwischen einzelnen Chargen können sogar noch deutlicher ausfallen. Aus diesem Grund empfehlen wir dringend, alle Fliesen auf einmal kaufen.

KRATZER

Glas- und Metall-Mosaikfliesen können verkratzen. Wir empfehlen bei der Installation vorsichtig vorzugehen und Mosaikfliesen mit Glas- und Metallanteilen von Arbeiten und Bereichen fernzuhalten, in denen Sie leicht verkratzen können. Es ist wichtig, dass eine besonders feine bzw. korntfreie Fugenmasse verwendet wird, um ein Zerkratzen der Oberfläche zu vermeiden. Führen Sie vor der Installation immer einen Test an einer kleinen Stelle durch.

MOSAIKFLIESEN UND BORDÜREN AUS UND MIT METALL

Bitte beachten Sie vor der Installation von Mosaikfliesen und Bordüren aus und mit Metall die Installationsanleitung. Für alle elektrischen Arbeiten in der Nähe von Metallmosaik bzw. metallhaltigen Bordüren muss ein qualifizierter Elektriker hinzugezogen werden. Besondere Sorgfalt ist erforderlich, wenn Metallmosaikfliesen in einer elektrischen Dusche verwendet werden. Ziehen Sie vor der Installation unbedingt immer einen Elektrofachmann zu Rate.

INSTALLATION

Bitte lesen Sie bzw. Ihr Fliesenleger vor Beginn jeglicher Arbeiten diese wichtigen Informationen sorgfältig durch und beachten Sie die Installationsanleitung (www.originalstyle.com/fixing.html). In diesen Dokumenten werden alle erforderlichen Schritte zur Planung, Verlegung und Versiegelung Ihrer Mosaikfliesen erläutert. Zusätzlich erfahren Sie, wie Sie die Fliesen durch richtige Pflege auch in Zukunft in erstklassigem Zustand halten. Bei Unklarheiten wenden Sie sich bitte VOR der Installation an unsere technische Abteilung.

MOSAIKFLIESEN SCHNEIDEN

Beachten Sie vor dem Schneiden von Mosaikfliesen unbedingt die Installationsanleitung. Metallmosaikfliesen können mit einer elektrischen Wasser-Schneidmaschine mit normalen Diamantsägeblatt geschnitten werden. Für Holz- und Kokosnussmosaikfliesen genügt eine Stichsäge. Beim Schneiden von Mosaiken sind entsprechende Vorsichtsmaßnahmen zu treffen. Eine vollständige persönliche Schutzausrüstung (PSA) für Hände und Augen wird empfohlen.

KLEBER, FUGEN- UND DICHTUNGSMASSE

Es ist besonders wichtig auf die Verwendung der richtigen Kleber, Fugen- und Dichtungsmasse zu achten. Beachten Sie dabei stets die Herstellerinformationen. Wir empfehlen, sofern nicht anders angegeben, weißen, schnell trocknenden Zement, flexiblen Kleber auf Latexbasis, sandfreie Fugenmasse oder Fugenmasse mit feinem Sand zu verwenden. Original Style kann nicht garantieren, dass die Mosaikoberfläche selbst bei der Verwendung sandfreier Fugenmasse nicht verkratzt. Testen Sie daher die Fugenmasse und Mörtelentferner stets VOR der Installation gemäß der Herstelleranweisungen.

INSTANDHALTUNG UND PFLEGE

Bitte beachten Sie, dass säurebasierte Reinigungsprodukte die Eigenschaften und das Aussehen einiger Mosaikfliesen verändern können. Wir empfehlen, sofern nicht anders angegeben, die Verwendung pH-neutraler Reinigungsprodukte. **Glas:** Glasmosaikoberflächen mit sauberem Wasser oder einem normalen Glasreiniger auf Spiritus- oder Alkoholbasis abwaschen. Dazu unbedingt ein weiches Tuch verwenden, um Kratzer zu vermeiden. **Metall:** Verwenden sie warmes Seifenwasser. Anschließend mit einem feuchten Tuch abwischen und trockenreiben. Alternativ können Sie einen Edelstahlreiniger verwenden. Benutzen Sie keine aggressiven oder scheuernden Reinigungsprodukte wie Scheuer- oder Bleichmittel. Lassen Sie keine anderen Metalle wie z. B. Stahlwolle mit Stahlmosaikflächen in Berührung kommen, da kleine Metallteile in die Oberfläche eindringen und dort korrodieren können, so dass Roststellen entstehen. **Kupfer:** Vermeiden Sie jeglichen Kontakt mit Produkten, die Zitronen- oder Flusssäure enthalten (wie Swimmingpool-Reiniger), da hierdurch Flecken entstehen können. **Gold:** Wir empfehlen bei Produkten, die Gold enthalten, auf Reinigungsmittel auf Säurebasis zu verzichten. Folgen Sie den Anweisungen für Glas. **Irisierende Produkte:** Vermeiden Sie jeglichen Kontakt mit Produkten, die Flusssäure enthalten (wie Swimmingpool-Reiniger), da bei der Reinigung mit ihnen Glanzeffekte verloren gehen können.

BELEUCHTUNG

Eine gut angebrachte Beleuchtung kann die Schönheit Ihrer Mosaikfliesen noch hervorheben. Dies gilt insbesondere für Fliesen mit schillernden Elementen. Wir hoffen, die Fotokulissen in unserem Katalog sind eine gute Inspiration für Sie.

FOTOGRAFIEN

Aufgrund von Abweichungen bei der Studiobeleuchtung und Druckfarben können die Fliesenfarben, die in diesem Katalog dargestellt sind, leicht von den Farben der tatsächlichen Fliesen abweichen. Es ist stets ratsam, Ihren Original Style-Händler zu bitten, Ihnen Muster zu zeigen, bevor Sie Ihre Auswahl treffen.

HAFTUNGSBESCHRÄNKUNG

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Bei Reklamation des eigentlichen Produkts beschränkt sich die gesetzlich eingeräumte Haftung lediglich auf den Umtausch oder Kostenrückerstattung, nicht aber auf mittelbare Schäden. Fliesen sind vor der Installation zu kontrollieren. Eine Reklamation nach der Installation ist nicht möglich. Reklamationen sind innerhalb von sieben Arbeitstagen nach Erhalt der Fliesen einzureichen. Die Maße der Fliesen können im Rahmen der international anerkannten Standards leicht von den angegebenen Nominalgrößen abweichen.

Bitte beachten Sie, dass Sie durch die Installation Qualität, Farbgebung, Größe, Textur und Farbton der Fliesen akzeptieren. Die Verwendung von säurebasierten Reinigungsprodukten kann bei einigen Fliesen Reaktionen und veränderte Eigenschaften hervorrufen.

Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen. Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Instandhaltungsverfahren. Befolgen Sie unbedingt die Anweisungen der Hersteller von Fugenmasse und Kleber hinsichtlich der Eignung für unsere Produkte. Im Zweifelsfall wenden Sie sich bitte an Ihren Fachhändler, Original Style übernimmt keine Verantwortung bezüglich der Gebrauchstauglichkeit von Klebern und Fugenmasse von Drittanbietern.

	Mozaïeken met een papieren laag of plastic folielaag zijn aan de voorkant voorzien met een laag papier of folie en hebben geen netje op de achterzijde. De reden hiervoor is dat sommige tegeltjes doorzichtig of doorschijnend zijn. Hierdoor zou een netje op de achterkant na het tegelen zichtbaar zijn en het effect bederven. We raden aan om witte, sneldrogende, flexibele lijm op cementbasis te gebruiken voor deze mozaïeken. Omdat de papieren of plastic folielaag aan de voorkant van het mozaïek zit, is het lastig om te zien hoe de mozaïeken met een plastic of papieren laag eruit zien omdat dit laagje op de voorkant van het mozaïek zit. Pel daarom een klein hoekje van het papier of plastic van het mozaïek af VOOR het plaatsen van de mozaïeken om er zeker van te zijn dat het de juiste textuur en kleur krijgt. Mozaïeken met plastic bekleding: Na installatie van deze Mozaïeken met een plastic folielaag moet de lijm ten minste 24 uur drogen en uitharden, voordat de folie kan worden verwijderd. Als het nodig is om het mozaïek licht te corrigeren voordat de lijm uithardt, dan kan er voorzichtig met een scherp mes in de folie worden gesneden. Als de kleine stukjes van het mozaïek loskomen wanneer u het plastic laagje probeert te verwijderen, dan betekent dit dat de lijm nog niet droog is. Gebruik een scherp mes en maak kleine sneetjes in het plastic om meer lucht bij de lijm te laten komen. Op die manier zal de lijm sneller drogen. Wanneer de lijm volledig droog is, verwijder dan het plastic door het van de ene hoek naar de tegenoverstaande hoek van het mozaïek af te pellen.
 	Epoxy-primer; lijm en voegmiddel aanbevelen Epoxy-primer en lijm met een fijnkorrelig of zandloos voegmiddel aanbevelen
	Alleen douches, geen sauna's
	Niet in direct zonlicht plaatsen. Deze mozaïeken zullen vervagen in direct zonlicht.
	Bevat metaal: Bij het gebruik van metalen mozaïektegels in een elektrische douche moet men heel voorzichtig zijn. Raadpleeg altijd een elektricien voor de installatie. Wees uitermate voorzichtig bij het installeren van het aluminium mozaïek Fusion Micro EW-FUSMIMOS and Torque EW-TORMOS, aangezien deze zeer scherpe randen hebben. Het is aangeraden om dikke en beschermende handschoenen te dragen bij het hanteren van dit mozaïek. Torque dient alleen te worden aangebracht in situaties waarbij deze tegels niet kunnen worden aangeraakt, en waarbij men er niet tegen aan kan lopen. Zorg ervoor dat de vezelrichting bij roestvrij staal in dezelfde richting gaat als alle matjes anders zal het de look van het mozaïek bederft worden. Sommige metalen mozaïeken hebben een beschermende laag die het volledige oppervlak of bepaalde individuele tegels bedekken. Deze laag mag niet worden losgemaakt tijdens het plaatsen en kan erna voorzichtig worden verwijderd. Het is belangrijk dat men rekening houdt met de tijdsduur zodat men de laag van de afzonderlijke tegels kan verwijderen.
	Koper is niet geschikt voor keukens, sauna's, badkamers, douches of spatschermen en blootstelling aan excessieve vochtigheid. Koper kan met het verloop van tijd, als het wordt blootgesteld aan lucht en vochtigheid, een laagje roest vormen. Het is zeer belangrijk dat deze eigenschap in rekening wordt genomen bij het kiezen van koperen mozaïek.
	Afdichten voor gebruik
	Gebruik wit, sneldrogend cement, een flexibele lijm op latexbasis en een zandloos of fijnkorrelig voegmiddel, tenzij er anders staat vermeld.
	Kan afgebroken randen bevatten: Sommige mozaïeken bevatten afgebroken randen. Dit is een inherent onderdeel van deze tegels en een toevoegsel tot het rustieke effect.
	Geen cement in de voegingen
	Snij instructies Zie website voor details https://www.originalstyle.com/fixing-guides

Deze aanbevelingen van Original Style zijn niet per se volledig

Glas

De dikte van de glazen tegel heeft invloed op de kleur van de tegel.Slipbestendigheid met glazen tegels is wellicht niet toereikend in vochtige omstandigheden wanneer deze voor de vloer worden gebruikt. Glasmozaïek in de buurt van hittebronnen: we raden aan om minstens 3 cm vrij te houden tussen glasmozaïek en directe hittebronnen.

Iriserende mozaïeken

Het uiterlijk en de kleuren van iriserende mozaïeken veranderen onder verschillende lichtomstandigheden en variëren ook wanneer ze worden gezien vanuit verschillende hoeken.Wij raden u aan om stalen te vragen aan uw kleinhandelaar en deze uit te proberen waar u ze graag wilt installeren zodat u de look krijgt die u wilt en de meest aangename resultaten.

Stenen Mozaïek

Niet geschikt voor buitengebruik aangezien het merendeel van onze stenen mozaïeken in meer of mindere mate poreus zijn. Als ze buiten worden gelegd, kunnen ze water absorberen, waarna de mozaïeken door vorst beschadigd kunnen raken. Steen is een natuurlijk product en onderhevig aan kleurvariaties, putvorming, vlekken, afgebroken randen, variërende groottes en soms verkleuringen. Dergelijke betrekkelijk onbeduidende onvolmaaktheden zijn normaal en niet het gevolg van een gebrek aan vakmanschap.

Natuursteen kan in UV-licht verbleken. We kunnen niet garanderen dat dit niet gebeurt. Natuurlijke stenen mozaïek kan ook onderhevig zijn aan schuren en krassen.

Installatie

Het is belangrijk dat uw tegelzetter begrijpt welk patroon of effect u wenst, welke voorbereidingen de ondergrond nodig heeft en welke bescherming de tegels nodig hebben tijdens het voortzetten van het werk tijdens en na het installeren van de tegels.

Lees de onderstaande informatie zorgvuldig door: De informatie helpt u bij het kiezen van de juiste mozaïektegels en begeleidt u bij enkele procedures voor het aanbrengen en onderhouden van de tegels. Raadpleeg de installatiegids voor gedetailleerdere instructies en voorafgaand de installatie op originalstyle.com/guides. Van zodra het product is gezet of geïnstalleerd, is Original Style niet aansprakelijk voor defecten of voor problemen vermeld in deze belangrijke informatie of in de installatiegids.

KIES DE JUISTE STEENMOZAÏEK

Controleer de geschiktheid van het mozaïek in de gebruiksaanwijzing voorafgaand het bestellen en aanbrengen (interieur/exterieur/ badkamers/sauna's/vloeren/kleurvariatie en speciale aantekeningen). Vraag in geval van twijfel uw Original Style-detailhandelaar om raad.

MONSTERS

Monsters en staalkaarten kunnen op verzoek naar klanten worden opgestuurd. Gehele mozaïekmatjes kunnen gewoonlijk voor een lager tarief worden besteld. Vraag uw tegelspecialist naar de details.

AFMETINGEN

In deze brochure worden nominale afmetingen en diktes vermeld. Sommige mozaïeken worden met de hand afgewerkt waardoor de werkelijke afmetingen van de individuele mozaïekmatjes kunnen afwijken van de vermelde maten, die slechts als leidraad moeten worden gezien. Voor alle afmetingen geldt een tolerantiewaarde van ± 2.5mm. Houdt rekening met vijf percent voor het snijden en voor afval bij het berekenen van het aantal benodigde mozaïekmatjes.

KLEURVARIATIES EN NUANCERING

Zichtbare maar subtiele variaties in nuancering kunnen in veel mozaïeken worden aangetroffen, waaronder uit deze brochure. Eén monstertegel biedt dientengevolge geen precieze kleurindicatie. Sommige mozaïekmatjes en individuele tegels kunnen zichtbare maar subtiele variaties in nuancering, kleur en toon bevatten die een inherent eigenschap zijn van dat bepaald product. We raden aan dat u elke doos met mozaïek opent en inspecteert om de consistentie van de nuancering te bevestigen. Selecteer zes willkeurige matjes uit verschillende dozen om te controleren of er verschillen in de nuancering zijn. Voordat u met de betegeling start, raden we aan dat u tijd besteedt aan de verdeling van de nuancering die u het mooist vindt. De verschillen tussen verschillende partijen kunnen zelfs nog groter zijn. We raden u daarom aan om alle tegels tegelijkertijd te bestellen.

KRASSEN

Glazen en metalen mozaïeken kunnen bekrast raken. Vw raden een zorgvuldige installatie aan. Verder adviseren we dat mozaïek dat glas en metaal bevat, niet wordt gebruikt op plekken waar het risico op krassen hoog is. Het is belangrijk om een fijnkorrelig of een zandloos voegmiddel te gebruiken om krassen op het oppervlak van glazen en metalen mozaïek te vermijden. Test altijd een klein gebied voor dat u met de installatie begint.

MOZAÏEK EN RANDEN DIE GEMAAKT ZIJN VAN METAAL, OF DIE METAAL BEVATTEN

Raadpleeg eerst de installatiegids voor meer informatie voordat u mozaïek en randen installeert die gemaakt zijn van metaal, of die metaal bevatten. Het is van essentieel belang dat bij mozaïeken en randen die metaal bevatten alle elektriciteitswerkzaamheden worden uitgevoerd door een bekwaaam elektricien. Bij het gebruik van metalen mozaïektegels in een elektrische douche is het aangeraden om heel voorzichtig te zijn. Raadpleeg altijd een bekwaaam elektricien voor u begint.

INSTALLATIE

We raden ten eerste aan dat uw tegelzetter deze belangrijke informatie doorleest en tevens de installatiegids (originalstyle.com/guides) doorneemt voordat hij/zij begint met de werkzaamheden. Hierin worden de verschillende stappen voor het plannen, zetten, het afdichten van uw mozaïek volledig uitgelegd en hoe ze jarenlang in optimale conditie kunnen worden gehouden. Neem in geval van twijfel contact op met onze technische afdeling voorafgaand het zetten, aangezien het repareren van onjuist aangebrachte tegels duur kan zijn.

SNIJDEN VAN MOZAEKTEGELS

Het snijden van mozaïek is onvermijdelijk. Raadpleeg eerst de installatiegids voordat u metalen mozaïek probeert te snijden. Metalen mozaïeken kunnen gesneden worden met een water gekoelde tegelsnijder met een normale diamanten mesblad. Houten en kokosnoten mozaïek kunnen met een decoupeerzaag worden gesneden. De juiste veiligheidsmaatregelen moeten altijd in acht worden genomen bij het snijden van mozaïek. Alle persoonlijke beschermingsmiddelen voor handen en ogen moeten worden gebruikt.

LIJMEN, VOEGMIDDELEN, AFDICHTINGSMIDDELEN

Schenk veel aandacht aan het kiezen van de juiste lijm, voegmiddelen en afdichtingsmiddelen. Lees de aanwijzingen van de producent zorgvuldig door en volg deze altijd op.

We bevelen aan dat u een witte, sneldrogende lijm op basis van cement en latex gebruikt en een zandloos of fijnkorrelig voegmiddel, tenzij hieronder anders vermeld staat of in de beknopte handleiding. Original Style kan kleine krassen op de oppervlakken van het mozaïek niet altijd vermijden, zelfs bij het gebruiken van zandloze voegmiddelen. Voorafgaand de installatie is het best om een onopvallend deel te testen waarbij alle aanwijzingen van de producent worden opgevolgd.

ONDERHOUD EN REINIGING

We wijzen u erop dat bepaalde zuurhoudende schoonmaakmiddelen kunnen reageren op sommige mozaïeken in deze brochure en dat ze het karakter hiervan kunnen wijzigen. We bevelen het gebruik van pH-neutrale schoonmaakproducten aan tenzij hieronder anders staat vermeld. Glas: reinig oppervlakken van glasmozaïek met zuiver water en een normaal glasreinigingsmiddel op basis van alcohol. Gebruik een zachte doek om krassen te voorkomen.

Metaal: gebruik warm zeepwater, een vochtige doek en daarna een droge doek. U kunt ook een schoonmaakmiddel voor roestvrij staal gebruiken. Gebruik geen krassende of schurende schoonmaakmiddelen, schuursponsen of bleekwater. Vermijd elk contact tussen roestvrijstalen mozaïek en andere metalen, zoals staalwol, omdat kleine metaaldeeltjes het oppervlak kunnen binnendringen en roestvlekjes kunnen veroorzaken.

Koper: vermijd contact met producten met citroenzuur en fluorwaterstofzuur (zoals zwembadreinigers) omdat deze tot vlekken leiden. Goud: we raden het gebruik van schoonmaakmiddelen op basis van zuur af. Volg de bovenstaande aanwijzingen voor glas op. Iriserende Mozaïeken: vermijd contact met producten die fluorwaterstofzuur bevatten (zoals zwembadreinigers), omdat deze de glans beschadigen.

VERLICHTING

Het gebruik van een goede verlichting kan uw mozaïek nog mooier maken, vooral als ze regenboogkleurige delen bevatten. We hopen dat de voorbeeldfoto's uit onze brochure u inspireren.

FOTOGRAFIE

Als gevolg van variaties in studiobelichting en printinkten kunnen de afgebeelde kleuren in deze catalogus enigszins afwijken van die van de daadwerkelijke tegels. Voordat u uw keuze maakt, is het altijd raadzaam om uw Original Styledetailhandelaar te vragen om monsters.

AANSPRAKELIJKHEIDSBEPERKING

Original Style is niet aansprakelijk voor de verkeerde installatie van zijn tegels. In geval van klachten met betrekking tot de tegels zelf, is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toegestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product en is gevolgschade niet inbegrepen. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Klachten worden niet behandeld nadat de tegels zijn gezet. Klachten moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegelafmetingen kunnen enigszins, maar binnen internationaal geaccepteerde standaarden verschillen van de vermelde nominale afmetingen. We wijzen u erop dat de zetting behoort tot het aanvaarden van de hoeveelheid, kleur, structuur, afmetingen en schakering van de tegels. We wijzen u er verder op dat het gebruik van bepaalde schoonmaakproducten op basis van zuur tot een reactie kan leiden bij sommige tegels waardoor het uiterlijk van de tegels zal veranderen. Original Style garandeert dat zijn tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We geven geen garanties, uitdrukkelijk of impliciet, ten aanzien van slijtagebestendigheid of onderhoudsmaatregelen. Het is van groot belang dat de instructies van de producent voor voeg- en lijmmiddelen worden opgevolgd ten aanzien van hun geschiktheid in combinatie met onze producten. Raadpleeg de leverancier van de voeg- en lijmmiddelen van wie u de producten hebt aangekocht in geval van twijfel. Original Style maakt geen beweringen over de geschiktheid voor gebruik van lijm- en voegmiddelen van derde partijen.

Index by name

	Actamira	EW-ACTMOS	68
	Agra	GW-AGRMOS	53
	Alchemy Brick	EW-ALCACBB	26
NEW	Alto Black Marble	EW-ALTBMOS	98
NEW	Alto Grey Marble	EW-ALTGMOS	100
NEW	Alto White Marble	EW-ALTWMOS	89
	Angami	EW-AGMMOS	83
NEW	Anthe	MW-ANTMOS	43
	Aqua Scale Clear	GW-AQUSCMOS	67
	Aqua Scale Frosted	GW-AQUSCMOSF	67
	Ares	GW-AREMOS	53
	Astral Copper	EW-ASTCPMOS	30
	Astral Silver	EW-ASTSLMOS	45
	Aura	GW-AUAMOS	20
	Aurelio	EW-AURMOS	25
	Autumn Leaf Pattern Gold	GW-AULMOS	32
	Azahar	EW-VMAZAT30	110
	Basketweave	CS-BSKMOS	93
	Basketweave (black + white dot)	EW-BSKBLACK	97
	Basketweave (white + black dot)	EW-BSKWHITE	95
	Batu	GW-BATMOS	56
	Beige Hawaii	EW-HAWAI3	109
	Beige Hawaii Border	EW-HAWAIIB3	109
	Beryl	GW-BERRRMOS	57
	Bianco 1.0	EW-VMBIANCO	92
	Bianco Brickbond	GW-BIAMOS	75
	Bihar	GW-BIHMOS	78
	Black and White Honeycomb	CS-HNYCOMWB	94
	Black Large Honeycomb	CS-HNYBLKLG-XL	97
	Blue Octagon & Dot	CS-OCTDOTBL	93
	Bohemia	GW-BOHMOS	72
	Bora Bora	EW-BORA2	101
	Bullion	GW-BULMOS	34
	Burano Grey Brickbond	GW-BURBBMOS	80
	Burano Grey Hexagon	GW-BURHEXMOS	80
	Burano Grey Square	GW-BURMOS	80
	Byzantium Bronze	GW-BYZBROMOS	28
	Byzantium Copper	GW-BYZCOPMOS	28
	Byzantium Gem	GW-BYZGEMMOS	35
	Byzantium Gold	GW-BYZGLDMOS	35
	Byzantium Platinum	GW-BYZPLAMOS	49
	Byzantium Treasure	GW-BYZTREMOS	63
	Carinthia	GW-CRAMOS	85
	Caspar	GW-CASHEXMOS	73
	Ceres	EW-CERMOS	75
	Chanda	GW-CHNHEXMOS	63
	Chrysler	EW-CYSMOS	40
	Cirrus Large	EW-CIRMOSLG	74
	Cirrus Small	EW-CIRMOS	74
	Classic Octagon and Dot	CS-OCTDOT	94
	Classic Octagon and Dot Lrg	CS-OCTDOTLG	94
NEW	Courier	MW-COUMOS	46
	Crema 2.3	EW-VMCREMA	108
	Crema 4.8	EW-VMCREMA48	108
	Crypto Large Hexagon	EW-CYLHXMOS	100
	Crypto Small Hexagon	EW-CYSHXMOS	100
	Desire	EW-DESMOS	28

	Dias	EW-DASMOS	85
	Dispur	GW-DISHEXMOS	33
	Divine	GW-DIVMOS	20
	Dreadnought	EW-DREMOS	44
	Dream	GW-DREMOS	69
	Eden	GW-EDEMOS	59
	El Divino	GW-EDIMOS	50
	Empire	EW-EMPMOS	41
	Eris	EW-ERIMOS	75
	Ethereal	GW-ETHMOS	23
	Fable	EW-FABMOS	68
NEW	Falkus	MW-FALMOS	29
	Fantasy	GW-FANMOS	60
	Fawkes	GW-FAWMOS	81
NEW	Fenrir	MW-FENMOS	42
NEW	Flidor	MW-FLIMOS	29
	Fusion Micro	EW-FUSMIMOS	46
	Futura Dichroic	GW-FGHMOS	14
	Futura Sepia	GW-FSHMOS	39
	Futura Zirconia	GW-FZHMOS	48
NEW	Galactic	GW-GALMOS	52
	Gauntlet	EW-GAUMOS	47
	Gold Pearl Brickbond	EW-GPLBBMOS	18
	Golpo	EW-GOLMOS	23
	Grace Shell	EW-GRCMOS	18
	Green Balihai	EW-BALIHAI2	105
	Grey 50mm Mirror Facet Mosaic	GW-ANTGRMMOS	51
	Grisaille 1.0	EW-VMGRIG1	101
	Herald	EW-HERMOS	76
	Hoth	GW-HOTMOS	76
	Ibiza	CS-IBIMOS	103
	Ice	GW-ICERRMOS	15
	Illusion	GW-ILSMOS	12
	Imphal	EW-IMPMOS	25
	Ivory Samoa	EW-SAMOA2	109
	Jade 2.3	EW-VMJADE	105
	Jai	EW-JAIMOS	20
	Jaipur	GW-JIPHEXMOS	58
	Jakku	GW-JAKMOS	78
	Jungfrau	GW-JUNMOS	84
	Juvela	GW-JUVMOS	62
	Kaleidoscope	GW-KLDMOS	79
	Kamino	GW-KMNMOS	82
	Kandahar	GW-KANMOS	77
	Kauali	EW-KAUBBMOS	84
	Khalifa	GW-KHAMOS	48
	Khois	EW-KHOMOS	77
	Kinetic	GW-KNTMOS	79
	Kobushi	GW-KOBMOS	31
	Lagos	GW-LAGMOS	58
NEW	Lazuli	GW-LAZMOS	59
	Leaf Beige Mix	EW-BGLMOS	25
	Leaf Grey & Silver	EW-SGLMOS	08
	Lial	EW-LIAMOS	81
NEW	Livid Brick bond	GW-LIVBBMOS	58
	Magalia	GW-MAGMOS	59
NEW	Majestic Mosaic	GW-MAJMOS	49
	Medak	GW-MDKHEXMOS	61
	Medina	GW-MDNMOS	33
	Medine	GW-MDEMOS	73

	Mellow	GW-MELMOS	69
NEW	Methone	MW-METMOS	42
NEW	Mimas	MW-MIMMOS	38
	Ming	CS-MINMOS	56
NEW	Mini Black Mixed Hexagon	CS-MHBBMOS	99
NEW	Mini Dark Blue Gloss Hexagon	CS-MHDBMOS	103
NEW	Mini Green Gloss Hexagon	CS-MHGRMOS	104
NEW	Mini Light Blue Penny Round	CS-MPLBMOS	104
NEW	Mini Light Green Penny Round	CS-MPLGMOS	105
NEW	Mini Light Grey Gloss Hexagon	CS-MHLGMOS	102
NEW	Mini Light Grey Penny Round	CS-MPGMOS	102
NEW	Mini Pink Gloss Hexagon	CS-MHPIMOS	107
NEW	Mini Pink Penny Round	CS-MPPMOS	106
NEW	Mini White Gloss Penny Round	CS-MPWMOS	88
	Mixed Travertine 2.3	EW-VMTM23	110
	Mixed Travertine 4.8	EW-VMTM48	110
	Modesty Shell	EW-MDYMOS	19
	Mogao	EW-MOGMOS	76
	Monte Cristo	GW-MOCMOS	60
	Moonbeam Penny Round	CS-PRMOON	89
	Morning Dew	GW-MRDMOS	66
	Mother of Pearl	EW-PARMOS	18
	Mother of Pearl Dark Brickbond	EW-MOPDBBMOS	19
	Murano Grey	GW-MRNHEXMOS	74
	Naga	EW-NGAMOS	26
	Nares Brickbond	EW-NARBBMOS	90
	Nares Hexagon	EW-NARHXMOS	91
	Nares Running Brick	EW-NARRBMOS	90
	Negra Black Splitface	EW-NEGSFMOS	84
	Neve Linear	EW-NEVMOS	09
	Nimbus Basketweave	EW-NIMMOS	90
	Oasis	GW-OASMOS	63
	Onya	EW-ONYMOS	15
	Opulence	EW-OPUMOS	32
	Orabella	EW-ORAMOS	27
	Orla	EW-ORLMOS	34
	Ottone	EW-OTTMOS	26
	Pacha	GW-PCHMOS	85
NEW	Pallene	MW-PALMOS	38
	Pamplona	GW-PAMMOS	66
	Panaji	GW-PJIHEXMOS	52
	Pearl Brickbond	EW-PRLMOSBB	10
	Pearl Scale Clear	GW-PRLSCMOS	13
	Pearl Scale Frosted	GW-PRLSCMOSF	13
	Pearl Shell	EW-PRLMOS	10
	Perla Large Hexagon	EW-PRLHMOS	108
	Poona	GW-PNAHEXMOS	83
	Porcelain Black & White Hexagon	CS-PORWBHXC	92
	Porcelain Black & White Square	CS-PORWBSQC	96
	Porcelain Black Square	CS-PORBSQ	98
	Porcelain Border	CS-PORBDR	96
	Porcelain Border Corner	CS-PORCNR	96
	Porcelain White Hexagon	CS-PORWHX	97
	Porcelain White Square	CS-PORWSQ	93
	Postojna	EW-POSMOS	23
	Purity	EW-PURMOS	10
	Quail Maui	EW-MAUI2	101
	Raipur	GW-RAIMOS	82
	Reflection	GW-RFLMOS	34
	Reflections Silver	GW-RSILMOS	50

	Rena	GW-RENMOS	60
NEW	Rhea	MW-RHEMOS	45
	Ripple	GW-RPLMOS	62
	Safira	GW-SAFMOS	56
	Savoy	GW-SAVHEXMOS	21
	Selene	GW-SELMOS	22
	Seneca	GW-SNCMOS	21
	Serene	GW-SREMOS	66
	Shard	EW-SHRMOS	41
	Silmaril	GW-SLMMOS	32
	Silver 50mm Mirror Facet Mosaic	GW-SMRMMOS	51
	Silver Link	EW-SVLMOS	44
	Silver Nugget	EW-SNUMOS	47
NEW	Skaro	MW-SKRMOS	43
NEW	Skathi	MW-SKAMOS	39
NEW	Skoll	MW-SKOMOS	24
NEW	Slip Resistant Blue/Grey Hexagon	CS-ASHBGMOS	103
NEW	Slip Resistant Mini Black Hexagon	CS-ASMHBMOS	98
NEW	Slip Resistant Pink Hexagon	CS-ASHPMOS	106
	Smokey Ridge	GW-SKRMOS	77
NEW	Sorvad	MW-SORMOS	27
	Spectre	GW-SPEMOS	14
	Spirit	GW-SPIMOS	61
NEW	Sprit copper	CS-SPCPMOS	30
	Stellar	EW-STLMOS	35
	Sukai	GW-SUKMOS	69
	Superior Clear Brickbond	GW-SUPMOSBBC	62
NEW	Surtur	MW-SURMOS	42
NEW	Taj	GW-TAJMOS	53
NEW	Tarvos	MW-TARMOS	33
NEW	Telesto	MW-TELMOS	24
	Theia	GW-THIMOS	22
	Torcello White Brickbond	GW-TORBBMOS	07
	Torcello White Hexagon	GW-TORHEXMOS	06
	Torcello White Square	GW-TORMOS	07
	Torque	EW-TORMOS	47
	Tribune	GW-TRIMOS	48
	Ultimo Shell	GW-UMSMOS	12
	Utopia	GW-UTOMOS	31
	Velvet Bloom	GW-VTBMOS	31
	Venetia	GW-VNTMOS	72
	Viano White Honed	EW-VIAHBBMOS	91
	Viano White Honed Bevel	EW-VIAHBBMOSB	08
	Viano White Polished	EW-VIAPBBMOS	91
	Viano White Polished Bevel	EW-VIAPBBMOSB	09
	White 50mm Mirror Facet Mosaic	GW-ANTVHMMOS	51
	White Honeycomb	CS-HNYCOMW	89
	White Lady	GW-WLYMOS	12
	White Large Honeycomb	CS-HNYWHTLG-XL	92
	White Octagon 10	EW-VMOCTW10	95
	White Octagon 4.8	EW-VMOCTW48	95
	White Pearl Herringbone	EW-WPHERMOS	11
	White Pearl Hexagon	EW-WPHEXMOS	11
NEW	White Rhombus	CS-ROMWHTLG	06
NEW	White Satin Chevron	CS-WSCMOS	88
NEW	Wilhelmina	GW-WVANMOS	57
	Willis	EW-WILMOS	40
	Zamo	GW-ZAMMOS	21
	Zenith Copper	EW-ZENCPMOS	40
	Zenith Silver	EW-ZENSLMOS	45

Index by code

NEW	CS-ASHBGMOS	Slip Resistant Blue/Grey Hexagon	103
NEW	CS-ASHPMOS	Slip Resistant Pink Hexagon	106
NEW	CS-ASMHBMOS	Slip Resistant Mini Black Hexagon	98
	CS-BSKMOS	Basketweave	93
	CS-HNYBLKLG-XL	Black Large Honeycomb	94
	CS-HNYCOMW	White Honeycomb	89
	CS-HNYCOMWB	Black and White Honeycomb	97
	CS-HNYWHTLG-XL	White Large Honeycomb	92
	CS-IBIMOS	Ibiza	103
NEW	CS-MHBBMOS	Mini Black Mixed Hexagon	99
NEW	CS-MHDBMOS	Mini Dark Blue Gloss Hexagon	103
NEW	CS-MHGRMOS	Mini Green Gloss Hexagon	104
NEW	CS-MHLGMOS	Mini Light Grey Gloss Hexagon	102
NEW	CS-MHPIMOS	Mini Pink Gloss Hexagon	107
	CS-MINMOS	Ming	56
NEW	CS-MPGMOS	Mini Light Grey Penny Round	102
NEW	CS-MPLBMOS	Mini Light Blue Penny Round	104
NEW	CS-MPLGMOS	Mini Light Green Penny Round	105
NEW	CS-MPPMOS	Mini Pink Penny Round	106
NEW	CS-MPWMOS	Mini White Gloss Penny Round	88
	CS-OCTDOT	Classic Octagon and Dot	94
	CS-OCTDOTBL	Blue Octogon & Dot	93
	CS-OCTDOTLG	Classic Octagon and Dot Large	94
	CS-PORBDR	Porcelain Border	96
	CS-PORBSQ	Porcelain Black Square	98
	CS-PORCNR	Porcelain Border Corner	96
	CS-PORWBHXC	Porcelain Black & White Hexagon	92
	CS-PORWBSQC	Porcelain Black & White Square	96
	CS-PORWHX	Porcelain White Hexagon	97
	CS-PORWSQ	Porcelain White Square	93
	CS-PRMOON	Moonbeam Penny Round	89
NEW	CS-ROMWHTLG	White Rhombus	06
NEW	CS-SPCPMOS	Sprit copper	30
NEW	CS-WSCMOS	White Satin Chevron	88
	EW-ACTMOS	Actamira	68
	EW-AGMMOS	Angami	83
	EW-ALCACBB	Alchemy Brick	26
NEW	EW-ALTBMOS	Alto Black Marble	98
NEW	EW-ALTGMOS	Alto Grey Marble	100
NEW	EW-ALTVMOS	Alto White Marble	89
	EW-ASTCPMOS	Astral Copper	30
	EW-ASTSLMOS	Astral Silver	45
	EW-AURMOS	Aurelio	25
	EW-BALIHAI2	Green Balihai	105
	EW-BGLMOS	Leaf Beige Mix	25
	EW-BORA2	Bora Bora	101
	EW-BSKBLACK	Basketweave (black & white dot)	97
	EW-BSKWHITE	Basketweave (white & black dot)	95
	EW-CERMOS	Ceres	75
	EW-CIRMOS	Cirrus Small	74
	EW-CIRMOSLG	Cirrus Large	74
	EW-CYLHXMOS	Crypto Large Hexagon	100
	EW-CYSHXMOS	Crypto Small Hexagon	100
	EW-CYSMOS	Chrysler	40
	EW-DASMOS	Dias	85
	EW-DESMOS	Desire	28
	EW-DREMOS	Dreadnought	44

EW-EMPMOS	Empire	41
EW-ERIMOS	Eris	75
EW-FABMOS	Fable	68
EW-FUSMIMOS	Fusion Micro	46
EW-GAUMOS	Gauntlet	47
EW-GOLMOS	Golpo	23
EW-GLBBMOS	Gold Pearl Brickbond	18
EW-GRCMOS	Grace Shell	18
EW-HAWAII3	Beige Hawaii	109
EW-HAWAIIB3	Beige Hawaii Border	109
EW-HERMOS	Herald	76
EW-IMPPOS	Imphal	25
EW-JAIMOS	Jai	20
EW-KAUBBMOS	Kauali	84
EW-KHOMOS	Khois	77
EW-LIAMOS	Lial	81
EW-MAUI2	Quail Maui	101
EW-MDYMOS	Modesty Shell	19
EW-MOGMOS	Mogao	76
EW-MOPDBBMOS	Mother of Pearl Dark Brickbond	19
EW-NARBBMOS	Nares Brickbond	90
EW-NARHXMOS	Nares Hexagon	91
EW-NARRBMOS	Nares Running Brick	90
EW-NEGSEFMOS	Negra Black Splitface	84
EW-NEVMOS	Neve Linear	09
EW-NGAMOS	Naga	26
EW-NIMMOS	Nimbus Basketweave	90
EW-ONYMOS	Onya	15
EW-OPUMOS	Opulence	32
EW-ORAMOS	Orabella	27
EW-ORLMOS	Orla	34
EW-OTTMOS	Ottone	26
EW-PARMOS	Mother of Pearl	18
EW-POSMOS	Postojna	23
EW-PRLHMOS	Perla Large Hexagon	108
EW-PRLMOS	Pearl Shell	10
EW-PRLMOSBB	Pearl Brickbond	10
EW-PURMOS	Purity	10
EW-SAMOA2	Ivory Samoa	109
EW-SGLMOS	Leaf Grey & Silver	08
EW-SHRMOS	Shard	41
EW-SNUMOS	Silver Nugget	47
EW-STLMOS	Stellar	35
EW-SVLMOS	Silver Link	44
EW-TORMOS	Torque	47
EW-VIAHBBMOS	Viano White Honed	91
EW-VIAHBBMOSB	Viano White Honed Bevel	08
EW-VIAPBBMOS	Viano White Polished	91
EW-VIAPBBMOSB	Viano White Polished Bevel	09
EW-VMАЗAT30	Azahar	110
EW-VMBIANCO	Bianco 1.0	92
EW-VMCREMA	Crema 2.3	108
EW-VMCREMA48	Crema 4.8	108
EW-VMGRIG1	Grisaille 1.0	101
EW-VMJADE	Jade 2.3	105
EW-VMOCTW10	White Octagon 10	95
EW-VMOCTW48	White Octagon 4.8	95
EW-VMTM23	Mixed Travertine 2.3	110
EW-VMTM48	Mixed Travertine 4.8	110
EW-WILMOS	Willis	40

	EW-WPHERMOS	White Pearl Herringbone	11
	EW-WPHEXMOS	White Pearl Hexagon	11
	EW-ZENCPMOS	Zenith Copper	40
	EW-ZENSLMOS	Zenith Silver	45
	GW-AGRMOS	Agra	53
	GW-ANTGRMMOS	Grey 50mm Facet Mosaic	51
	GW-ANTWHMMOS	White 50mm Facet Mosaic	51
	GW-AQUSCMOS	Aqua Scale Clear	67
	GW-AQUSCMOSF	Aqua Scale Frosted	67
	GW-AREMOS	Ares	53
	GW-AUAMOS	Aura	20
	GW-AULMOS	Autumn Leaf Pattern Gold	32
	GW-BATMOS	Batu	56
	GW-BERRRMOS	Beryl	57
	GW-BIAMOS	Bianco Brickbond	75
	GW-BIHMOS	Bihar	78
	GW-BOHMOS	Bohemia	72
	GW-BULMOS	Bullion	34
	GW-BURBBMOS	Burano Grey Brickbond	80
	GW-BURHEXMOS	Burano Grey Hexagon	80
	GW-BURMOS	Burano Grey Square	80
	GW-BYZBROMOS	Byzantium Bronze	28
	GW-BYZCOPMOS	Byzantium Copper	28
	GW-BYZGEMMOS	Byzantium Gem	35
	GW-BYZGLDMOS	Byzantium Gold	35
	GW-BYZPLAMOS	Byzantium Platinum	49
	GW-BYZTREMOS	Byzantium Treasure	63
	GW-CASHEXMOS	Caspar	73
	GW-CHNHEXMOS	Chanda	63
	GW-CRAMOS	Carinthia	85
	GW-DISHEXMOS	Dispur	33
	GW-DIVMOS	Divine	20
	GW-DREMOS	Dream	69
	GW-EDEMOS	Eden	59
	GW-EDIMOS	El Divino	50
	GW-ETHMOS	Ethereal	23
	GW-FANMOS	Fantasy	60
	GW-FAWMOS	Fawkes	81
	GW-FGHMOS	Futura Dichroic	14
	GW-FSHMOS	Futura Sepia	39
	GW-FZHMOS	Futura Zirconia	48
NEW	GW-GALMOS	Galactic	52
	GW-HOTMOS	Hoth	76
	GW-ICERRMOS	Ice	15
	GW-ILSMOS	Illusion	12
	GW-JAKMOS	Jakku	78
	GW-JIPHEXMOS	Jaipur	58
	GW-JUNMOS	Jungfrau	84
	GW-JUVMOS	Juvela	62
	GW-KANMOS	Kandahar	77
	GW-KHAMOS	Khalifa	48
	GW-KLDMOS	Kaleidoscope	79
	GW-KMNMOS	Kamino	82
	GW-KNTMOS	Kinetic	79
	GW-KOBMOS	Kobushi	31
	GW-LAGMOS	Lagos	58
NEW	GW-LAZMOS	Lazuli	59
NEW	GW-LIVBBMOS	Livid Brick bond	58
	GW-MAGMOS	Magalia	59
NEW	GW-MAJMOS	Majestic Mosaic	49

	GW-MDEMOS	Medine	73
	GW-MDKHEXMOS	Medak	61
	GW-MDNMOS	Medina	33
	GW-MELMOS	Mellow	69
	GW-MOCMOS	Monte Cristo	60
	GW-MRDMOS	Morning Dew	66
	GW-MRNHEXMOS	Murano Grey	74
	GW-OASMOS	Oasis	63
	GW-PAMMOS	Pamplona	66
	GW-PCHMOS	Pacha	85
	GW-PJIHEXMOS	Panaji	52
	GW-PNAHEXMOS	Poona	83
	GW-PRLSCMOS	Pearl Scale Clear	13
	GW-PRLSCMOSF	Pearl Scale Frosted	13
	GW-RAIMOS	Raipur	82
	GW-RENMOS	Rena	60
	GW-RFLMOS	Reflection	34
	GW-RPLMOS	Ripple	62
	GW-RSILMOS	Reflections Silver	50
	GW-SAFMOS	Safira	56
	GW-SAVHEXMOS	Savoy	21
	GW-SELMOS	Selene	22
	GW-SKRMOS	Smokey Ridge	77
	GW-SLMMOS	Silmaril	32
	GW-SMRMMOS	Silver 50mm Facet Mosaic	51
	GW-SNCMOS	Seneca	21
	GW-SPEMOS	Spectre	14
	GW-SPIMOS	Spirit	61
	GW-SREMOS	Serene	66
	GW-SUKMOS	Sukai	69
	GW-SUPMOSBBC	Superior Clear Brickbond	62
	GW-TAJMOS	Taj	53
	GW-THIMOS	Theia	22
	GW-TORBBMOS	Torcello White Brickbond	07
	GW-TORHEXMOS	Torcello White Hexagon	06
	GW-TORMOS	Torcello White Square	07
	GW-TRIMOS	Tribune	48
	GW-UMSMOS	Ultimo Shell	12
	GW-UTOMOS	Utopia	31
	GW-VNTMOS	Venetia	72
	GW-VTBMOS	Velvet Bloom	31
NEW	GW-WANMOS	Wilhelmina	57
	GW-WLYMOS	White Lady	12
	GW-ZAMMOS	Zamo	21
NEW	MW-ANTMOS	Anthe	43
NEW	MW-COUMOS	Courier	46
NEW	MW-FALMOS	Falkus	29
NEW	MW-FENMOS	Fenrir	42
NEW	MW-FLIMOS	Flidor	29
NEW	MW-METMOS	Methone	42
NEW	MW-MIMMOS	Mimas	38
NEW	MW-PALMOS	Pallene	38
NEW	MW-RHEMOS	Rhea	45
NEW	MW-SKAMOS	Skathi	39
NEW	MW-SKOMOS	Skoll	24
NEW	MW-SKRMOS	Skaro	43
NEW	MW-SORMOS	Sorvad	27
NEW	MW-SURMOS	Surtur	42
NEW	MW-TARMOS	Tarvos	33
NEW	MW-TELMOS	Telesto	24



Odyssey
Travel inspired patterns for walls and floors in a range of colours



Victorian Floor Tiles
Geometric tiles for re-creating heritage patterns or making your own designs



Range
Contemporary porcelain and ceramic tiles for walls and floors



Living
Contemporary large-format decorative wall tiles in a range of unique designs

GENERAL ENQUIRIES

Tel: +44 (0)1392 473004

UK SALES

Tel: +44 (0)1392 473000

EXPORT SALES

Tel: +44 (0)1392 473001

Email: info@originalstyle.com

Website: www.originalstyle.com



ORIGINALSTYLE

Tiles to Inspire

The 'Original Style' logo is a registered trade mark of Original Style Ltd. Original Style Limited is registered in England number 3018117. Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£2.00 €3.00 \$3.50

IM-0026487 MSBROCH8/07/21

Printed using Vegetable inks
and Green energy

© Copyright Original Style Ltd 2021