

©
ORIGINALSTYLE
Tileworks



Walls: (Upper) Living Eden Hothouse CS2114-6030 **(Lower)** Montblanc Emerald Brick CS2524-3007 see page 123 **Floor:** View Off White CS2400-6060 see page 96
Front Cover Image – Walls: Bianco Oro CS2242-12060-9090 (see page 20) and Mosaics Pallene MW-PALMOS **Floor:** Bianco Oro CS2448-9090 (see page 20)
 with shower tray in Mosaics Porcelain White Square CS-PORWSQ

Tileworks

Welcome to our collection of contemporary tiles, reflecting the most up to date trends in interior design, with formats and finishes in a variety of tastes for a multitude of settings and locations.


We're constantly seeking out porcelain and ceramic tiles from around the world, to offer you a collection that is both beautiful and practical. In this collection you'll find a wide selection of innovative textures as well as different formats and finishes, all thanks to the latest inkjet technology that allows for so many different effects.



05 **Stone Effect**
 Tiles with the look of natural stone



53 **Metal Effect**
 Porcelains with the patina of aged metal



69 **Wood Effect**
 Porcelain tiles with all the character of wood



87 **Concrete Effect**
 The look and feel of concrete and cement



99 **Neutrals**
 Understated elegance and neutral tones



111 **Feature Tiles**
 Interesting textures and show stopping designs



131 **Glossary**
 Technical terms explained



132 **Information**
 Tile calculator, symbols key and technical details



136 **Index**
 Find products quickly by name or by product code

Please note: Tiles are shown in proportion to products in the same range, but not necessarily to others in this brochure. Please use the stated dimensions as your guide to actual sizes.

Stone Effect

A range of incredibly realistic stone replications,
from dark, moody marble to soft and subtle travertine



Galana

White carrara marble effect tiles with soft grey veining,
in formats for walls and floors

Rectified glazed ceramic



Galana Gloss
CS2454-10033 • 1000 x 330 x 7mm • **NEW**
12.3kg per m²
Detail variation: 16 faces



Rectified glazed porcelain



Galana
CS2452-6060 • 600 x 600 x 10mm • **NEW**
22.4kg per m² • PEI Rating: 4
Detail variation: 32 faces



Wall: Galana Gloss CS2454-10033 **Floor:** Galana Matt CS2452-6060

Berliner *Rectified glazed porcelain*

Stone effect tiles inspired by grand urban architecture.
Three distinct texture options can be mixed or used individually
for maximum design flexibility



Weiss Natural
CS2431-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces • **NEW**
CS2431-9090 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 20 Faces • **NEW**
PEI Rating: 5



Weiss Line
CS2432-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces • **NEW**
PEI Rating: 5



Weiss Flames
CS2433-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces • **NEW**
PEI Rating: 5

Also in this range:



• Zement see page 10



• Sand see page 12



Walls: Berliner Weiss; Natural CS2431-12020, Lines CS2432-12020 & Flames CS2433-12020 **Floor:** Berliner Weiss Natural CS2431-12020

Berliner


Rectified glazed porcelain



Zement Natural
CS2437-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces • **NEW**
CS2437-9090 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 15 Faces • **NEW**
PEI Rating: 5



Zement Line
CS2438-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces • **NEW**
PEI Rating: 5



Zement Flames
CS2439-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces • **NEW**
PEI Rating: 5


Also in this range:



· Weiss see page 08



· Sand see page 12



Walls: Berliner Zement; Natural CS2437-12020, Lines CS2438-12020 & Flames CS2439-12020 **Floor:** Berliner Zement Natural CS2437-9090

Berliner

Rectified glazed porcelain



Sand Natural
CS2434-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 78 Faces • **NEW**
CS2434-9090 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 20 Faces • **NEW**
PEI Rating: 5



Sand Line
CS2435-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 78 Faces • **NEW**
PEI Rating: 5



Sand Flames
CS2436-12020 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 78 Faces • **NEW**
PEI Rating: 5

Also in this range:



· Weiss see page 08



· Zement see page 10



Walls: (L) Sandstorm Kalahari CS1201-6030 see page 36 (R) Berliner Sand; Natural CS2434-12020, Lines CS2435-12020 & Flames CS2436-12020
Floor: Berliner Sand Natural CS2434-12020

Travertino Navona Rectified glazed porcelain

Luxuriously detailed tiles with all the beauty and warmth of tone that natural Travertine offers



Grigio Matt

CS2450-12060 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 25 Faces • **NEW**
 CS2450-9090 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 20 Faces • **NEW**
 CS2450-6060 • 600 x 600 x 9.5mm • 21.7kg per m² • Detail variation: 40 Faces • **NEW**
 PEI Rating: 5



Grigio Polished*

CS2451-12060 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 25 Faces • **NEW**
 PEI Rating: 3



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Walls: Travertino Navona Grigio Polished CS2451-12060 **Floor:** Travertino Navona Grigio Matt CS2450-12060

Pietra Lombarda *Rectified glazed porcelain*

Capturing the coveted 'Ceppo de Gre' Italian stone style, these Terazzos bring an elegant touch in beautiful grey or white



Pietra Lombarda Grigio CS2236-6060



Grigio

CS2236-9090 • 900 x 900 x 10mm • 23kg per m²
Detail variation: 25 Faces

CS2236-6060 • 600 x 600 x 9.5mm • 21.7kg per m²
Detail variation: 40 Faces
PEI Rating: 4



Off White

CS2190-9090 • 900 x 900 x 10mm • 23kg per m²
Detail variation: 25 Faces

CS2190-6060 • 600 x 600 x 9.5mm • 21.7kg per m²
Detail variation: 40 Faces
PEI Rating: 4



Pietra Lombarda Off White CS2190-6060

St. Martin

Rectified glazed porcelain

Choose the subtle veining of St Martin for a glamorous yet sophisticated style



St Martin Matt
CS2249-9090 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 22 Faces • **NEW**
PEI Rating: 4



St Martin Polished*
CS2241-12060 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 22 Faces
PEI Rating: 4



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Wall: St Martin Polished CS2241-12060 **Inset:** Noir St. Laurent Polished CS1143-12060 see page 24

Bianco Oro *Rectified glazed porcelain*

Create a luxury feel with the beautiful gold veining of Bianco Oro, immersed in a pure white marble effect but with all the practicalities of porcelain



Bianco Oro Matt
CS2448-9090 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 28 Faces • **NEW**
PEI Rating: 4



Bianco Oro Polished*
CS2242-12060 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 27 Faces
CS2242-9090 • 900 x 900 x 10.8mm • 23kg per m² • Detail variation: 28 Faces
CS2242-6060 • 600 x 600 x 9.5mm • 21.7kg per m² • Detail variation: 28 Faces • **NEW**
PEI Rating: 3



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Wall: Bianco Oro Polished CS2242-12060 **Floor:** Bianco Oro Matt CS2448-9090

Bianco Floe

Rectified glazed polished porcelain

The deep veined marble effects of Bianco Floe will add detail and contrast into a scheme



Bianco Floe* (Polished)

CS2156-6060 • 600 x 600 x 9.5mm • 21.7kg per m² • Detail variation: 27 Faces
 CS2156-12060 • 1200 x 600 x 10.2mm • 23kg per m² • Detail variation: 28 Faces
 PEI Rating: 3



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Wall: Bianco Floe CS2156-12060 Floor: Oakwood Grey CS1213-9015 see page 84

Noir St. Laurent *Rectified glazed polished porcelain*

Add drama and elegance with these imposing grey marble effect tiles



Noir St. Laurent* (Polished)
CS1143-12060 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 10 Faces
PEI Rating: 3



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Noir St Laurent CS1143-12060

Nero Venato Rectified glazed polished porcelain

Make a statement with glamorous
black marble effect tiles



Nero Venato* (Polished)
CS2142-12060 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 20 Faces
PEI Rating: 3



*If used on the floor, only suitable for residential, light traffic areas
as the polished surface may be prone to scratching



Nero Venato CS2142-12060

Pierre Belle *Rectified glazed porcelain*

The neutral colours and subtle directional veining in this classic French Limestone replica give Pierre Belle an enduring popularity



Pierre Belle Blanc Matt CS2159-6060



Blanc Matt

CS2159-12060 • 1200 x 600 x 10mm • 23kg per m²
Detail variation: 34 Faces • **NEW**

CS2159-6060 • 600 x 600 x 9.5mm • 21.7kg per m²
Detail variation: 66 Faces
PEI Rating: 4

Blanc Polished*

CS2160-12060 • 1200 x 600 x 10mm • 23kg per m²
Detail variation: 34 Faces • **NEW**

CS2160-6060 • 600 x 600 x 9.5mm • 21.7kg per m²
Detail variation: 66 Faces
PEI Rating: 3

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Pierre Belle Blanc Polished CS2160-12060

Amelia

Rectified glazed porcelain

In three gorgeous co-ordinating colours, two finishes and a range of sizes; Amelia is beautifully versatile. A large number of faces gives this range a variation in detail that replicates natural stone.



White Matt
CS1061-9015 • 895 x 145 x 10mm
CS1061-9022 • 895 x 220 x 10mm
CS1061-9045 • 895 x 445 x 10mm
22.9kg per m² • Detail variation: 7m² area repeat
PEI Rating: 4



Also in this range; see page 32



• Grey



• Carbon



White Polished*
CS2139-6030 • 590 x 290 x 10mm
22.9kg per m² • Detail variation: 7m² area repeat
PEI Rating: 4



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

Wall: Amelia White Polished CS2139-6030 Floor: Toronto Off White Matt CS2154-9090 see page 92




Wall and Floor: Amelia White Matt – random mix of CS1061-9015, CS1061-9022 & CS1061-9045

Amelia

Rectified glazed porcelain



Grey Matt
CS1062-9015 • 895 x 145 x 10mm
CS1062-9022 • 895 x 220 x 10mm
CS1062-9045 • 895 x 445 x 10mm
22.9kg per m² • Detail variation: 7m² area repeat
PEI Rating: 4



Carbon Matt
CS1063-9015 • 890 x 145 x 10mm
CS1063-9022 • 890 x 220 x 10mm
CS1063-9045 • 890 x 442 x 10mm
22.9kg per m² • Detail variation: 7m² area repeat
PEI Rating: 3

Also in this range; see page 30



• White



Grey Polished*
CS2140-6030 • 590 x 290 x 10mm
22.9kg per m² • Detail variation: 7m² area repeat
PEI Rating: 4



Carbon Polished*
CS2141-6030 • 590 x 290 x 10mm
22.9kg per m² • Detail variation: 7m² area repeat
PEI Rating: 3

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching




Left hand wall and floor: Amelia Grey CS1062-9022 Right (rear) Wall: Amelia White CS1061-9022

Portland Stone *Rectified glazed porcelain*

Tough enough to withstand heavy footfall, but with all the beauty and subtlety required for residential living spaces



Ash Matt
CS2161-6060 • 600 x 600 x 9.5mm
21.7kg per m² • Detail variation: 25 faces
PEI Rating: 5



Portland Stone Ash Matt CS2161-6060

Sandstorm *Glazed porcelain*

Distinctive markings and four colourways,
all suitable for walls and floors



Gobi
CS1200-6030 • 600 x 300 x 10mm
22.9kg per m² • PEI Rating: 4



Kalahari
CS1201-6030 • 600 x 300 x 10mm
22.9kg per m² • PEI Rating: 3

Also in this range; see page 38



• Mojave



• Sahara

Sandstorm Kalahari CS1201-6030



Wall: Sandstorm Gobi CS1200-6030 Floor: Odysse Vogue Light Blue 8761

Sandstorm *Glazed porcelain*



Sandstorm Mojave CS1202-6030 **Wall:** Artworks Vintage White Large Bricks GKT9030 and Omega Mouldings GKT9909



Mojave
CS1202-6030 • 600 x 300 x 10mm
22.9kg per m² • PEI Rating: 3



Sahara
CS1203-6030 • 600 x 300 x 10mm
22.9kg per m² • PEI Rating: 3

Also in this range; see page 36



• Gobi



• Kalahari



Sandstorm Sahara CS1203-6030

Mediterraneo *Rectified glazed porcelain*

Large format neutral tiles that are inspired by Mediterranean cliff landscapes. Mediterraneo offers a light texture and a rustic feel with warm natural tones



Off White Matt CS2084-9090
Off White Polished* CS2086-9090
877 x 877 x 12mm • 24kg per m²
Detail variation: 12 faces
PEI Rating: 4

Also in this range; see pages 42-43

-  • Soft Beige
-  • Grey

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Floor: Mediterraneo Off White Matt CS2084-9090 **Wall:** Montblanc White Brick CS1034-3007 see page 124

Mediterraneo *Rectified glazed porcelain*



Soft Beige Matt CS2253-9090
Soft Beige Polished* CS2254-9090
 877 x 877 x 12mm • 24kg per m²
 Detail variation: 12 faces
 PEI Rating: 4



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

Wall: Mediterraneo Soft Beige Polished CS2254-9090 **Floor:** Mediterraneo Soft Beige Matt CS2253-9090



Wall: Mediterraneo Grey Polished CS2256-9090 **Floor:** Mediterraneo Grey Matt CS2255-9090

Also in this range; see page 40



• Off White

Grey Matt CS2255-9090
Grey Polished* CS2256-9090
 877 x 877 x 12mm • 24kg per m²
 Detail variation: 12 faces
 PEI Rating: 3



Mescla *Glazed porcelain*


Add interest to a space with these soft travertine style stone effect tiles



Off White
CS2251-6030 • 595 x 295 x 8.5mm
20.4kg per m² • Detail variation: 12 faces
PEI Rating: 4



Grey
CS2252-6030 • 595 x 295 x 8.5mm
20.4kg per m² • Detail variation: 12 faces
PEI Rating: 3



Main Walls: Mescla Grey CS2252-6030 **Recess:** Mescla Off White CS2251-6030

Neptune *Glazed porcelain*

Subtle, varied shading and veining effects make Neptune a versatile choice



Ice
CS2359-6030 • 600 x 300 x 9mm
20.6kg per m² • Detail variation: 9 faces
PEI Rating: 4



Ivory
CS2259-6030 • 600 x 300 x 9mm
20.6kg per m² • Detail variation: 9 faces
PEI Rating: 4



Gris
CS2258-6030 • 600 x 300 x 9mm
20.6kg per m² • Detail variation: 9 faces
PEI Rating: 4



Neptune Ice CS2359-6030



Wall: Neptune Ivory Floor: Lakeland Taupe CS2259-9015 see page 74

Alaska

Alaska's cool shades and subtle texture effects are perfectly co-ordinated, in two versatile sizes for covering walls and floors

Glazed porcelain



White

CS1188-6030-A • 600 x 300 x 10mm
CS1188-6060-A • 600 x 600 x 10mm
21kg per m² • PEI Rating: 4



Beige

CS1190-6030-A • 600 x 300 x 10mm
CS1190-6060-A • 600 x 600 x 10mm
21kg per m² • PEI Rating: 4



Grey

CS1189-6030-A • 600 x 300 x 10mm
CS1189-6060-A • 600 x 600 x 10mm
21kg per m² • PEI Rating: 4



Wall: Alaska White CS1188-6030-A **Floor:** Alaska Grey CS1189-6060-A

Kaamos

Rectified technical porcelain

Use Kammos both inside and out, with both 10mm and 20mm options; it's extremely hard wearing and the 20mm version can even be laid onto to sand, pebbles and directly onto grass. The full colour-bodied construction helps to disguise any wear and tear that may occur when used outside.



Ivory Natural
CS2181-6060
598 x 598 x 10mm
22.12kg per m²



Ivory Slip Resistant 20mm
CS2184-6060
598 x 598 x 20mm
44.24kg per m²



Kaamos Ivory Slip Resistant 20mm CS2184-6060

Black Natural
CS2179-6060
598 x 598 x 10mm
22.12kg per m²



Black Slip Resistant 20mm
CS2182-6060
598 x 598 x 20mm
44.24kg per m²



Grey Slip-resistant 20mm
CS2183-6060
598 x 598 x 20mm
44.24kg per m²



Black Slip Resistant 20mm CS2182-6060



Create indoors/outdoors continuity with Kaamos. **Indoors:** Kaamos Grey Natural CS2180-6060 **Outdoors:** Kaamos Grey Slip Resistant 20mm CS2183-6060
Due to longer firing times, 20mm tiles may differ slightly in shade from the 10mm versions. We recommend seeing samples before ordering.



Metal Effect

Fabulous porcelain tiles that recreate the beautiful
colours and patinas of aged metal

Alquimia

Rectified glazed metallic-finish porcelain

Imposing metallic tiles with a
stormcloud-like depth and beauty



Alquimia
CS2440-9090 • 877 x 877 x 10.8mm • **NEW**
24kg per m² • Detail variation: 6 faces
PEI Rating: 3



Alquimia CS2440-9090


Steel Rectified glazed metallic-finish porcelain

Warm up a space and add an urban edge with these large format oxidised steel effect tiles



Concept
CS2163-12060 • 1200 x 600 x 10mm
23kg per m² • Detail variation: 17 faces
PEI Rating: 2

Also in this range; see pages 58 - 59



*If used on the floor, only suitable for residential, light traffic areas



Steel Concept CS2163-12060

Steel *Rectified glazed metallic-finish porcelain*

These steel effect tiles will add a dramatic dimension and a contemporary feel with their ethereal textures and rich colour variation



Also in this range; see page 56



• Copper

Black
CS2165-12060 • 1200 x 600 x 10mm
23kg per m² • Detail variation: 24 faces
PEI Rating: 2



*If used on the floor, only suitable for residential, light traffic areas



Steel Black CS2165-12060



Steel Midnight Blue CS2164-12060



*If used on the floor, only suitable for residential, light traffic areas

Midnight Blue
CS2164-12060 • 1200 x 600 x 10mm
23kg per m² • Detail variation: 24 faces
PEI Rating: 2

Steel Matt

Rectified glazed metallic-finish porcelain

With an industrial character and a dash of glamour, these striking metal effect tiles are thoroughly modern yet evocative of a bygone era



Steel Matt
CS944-12060 • 1200 x 600 x 10mm
23kg per m² • Detail variation: 15 faces
PEI Rating: 4



Steel Matt CS944-12060


Rush

Rectified glazed metallic-finish ceramic

Three glazed ceramic tiles with
a beautiful metallic sheen



Copper
CS2152-6030 • 600 x 300 x 10mm
18.5kg per m² • Detail variation: 15 faces



Walls: Rush Copper CS2152-6030 and White Lady Glass Mosaics GW-WLYMOS from the Mosaics collection **Floor:** Celaya Grey CS1205-6030 see page 94



Rush Steel CS2153-6030 and Rush White CS2173-6030



White
CS2173-6030 • 600 x 300 x 10mm
18.5kg per m² • Detail variation: 15 faces



Steel
CS2153-6030 • 600 x 300 x 10mm
18.5kg per m² • Detail variation: 15 faces



Metallic Rectified glazed metallic-finish porcelain

Porcelain tiles with the varied patina of aged metals



Steel
CS974-6030 • 600 x 300 x 10mm
CS974-6060 • 600 x 600 x 10mm
22.9kg per m² • PEI Rating: 3




Copper
CS975-6030 • 600 x 300 x 10mm
CS975-6060 • 600 x 600 x 10mm
22.9kg per m² • PEI Rating: 3



Metallic Steel CS974-6030

Also in this range; see page 66



• Steel Linear Mosaic

• Copper Linear Mosaic




Metallic Copper CS975-6060


Metallic Mosaics

Rectified glazed metallic-finish porcelain

Elegant linear mosaics with a metallic-effect



Steel Linear Mosaic
CS974-LINMOS • 300 x 300 x 10mm
22.9kg per m² • PEI Rating: 3



Copper Linear Mosaic
CS975-LINMOS • 300 x 300 x 10mm
22.9kg per m² • PEI Rating: 3

Also in this range; see page 64



• Plain Steel



• Plain Copper



Metallic Steel Linear Mosaic CS974-LINMOS



Wall: Metallic Copper Linear Mosaic CS975-LINMOS with Odyssey Epoque Blue 8756



Wood Effect

These amazingly realistic wood effect tiles, created with the latest inkjet technology, capture the depth and colour of natural wood while providing the practicality and durability of glazed porcelain

Boreal

Rectified glazed porcelain

A wood effect tile in two tones, choose from 'Natural' a warm, golden varied tone or 'Mix' which has a more rustic appeal all with multiple varying faces



Boreal Mix CS2239-12020



Mix* CS2239-12020
1200 x 200 x 10mm
23kg per m²
Detail variation: 63 faces
PEI Rating: 4



Natural CS2240-12020
1200 x 200 x 10mm
23kg per m²
Detail variation: 36 faces
PEI Rating: 4



*Packs of Boreal 'Mix' tiles feature heavy variations in colour (as shown above for a bold, rustic appearance)



Packs of Boreal 'Natural' tiles vary in detail to accurately replicate wood but are a consistent blend of light golden tones



Boreal Natural CS2240-12020

Naturalia *Glazed porcelain*

Great for smaller areas or irregular spaces such as hallways, Naturalia's short plank format is practical and effortlessly stylish



Grey CS2453-6015 • NEW
600 x 150 x 9mm
20.8kg per m² • Detail variation: 20 faces
PEI Rating: 3



Brown CS2367-6015 • NEW
600 x 150 x 9mm
20.8kg per m² • Detail variation: 20 faces
PEI Rating: 3



Naturalia Grey CS2453-6015



Naturalia Brown CS2367-6015

Lakeland *Glazed porcelain*

A simple, beautiful wood-effect tile in three colour options, so versatile it works in contemporary and traditional settings alike




Blanco
CS2205-9015 • 900 x 150 x 8.5mm
18.8kg per m² • PEI Rating: 4



Taupe
CS2206-9015 • 900 x 150 x 8.5mm
18.8kg per m² • PEI Rating: 4



Floor: Lakeland Taupe CS2206-9015 Wall: Sandstorm Gobi CS1200-6030 see page 36



Floor: Lakeland Haya CS2404-9015 Wall: Mosaics Mini Pink Penny Round CS-MPPMOS



Haya
CS2404-9015 • 900 x 150 x 8.5mm • **NEW**
18.8kg per m² • PEI Rating: 4





Floor: Lignum Cream Natural CB05-028-10016 **Wall:** Artworks Brilliant White Half Tiles A9002

Cream Natural
CB05-028-10016 • 1000 x 165 x 10.5mm

Cream Slip Resistant
CB05-029-10016 • 1000 x 165 x 10.5mm
Barefoot Wet (TRRL 55) =72

All: 21.2kg per m² • Detail variation 30 faces
PEI Rating: 5



Also in this range; see pages 78 - 79

-  • Grey
-  • Nut
-  • Taupe



Floor: Lignum White Natural CB05-025-10016 **Decorative Wall:** Living Eden Glade CS2115-6030 **Plain Walls:** View Off White CS2136-6030, see page 96

White Natural
CB05-025-10016 • 1000 x 165 x 10.5mm

White Slip Resistant
CB05-026-10016 • 1000 x 165 x 10.5mm
Barefoot Wet (TRRL 55) =72

All: 21.2kg per m² • Detail variation 30 faces
PEI Rating: 5



Lignum

Rectified glazed porcelain

Beautiful wood-effect planks with a high performance slip-resistant finish that is suitable for use outdoors.



Beige Natural
CB05-031-10016 • 1000 x 165 x 10.5mm

Beige Slip Resistant
CB05-032-10016 • 1000 x 165 x 10.5mm
Barefoot Wet (TRRL 55) =72

All: 21.2kg per m² • Detail variation 30 faces
PEI Rating: 5



Floor: Lignum Beige Natural CB05-031-10016 **Wall:** Winchester Artisan Ickworth Half Tiles W.CLIK0603 and Skirtings W.CLIK1900



Lignum

Rectified glazed porcelain

Also in this range; see pages 76 - 77

-  · Cream
-  · White
-  · Beige

Grey Natural
CB05-034-10016 · 1000 x 165 x 10.5mm

Grey Slip Resistant
CB05-035-10016 · 1000 x 165 x 10.5mm
Barefoot Wet (TRRL 55) =72

All: 21.2kg per m² · Detail variation 30 faces
PEI Rating: 5




Lignum Nut Slip Resistant CB05-044-10016

Nut Natural
CB05-043-10016 · 1000 x 165 x 10.5mm

Nut Slip Resistant
CB05-044-10016 · 1000 x 165 x 10.5mm
Barefoot Wet (TRRL 55) =72

All: 21.2kg per m² · Detail variation 30 faces
PEI Rating: 5



Taupe Natural
CB05-040-10016 · 1000 x 165 x 10.5mm

Taupe Slip Resistant
CB05-041-10016 · 1000 x 165 x 10.5mm
Barefoot Wet (TRRL 55) =72

All: 21.2kg per m² · Detail variation 30 faces
PEI Rating: 5



Walls: (left) Celaya White CS1204-6030 see page 94 and (right) Lignum Taupe Natural CB05-040-10016 **Floor:** Lignum Taupe Slip Resistant CB05-041-10016

Krea *Rectified glazed porcelain*

Realistic planks that recreate the muted tones of sun bleached wood - in two soft colourways



Krea Alamo Ash Matt CS1933-12020 with Montblanc Bricks; White CS1034-3007 and Anthracite (in the recess) CS1037-3007 see page 124



Alamo Ash
CS1931-12020
1200 x 200 x 11mm • 25kg per m²



Alamo Natural
CS1933-12020
1200 x 200 x 11mm • 25kg per m²



Krea Alamo Ash Matt CS1933-12020

Oakwood Rectified glazed porcelain

Hard wearing planking that looks good wherever it is installed



Beige
CS1212-9015
895 x 145 x 10mm
22.9kg per m²
PEI Rating: 4



Nut
CS1210-9015
895 x 145 x 10mm
22.9kg per m²
PEI Rating: 4

Also in this range; see page 84



• Grey

• Brown

Oakwood Beige CS1212-9015



Oakwood Nut CS1210-9015

Oakwood

Rectified glazed porcelain



Grey
CS1213-9015
895 x 145 x 10mm
22.9kg per m²
PEI Rating: 4



Brown
CS1211-9015
895 x 145 x 10mm
22.9kg per m²
PEI Rating: 4

Also in this range; see page 82



• Beige

• Nut

Oakwood Grey CS1213-9015



Floor: Oakwood Brown CS1211-9015 **Wall:** Steel Midnight Blue CS2164-12060 see page 59



Concrete Effect

Concrete and cement effect tiles are chic yet utilitarian with an enduring industrial charm. Our collection includes plank and traditional tile formats, plus slip resistant options for outdoor use

Nord Ris

Rectified glazed porcelain

A simple cement effect tile with a modern feel,
ideal for contemporary spaces



Nord Ris
CS2187-6060 • 600 x 600 x 9.5mm
21.7kg per m² • Detail variation: 19 faces
PEI Rating: 4




Floor: Nord Ris CS2187-6060 **Wall:** Artworks Brilliant White Metro A9004

Brasilia *Rectified glazed porcelain*

Über cool and contemporary
concrete-effect planking



Brasilia Cinza
CS936-12020 • 1200 x 200 x 10mm
22.1kg per m² • Detail variation: 36 faces
PEI Rating: 5



Brasilia Cinza CS936-12020

Toronto *Rectified glazed porcelain*

Add a luxurious yet contemporary feel with the textured details of Toronto



Off White
CS2154-9090 • 877 x 877 x 12mm
24kg per m² • Detail variation: 9 faces
PEI Rating: 4



Grey
CS2155-9090 • 877 x 877 x 12mm
24kg per m² • Detail variation: 9 faces
PEI Rating: 4



Toronto Off White CS2154-9090



Floor: Toronto Grey CS2155-9090 **Wall:** Artworks Chancel Grey Bricks GCE9030

Celaya *Rectified glazed porcelain*

Looks and feels just like
a plastered surface



White
CS1204-6030 • 595 x 295 x 10mm
CS1204-6060 • 595 x 595 x 10mm
24.3kg per m² • Detail variation: 10 faces
PEI Rating: 4



Grey
CS1205-6030 • 595 x 295 x 10mm
24.3kg per m² • Detail variation: 10 faces
PEI Rating: 3



Celaya Grey CS1205-6030



Wall: Celaya White CS1204-6030 **Floor:** Celaya Grey CS1205-6030

View

Keep it simple and stylish with light or dark grey, both look beautiful over an expanse of space or as a coordinating tile

Rectified matt ceramic



Off White
CS2136-6030 • 600 x 300 x 10mm
16.7kg per m² • Detail variation: 9 faces



Grey
CS2144-6030 • 600 x 300 x 10mm
16.7kg per m² • Detail variation: 9 faces

Rectified matt porcelain



Off White
CS2400-6060 • 600 x 600 x 10mm
22kg per m² • Detail variation: 16 faces
PEI Rating: 4



Floor: View Off White CS2400-6060 **Wall:** Living Nano Atom CS2126-6030

Neutrals

Tiles from the neutrals palette (whites, greys, blacks, also beiges and browns) can be used to create an elegant and timeless look



City *Rectified double loaded porcelain*



Venezia Bianco Matt
CS2015-6030 • 600 x 300 x 10mm
CS2015-6060 • 600 x 600 x 10mm
22.9kg per m²



Venezia Bianco Polished
CS2016-6030 • 600 x 300 x 10mm
CS2016-6060 • 600 x 600 x 10mm
22.9kg per m²



City Venezia Bianco Matt CS2015-6030



City Venezia Bianco Polished CS2016-6030


Mineral

Rectified technical porcelain

These beautiful and tough tiles will look fabulous on their own or combined. Four colours with slip resistant options make Mineral a versatile choice for all occasions



Mineral Off White Structured CS751-6060



Off White Natural
CS750-6060 • 600 x 600 x 10mm
21.9kg per m²



Off White Polished
CS752-6060 • 600 x 600 x 9mm
CS752-9090 • 900 x 900 x 9mm
19.0kg per m²



Off White Structured
CS751-6060 • 600 x 600 x 10mm
21.9kg per m²
Shod Wet (4S96 Wet) = 55
Barefoot Wet (TRRL 55) = 44



OUTDOOR SUITABLE



Nude Natural
CS744-6060 • 600 x 600 x 10mm
21.9kg per m²



Nude Polished
CS746-6060 • 600 x 600 x 9mm
CS746-9090 • 900 x 900 x 9mm
19.0kg per m²



Nude Structured
CS745-6060 • 600 x 600 x 10mm
21.9kg per m²
Shod Wet (4S96 Wet) = 55
Barefoot Wet (TRRL 55) = 44



OUTDOOR SUITABLE



Nude Natural CS744-6060

Mineral


Rectified technical porcelain



Portland Natural
CS747-6060 • 600 x 600 x 10mm
21.9kg per m²



Portland Polished
CS749-6060 • 600 x 600 x 9mm
CS749-9090 • 900 x 900 x 9mm
19.0kg per m²



Portland Structured
CS748-6060 • 600 x 600 x 10mm
21.9kg per m²
Shod Wet (4S96 Wet) = 55
Barefoot Wet (TRRL 55) = 44



Portland Structured CS748-6060




Floor: Mineral Grafite Polished CS743-6060 **Wall:** Glassworks Mekong Glass Tiles GW-MEK6030C



Grafite Natural
CS741-6060 • 600 x 600 x 10mm
21.9kg per m²



Grafite Polished
CS743-6060 • 600 x 600 x 9mm
19.0kg per m²



Grafite Structured
CS742-6060 • 600 x 600 x 10mm
21.9kg per m²
Shod Wet (4S96 Wet) = 55
Barefoot Wet (TRRL 55) = 44



Simplesmente Natural

Rectified technical porcelain

Sometimes less is more. These soft white tiles are the purest expression of simple, understated elegance




White
CS614-6060 • 600 x 600 x 10mm
22kg per m²




Simplesmente CS614-6060

Classic Whites *Glazed ceramic*

Pure white ceramic wall tiles in two finishes



Simplicity White Matt
CS2316-6030 • 600 x 300 x 8.5mm • 14.9kg per m²



Ice White Rectified Gloss
CS2397-6030 • 600 x 300 x 10mm • 16.2kg per m²
Ice White Gloss
CS431-3060 • 600 x 300 x 8.5mm • 15.2kg per m²



Ice White Rectified Gloss CS2397-6030



Ice White Rectified Gloss CS2397-6030 with Living Palazzo Pettina Decorated Tiles CS2132-6030

Feature Tiles

Take a look at our collection of décor and feature tiles.
Perfect if you want to add interest, texture or something
a bit different into your scheme

Fusuma *Glazed ceramic*

Distinctively textured with the appearance of plaster, perfect for creating a contemporary feel, choose from two colours with a décor option to add a new dimension



White
CS2223-7525 • 750 x 250 x 8.7mm
15kg per m² • Detail variation: 20 faces



Surface detail




White Décor
CS2261-7525 • 750 x 250 x 8.7mm
15kg per m² • Detail variation: 20 faces



Surface detail

Also in this range; see page 114



• Ivory




• Ivory Décor



Fusuma White Décor CS2261-7525 and Fusuma White CS2223-7525

Fusuma *Glazed ceramic*



Ivory
CS2224-7525 • 750 x 250 x 8.7mm
15kg per m² • Detail variation: 20 faces



Surface detail



Ivory Décor
CS2262-7525 • 750 x 250 x 8.7mm
15kg per m² • Detail variation: 20 faces



Surface detail

Also in this range; see page 112



• White



• White Décor



Fusuma Ivory CS2224-7525 and Fusuma Ivory Décor CS2262-7525

Splitfaced *Engineered natural stone*

Deeply textured interlocking panels of glistening natural quartz and real slate.



White Quartz
EW-WHQZPAN6015 • 600 x 150 x 15-20mm • **NEW**
36kg per m²



Splitface detail



Grey Quartz (blend of grey tones)
EW-GRQZPAN6015 • 600 x 150 x 15-20mm • **NEW**
36kg per m²



Splitface detail



Rusty Quartz (blend of warm natural colours)
EW-RSQZPAN6015 • 600 x 150 x 15-20mm • **NEW**
36kg per m²



Splitface detail




Black Quartz (largely uniform shades of black)
EW-BLQZPAN6015 • 600 x 150 x 15-20mm • **NEW**
36kg per m²




Splitface detail



Slate (natural grey slate)
EW-BLSLPAN6015 • 600 x 150 x 8-13mm • **NEW**
28kg per m²



Splitface detail



Walls: Rusty Quartz EW-RSQZPAN6015 **Floor:** Lignum Grey Slip Resistant CB05-035-10016 see page 78



White Quartz EW-WHQZPAN6015

Maison Blanc Rectified glazed ceramic


Soft blue and cream tones in a woven fabric effect



Maison Blanc
CS2032-6030 • 598 x 298 x 10mm
18.5kg per m² • Detail variation: 20 faces



Surface detail



Maison Blanc CS2032-6030

Montblanc *Glazed gloss ceramic*

Five new colours – exclusive to Original Style – add a fresh dimension to this very popular range

Also in this range:

see page 124

- White
- Pearl
- Blue
- Anthracite

see pages 123

- Emerald
- Sage
- Denim



Taupe Brick
CS2531-3007 • 300 x 75 x 9mm • **NEW**
Detail variation: 20 faces




Pink Brick
CS2522-3007 • 300 x 75 x 9mm • **NEW**
Detail variation: 20 faces

all 16.9kg per m²



Montblanc Taupe Brick CS2521-3007



Montblanc Bricks; White CS1034-3007 see page 124, and Pink CS2522-3007



Montblanc Denim CS2523-3007

Montblanc

Glazed gloss ceramic



Denim Brick
CS2523-3007 • 300 x 75 x 9mm • **NEW**
Detail variation: 20 faces



Emerald Brick
CS2524-3007 • 300 x 75 x 9mm • **NEW**
Detail variation: 20 faces



Sage Brick
CS2525-3007 • 300 x 75 x 9mm • **NEW**
Detail variation: 20 faces

all 16.9kg per m²

Also in this range:

see pages 124

- White
- Pearl
- Blue
- Anthracite

see pages 120

- Taupe
- Pink



Montblanc Emerald CS2524-3007



Montblanc Sage CS2525-3007

Montblanc *Glazed gloss ceramic*



White Brick
CS1034-3007 • 300 x 75 x 9mm
Detail variation: 20 faces



Pearl Brick
CS1035-3007 • 300 x 75 x 9mm
Detail variation: 20 faces



Blue Brick
CS1036-3007 • 300 x 75 x 9mm
Detail variation: 20 faces



Anthracite Brick
CS1037-3007 • 300 x 75 x 9mm
Detail variation: 20 faces

all 16.9kg per m²



Also in this range:
see page 120

• Taupe

• Pink

see page 123

• Emerald

• Sage

• Denim



Montblanc Bricks; White CS1034-3007 and Anthracite CS1037-3007


Scored glazed gloss ceramic



Smart Pearl
CS1041-5020 • 500 x 200 x 9mm
16.9kg per m² • Detail variation: 6 faces



Smart Blue
CS1040-5020 • 500 x 200 x 9mm
16.9kg per m² • Detail variation: 6 faces



Montblanc Smart Blue CS1040-5020 with Montblanc Blue Large Bricks CS1036-5020 see page 126



Montblanc Bricks; White CS1034-3007, Pearl CS1035-3007 and Blue CS1036-3007

Montblanc *Glazed gloss ceramic*

The deep gloss finish and variegated details of Montblanc will add wow factor to any wall



White
CS1034-5020 • 500 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Pearl
CS1035-5020 • 500 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Anthracite
CS1037-5020 • 500 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Blue
CS1036-5020 • 500 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Décor Pearl
CS1039-5020 • 500 x 200 x 9mm • 16.9kg per m²
Detail variation: 5 faces



Décor Blue
CS1038-5020 • 500 x 200 x 9mm • 16.9kg per m²
Detail variation: 5 faces



Wall: Montblanc White CS1034-5020 **Floor:** Celaya Grey CS1205-6030 see page 94



Montblanc Blue CS1036-5020

Madison *Glazed gloss ceramic*

High gloss - to add a touch of class to kitchen and bathroom walls, in two tones and a mixed decorative



White
CS1106-5020 • 500 x 200 x 9mm
16.9kg per m² • Detail variation: 16 faces



Silver
CS1108-5020 • 500 x 200 x 9mm
16.9kg per m² • Detail variation: 16 faces



White Mix Gloss
CS2146-5020 • 500 x 200 x 9mm
16.9kg per m² • Detail variation: 16 faces



Walls: Madison White CS1106-5020 and Madison Silver CS1108-5020 **Floor:** Celaya White CS1204-6030 see page 94

Technical information

Glossary Technical terms explained

Porcelain – Tiles that are made with white clay, fired at a high temperature making them dense, hardwearing and perfect for floors. Porcelain tiles have extremely low water absorption of less than 0.5% and can be glazed or unglazed.

Ceramic – Tiles that are made with red, brown or white clay, they are softer and less dense meaning they are easier to cut, drill and ideal for wall applications. Ceramic tiles have much higher water absorption and are always glazed.

Rectified Glazed Porcelain – Tiles that have been cut during the manufacturing process to meet exact size requirements. They can come in a variety of finishes from matt, glazed, metal effect or satin.

Rectification – the process of finishing the tiles by removing the edges to give a cleaner finish and meet exact sizing requirements. As each tile is the same size these can be fitted with minimal grout joints.

Non-Rectified – Non-rectified tiles, on the other hand, are tiles with natural, uneven pressed edges that may vary slightly in size and require a wider grout gap.

Ink-Jet – A term that refers to the print or pattern on the tile which has been applied using an ink-jet printer.

Full-bodied – This refers to tiles whose surface colour is the same all the way through the tile. Also known as ‘through bodied’ or ‘technical’ porcelain, these tiles are made of a single material with no glaze applied making them extremely hard wearing and perfect for any and every application.

Double Loaded – These tiles are also unglazed but are made of two layers of different porcelain material with the visible layer comprising the top few mm of the tile. These are also extremely hardwearing but lower cost than full-bodied porcelain.

Variegated – When a tile face has a wide variety of colours and tones.

For further technical information, including PEI and PTV, please turn to page 123

Acknowledgements

Original Style gratefully acknowledges the assistance of the following companies with the photographic settings:

Amara Living	www.amara.com	Garden Trading	www.gardentrading.co.uk	Quince Living	www.quinceliving.co.uk
Amos Lighting (Exeter)	www.amoslighting.co.uk	H&M	www.hm.com	Roberts Radio	www.robertsradio.co.uk
Anthropologie	www.anthropologie.com/en-gb	Habitat	www.habitat.co.uk	Samuel Heath	www.samuelheath.co.uk
Balineum	www.balineum.co.uk	Heal's	www.heals.com	Saphire Spaces	www.sapphirespaces.co.uk
Bohemia	www.bohemiadesign.co.uk	House of Fraser	www.houseoffraser.co.uk	Selfridges	www.selfridges.com
Bathroom Village	www.bathroomvillage.com	Ironmongery Direct	www.ironmongerydirect.co.uk	Stovax	www.stovax.com
Christian Louboutin	www.christianlouboutin.com	Ikea	www.ikea.com/gb	Tap For You	www.tapforyou.co.uk
Cox & Cox	www.coxandcox.co.uk	John Lewis	www.johnlewis.com	Tap Warehouse	www.tapwarehouse.com
Cult Furniture	www.cultfurniture.com	Jones the Bootmakers	www.jonesbootmaker.com	The Cotswold Company	www.cotswoldco.com
The Conran Shop	www.conranshop.co.uk	Kartell	www.kartell.com/gb	The Scandinavian Shop	www.scandinavianshop.co.uk
Darts Farm	www.dartsfarm.co.uk	L'Occitane	www.loccitane.com	The White Company	www.thewhitecompany.com
Debenhams	www.debenhams.com	Laura Ashley	www.lauraashley.com	Toby's reclamation	www.tobysreclamation.com
Decorum	www.decorum-shop.co.uk	Mason Cash	www.masoncash.co.uk	Totnes Tile Studio	tel 44 (0)1803 865865
Designers Guild	www.designersguild.com	Next	www.next.co.uk	UKBW	www.ukbw.com
Drench	www.drench.co.uk	Nordic House	www.nordichouse.co.uk	Victorian Plumbing	www.victorianplumbing.co.uk
Dune	www.dunelondon.com	Oliver Bonas	www.oliverbonas.com	Wayfair	www.wayfair.co.uk
Fern & Grey	www.fernandgrey.com	Orange Tree	www.theorangeretree.co.uk	West Elm	www.westelm.co.uk
French Connection	www.frenchconnection.com	Plumb Centre (Exeter)	www.plumbcenter.co.uk	William Holland	www.williamholland.com
Furniture Village	www.furniturevillage.co.uk	Pooky	www.pooky.com	Zara	www.zarahome.com/gb

Opposite: Walls: Travertino Navona Grigio Polished CS2451-12060 **Floor:** Travertino Navona Grigio Matt CS2450-12060 see page 14

Tile area calculator

Calculateur de surface de carrelage / Rechner für Fliesenfläche / Rekenhulpmiddel voor te betegelen ondergronden

Nominal size*	
Tiles / Carreaux / Fliesen / Tegels	Per m²
300 x 75	44.4
300 x 300	11.1
300 x 600	5.6
500 x 200	10.0
585 x 585	2.9
590 x 290	5.8
600 x 150	11.1
600 x 600	2.8
750 x 250	5.3
877 x 877	1.3
895 x 145	7.7
895 x 220	5.1
895 x 445	2.5
900 x 150	7.4
900 x 900	1.2
1000 x 165	6.1
1000 x 333	3
1200 x 200	4.2
1200 x 600	1.4

*All of the above dimensions are subject to a tolerance of ± 2mm. Quantities shown exclude grout gaps between each tile. Please allow an additional 5% for cutting/wastage.

*Remarque : Toutes les dimensions précédentes sont sujettes à une tolérance de ± 2 mm. Les quantités démontrées n'incluent pas les joints entre les carreaux. Nous vous recommandons de prévoir au moins 5% supplémentaires pour les chutes.

*Beachten Sie bitte: Alle oben genannten Abmessungen können Abweichungen von ± 2mm aufweisen. Angegebene Mengen schliessen die Fugen zwischen jeder Fliese aus. Es empfiehlt sich, mindestens 5% material für etwaiger Bruch einzuplanen.

*Voor alle afmetingen geldt een tolerantiewaarde van ± 2mm. Voeg openingen tussen tegels zijn niet meegerekend in de aangegeven hoeveelheden. Houd rekening met vijf procent snijverlies.

Keys to Symbols

Signification des symboles / Symbolerklärung / Sleutel voor symbolen

Wet & dry walls (<i>inc.showers and wet rooms</i>)	
Wet & dry floors (<i>inc.showers and wet rooms</i>)	
Dry walls only	
Dry floors only	
Internal use only	
Internal & external use	
External use All our porcelain tiles have passed the ISO 10545-12 frost resistance test, making them suitable for external use. We recommend that only tiles with shod wet (4S96 shod wet) slip resistance results of 36+ are used in external situations. Original Style Ltd cannot be held liable for cracking that can occur due to adverse weather conditions or poor installation.	

Murs secs et humides (<i>dont douches et douches italiennes</i>)	
Sols secs et humides (<i>dont douches et douches italiennes</i>)	
Murs secs uniquement	
Sols secs uniquement	
Usage intérieur uniquement	
Usage intérieur et extérieur	
Usage extérieur Tous nos carreaux en porcelaine ont passé le test ISO 10545-12 de résistance au gel et conviennent donc à un usage extérieur. Nous recommandons toutefois de poser en extérieur uniquement les carreaux dont la résistance au glissement est supérieure à 36 (selon les résultats de la VEP, 4S96). Original Style Ltd déclinera toute responsabilité en cas de fissuration des carreaux due à des conditions climatiques défavorables ou à une mauvaise installation.	

Nass- und Trockenmauern (<i>Inkl. Duschen und Nassräume</i>)	
Nass- und Trockenböden (<i>Inkl. Duschen und Nassräume</i>)	
Nur für Trockenwände	
Nur für Trockenböden	
Nur für Innenbereiche	
Für Innen- und Außenbereiche	
Externe Nutzung Unsere gesamtes Feinsteinzeug hat den Frostbeständigkeitstest nach ISO 10545-12 bestanden, so dass sie für den externen Gebrauch eingesetzt werden können. Wir empfehlen, dass nur Fliesen mit einer Rutschfestigkeit von über 36 in externen Bereichen verwendet werden. Original Style Ltd haftet nicht für Risse, die durch widrige Witterungsverhältnisse oder eine falsche Installation auftreten.	

Natte en droge wanden (<i>incl. douches</i>)	
Natte en droge vloeren (<i>incl. douches</i>)	
Alleen droge wanden	
Alleen droge vloeren	
Alleen voor binnengebruik	
Voor binnen- en buitengebruik	
Buitengebruik Al onze tegels hebben de vorstbestendigheidstest doorstaan van ISO 10545-12, zodat ze geschikt zijn voor buitengebruik. We raden aan dat alleen tegels met een (4S96 shod wet) slipbestendigheid van 36+ buiten worden gebruikt. Original Style Ltd is niet aansprakelijk voor scheuren die optreden als gevolg van slechte weersomstandigheden of een onjuiste installatie.	

PEI wear ratings

Wear ratings for glazed porcelains and ceramics, in line with ISO 10545-7

Taux d'usure pour les Porcelaines Emailées et les Céramiques, selon la norme ISO 10545-7 / Verschleißwerte für glasiertes Feinsteinzeug und Keramik, nach ISO 10545-7 / Slijtageclassificatie voor geglazuurd porselein en keramiek, in overeenstemming met ISO 10545-7

2 Floor coverings in areas that are walked on by soft soled or normal footwear with low traffic and occasional scratching / Revêtements pour les sols sur lesquels on marche avec des chaussures aux semelles souples ou normales, où le passage est faible et où le risque de rayures est peu élevé / Bodenbeläge für Bereiche, die mit weich besohnten oder normalen Schuhen betreten werden. Geringer Durchgangsverkehr, gelegentliche Kratzer / Vloeroppervlak op plaatsen met licht verkeer en incidentele krassen waar men op loopt met schoenen met zachte zolen of normale schoenen

3 Floor coverings in areas that, with normal footwear, are walked on more often with small amounts of scratching and dirt. Suitable for residential kitchens, halls and corridors / Revêtements pour les sols sur lesquels le passage avec des chaussures normales est plus fréquent, et où rayures et salissures sont légères. Convient aux cuisines, aux halls et aux couloirs domestiques / Bodenbeläge für Bereiche, die mit normalem Schuhwerk betreten werden. Geringe Kratzer und Verschmutzungen. Geeignet für Wohnküchen, Flure und Dielen / Vloeroppervlak op plaatsen waar men, met normale schoenen, vaker loopt met kleine hoeveelheden vuil en krassen. Geschikt voor huishoudelijke keukens, hallen en gangen

4 Floor coverings that are walked on by regular traffic with some scratching dirt. Suitable for entrances, commercial kitchens etc / Revêtements pour les sols sur lesquels le passage est régulier avec salissures et rayures. Convient aux entrées, aux cuisines commerciales, etc / Bodenbeläge für Bereiche mit regelmäßigem Durchgang und gewissen Kratzverschmutzungen. Geeignet für Eingänge, Großküchen etc / Vloeroppervlak op plaatsen waar regelmatig op wordt gelopen met wat krassend vuil. Geschikt voor ingangen, commerciële keukens, enz

5 Floor coverings that are subject to severe pedestrian traffic over sustained periods with some scratching dirt. Suitable for shopping centres, airport concourses, hotel foyers etc / Revêtements pour les sols sur lesquels le passage est intense sur de longues périodes, avec salissures et rayures. Convient aux centres commerciaux, aux halls d'aéroport, aux réceptions d'hôtels, etc. / Bodenbeläge für Bereiche mit starkem Fußgängerverkehr über längere Zeiträume mit gewissen Kratzverschmutzungen. Geeignet für Einkaufszentren, Flughafengebäude, Empfangshallen etc / Vloeroppervlak op plaatsen die worden blootgesteld aan een grote hoeveelheid voetgangers gedurende langere perioden met krassend vuil. Geschikt voor winkelcentra, luchthavenhallen, hotelfoyers, enz

Deep abrasion wear ratings

Wear rating: for unglazed porcelains in line with ISO 10545-6 (<175mm³) Passes current tests for deep abrasion in line with ISO 10545-6

Taux d'usure : pour les porcelaines et les céramiques non émaillées, selon la norme ISO 10545-6 (<175mm³) Ces carreaux satisfont les normes d'essai actuelles d'abrasion profonde conformément à ISO 10545-6

Verschleißwerte: für unglasiertes Feinsteinzeug und unglasierte Keramik, nach ISO 10545-6 (<175 mm³) Diese Fliesen entsprechen der höchsten Abnutzungsprüfungsklassifizierung nach ISO 10545-6

Slijtagebestendigheid: voor ongeglaazuurd porselein en keramiek conform ISO 10545-6 (<175 mm³) Deze tegels doorstaan de actuele slijtagebeoordelingen conform ISO 10545-6

Slip readings - please note:

Values issued by Original Style for slip resistance relate to the test results as supplied from Lucideon or from in-house testing. These values can change during the lifetime of a tile as a result of the following factors: Surface wear / Poor cleaning regimes / Sealants or wax coatings, correctly or incorrectly applied / Chemical exposures which may acid etch the surface / Body fats build up especially when placed in barefoot areas. If in any doubt always retest the surface on a regular basis.

Large Formats

We do not recommend the use of large format ceramic or porcelain tiles in a 50:50 brickbond pattern installation. The reason for this is that slight curvature in the tile may become noticeable and may not be deemed to be visually acceptable. For installation of tiles larger than 600mm we recommend the use of a levelling clip system to help reduce lipping at grout joints and assist in achieving the most level result.

Nous déconseillons d'utiliser des carreaux grand format en céramique ou en porcelaine dans les installations aux motifs « mur de brique 50:50 ». En effet, ce type d'installation risque d'accentuer la légère courbure de ces carreaux, ce qui pourrait altérer défavorablement l'effet visuel recherché.

Großformatige Keramik- und Porzellan-Fliesen werden für die Verlegung im 50:50 Backsteinmuster nicht empfohlen, da mögliche leichte Krümmungen in den Fliesen dadurch sichtbar werden und ein visuell nicht zufriedenstellendes Resultat ergeben könnten.

Wij adviseren tegen het gebruik van keramische of porseleinen tegels met een groot formaat in een baksteen patroon (50:50 brickbond) installatie. De reden hiervoor is dat de lichte kromming in de tegel duidelijker zichtbaar kan zijn. Dit kan een minder visueel aanvaardbaar eindresultaat veroorzaken.

Slip testing

Pendulum test BS7976-2



This test is designed to simulate the action of a slipping foot and uses a weighted swinging arm which contacts the surface of the tile with a standard rubber slider that represents the rubber sole of a shoe in both dry and wet conditions. The slip resistance is the upswing measured from a scale on the instrument. The greater the upswing, the lower the slip resistance and the greater the slip potential.

Accepted limits for flooring using this technique are:

SLIP POTENTIAL	SLIP RESISTANCE VALUE USING 4S96 RUBBER SLIDER
High	0 to 24
Moderate	25 to 35
Low	36+

Pendulum test BS7976-2

(Transport & Road Research Laboratory)

As above, to determine the wet co-efficient of friction using a TRRL rubber slider to represent barefoot in wet conditions (to test as appropriate).

Accepted limits for flooring using this technique are:

SLIP POTENTIAL	SLIP RESISTANCE VALUE TRRL 55 RUBBER SLIDER
High	19 and below
Moderate	20 to 39
Low	40 to 74

The testing is conducted in-house.

Important information

Nominal dimensions

We quote nominal dimensions throughout this brochure which are subject to slight variation within internationally accepted standards.

Shade variation

Shade variation is an inherent feature of Tileworks porcelain and ceramic tiles. We recommend that tiles are loosely laid out and 'blended' prior to fixing to achieve the most pleasing distribution of shades. Differences between batches can be more marked, for this reason we recommend that you buy all the tiles at one time. No liability for shading issues can be accepted after installation.

Adhesives, grouts and sealing

Always use high quality adhesives and grouts following manufacturers' recommendations for their use and suitability for the type of tile, the application and the substrate being tiled. As with any polished surface, polished porcelain is susceptible to staining if it is not protected with an appropriate sealer such as LTP MPG Sealer. We recommend that all of our polished porcelains are treated with an appropriate product. Always follow the manufacturer's instructions.

Installation, adhesives, grouts, sealants, cleaning and maintenance

Please refer to our Fixing Guide at www.originalstyle.com/guides before commencing any installations as Original Style cannot accept responsibility for any faults after tiles have been fixed. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials. For technical queries, please contact our technical department at info@originalstyle.com

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles.

Limits of liability

Original Style accepts no liability for the faulty installation of its products. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, size, colour, texture and shade of the tiles. Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

It is imperative to follow sealer, grout and adhesive manufacturers' instructions regarding their suitability with our products. If in doubt please consult the sealant/grout/adhesive stockist from whom you purchased the products. Original Style makes no representations as to the fitness for purpose of third party sealants, adhesives and grouts. Please note the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

Informations essentielles

Dimensions nominales

Les dimensions indiquées dans cette brochure correspondent aux dimensions nominales, qui sont sujettes à de légères variations dans les limites des normes internationalement admises.

Nuances de teinte

Les nuances de teinte sont une caractéristique inhérente aux carreaux en céramique et porcelaine Tileworks. Nous vous conseillons de positionner et d'assortir les carreaux avant de les cimenter afin d'obtenir la meilleure distribution possible des nuances. Les différences peuvent être plus flagrantes entre les lots; pour cette raison, nous vous recommandons d'acheter l'ensemble de vos carreaux en même temps. Une fois la pose réalisée, tout problème lié aux nuances de teinte ne saurait donner lieu à réclamation.

Colles et mortiers

Utilisez systématiquement des colles et mortiers de haute qualité, en respectant les recommandations des fabricants en termes d'utilisation et de convenance vis-à-vis du type de carrelage, du mode d'application et de la surface à carrelé.

Imperméabilisation

Comme toute surface polie, la porcelaine risque de se tacher si elle n'est pas protégée avec un produit imperméabilisant adapté. Nous recommandons de traiter toutes les porcelaines polies avec un produit adapté en suivant toujours les instructions du fabricant.

Installation, adhesifs, joints, imperméabilisants, nettoyage et entretien

Merci de vous reporter au guide d'installation sur www.originalstyle.com/guides avant de commencer l'installation de votre carrelage Original Style car nous ne pouvons accepter la responsabilité pour les défauts une fois l'installation faite. Original Style déclinera toute responsabilité en cas de réclamation concernant un usage inadapté de produits imperméabilisants, de colles ou de ciments.

Pour tout renseignement technique, veuillez contacter notre département technique sur info@originalstyle.com

Photographies

En raison des variations au niveau de l'éclairage du studio et des encres d'impression, les couleurs affichées dans ce catalogue sont susceptibles d'être légèrement différentes de celles des carreaux réels.

Limitation de responsabilité

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses produits. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style sera confinée, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Notez que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture, de la taille et de la teinte des carreaux. Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus. Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Il est impératif de suivre les instructions des fabricants de colles et de ciments-joints afin d'en vérifier la compatibilité avec nos produits. En cas de doute, consultez le revendeur qui vous aura fourni la colle ou le ciment-joint. Original Style n'assumera aucune responsabilité en ce qui concerne la compatibilité ou l'usage de colles et de ciments-joints tiers. Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.

Wichtige Informationen

Nennmasse

In dieser Broschüre werden Nennmaße angegeben die innerhalb internationaler gültigen Standards leicht veränderlich sind.

Variationen des farbtöns

Bedingt durch den Herstellungsprozess entstehen geringfügige Farbvariationen. Wir empfehlen, die Fliesen vor dem Verkleben lose zu verlegen und dann zu "mischen", um die angenehmste Verteilung der Farbtöne zu erreichen. Unterschiede zwischen mehreren Chargen können ausgeprägter sein, daher empfehlen wir Ihnen, alle Fliesen auf einmal zu kaufen. Nach der Verlegung der Fliesen kann keinerlei Haftung für Probleme mit dem Farbton mehr übernommen werden.

Kleber & fugenmörtel

Verwenden Sie immer qualitativ hochwertige Kleber und Fugenmörtel und befolgen Sie die Herstelleranweisungen in Bezug auf deren Verwendung und Eignung für die Fliesenart, die Anwendung und den zu fliesenden Untergrund.

Versiegelung

Wie bei jeder polierten Oberfläche ist auch poliertes Porzellan anfällig für Fleckenbildung, wenn es nicht mit einer geeigneten Versiegelung geschützt wird. Wir empfehlen, dass alle unsere polierten Porzellanfliesen mit einem geeigneten Produkt behandelt werden. Folgen Sie immer den Anweisungen des Herstellers.

Installation, kleber, fugenmörtel, versiegelungsmittel, reinigung und pflege

Bitte lesen Sie vor Beginn der Installation die Installationsanleitung unter www.originalstyle.com/guides, da Original Style keine Haftung für Fehler übernehmen kann, nachdem die Fliesen befestigt wurden. Original Style übernimmt keine Haftung für jegliche Ansprüche in Bezug auf die inkorrekte Verwendung von Versiegelungen, Kleber oder Fugenmaterialien.

Bei technischen Fragen wenden Sie sich bitte an unsere technische Abteilung unter info@originalstyle.com

Photographie

Aufgrund variierender Beleuchtungsverhältnisse im Studio oder bei Druckfarben können die im Katalog zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Einzelhändler für Original Style nach Mustern fragen.

Haftungsbeschränkung

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikelaustausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation anzeigen, dass hinsichtlich Qualität, Farbgebung, Textur, Größe oder Schattierung keine Beanstandungen vorliegen. Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen.

Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten. Beachten Sie bitte, dass die Fliesen auf Säure basierte Reinigungsmittel reagieren und ihr Aussehen verändern können.

Belangrijke infomatie

NOMINALE AFMETINGEN

Tegelafmetingen kunnen enigszins afwijken van de nominale afmetingen binnen internationaal geaccepteerde standaarden.

KLEURNUANCES

Uiteenlopende kleurnuances zijn een inherente eigenschap van porseleinen en keramische tegels van Tileworks. Voordat u gaat tegelzetten bevelen wij u aan om alle bestelde tegels eerst te mixen, waardoor er prachtige kleurschakeringen ontstaan. Wij raden u aan alle benodigde tegels in 1 keer te bestellen, omdat er verschillen kunnen zijn tussen de serie tegels onderling. Als de tegels eenmaal zijn gezet, kunnen wij niet aansprakelijk worden gehouden voor mogelijke ontevredenheid over de nuanceverschillen.

LIJMEN EN VOEGMIDDELEN

Gebruik altijd lijm en voegmiddel van hoge kwaliteit en volg de richtlijnen van de producenten op inzake gebruik en geschiktheid voor het type tegel, het aanbrengen en de ondergrond die wordt betegeld.

IMPREGNEREN

Net als voor alle andere gepolijste oppervlakken het geval is, kan gepolijst porselein vlekken gaan vertonen als het niet is behandeld met een hiervoor bestemd impregneermiddel. We raden aan dat al onze gepolijste porseleinen tegels worden behandeld met een hiervoor bestemd product. Volg altijd de aanwijzingen van de producent op.

Installatie, lijmen, voegmiddelen, impregneermiddelen, reiniging en onderhoud

Raadpleeg de installatiegids op www.originalstyle.com/guides voordat u begint met het leggen, aangezien Original Style niet verantwoordelijk is voor defecten nadat de tegels zijn gezet. Original Style is niet aansprakelijk voor claims gerelateerd aan het onjuiste gebruik van impregneer-, lijm- of voegmaterialen.

Neem contact op met onze technische afdeling via info@originalstyle.com voor technische problemen.

Fotografie

Als gevolg van variaties in studiobelichting en printinkten kunnen de in deze brochure afgebeelde kleuren enigszins afwijken van die van de daadwerkelijke tegels. We raden altijd aan dat u uw Original Style-leverancier vraagt om enkele voorbeelden.

Aansprakelijkheidsbeperking

Original Style is niet aansprakelijk voor de verkeerde installatie van zijn producten. In geval van claims met betrekking tot de tegels zelf is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toeestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product, en is gevolgschade niet inbegrepen. Claims moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Claims worden niet behandeld nadat de tegels zijn gezet. We wijzen u erop dat tot de zetting het aanvaarden van de hoeveelheid, kleur, structuur, afmetingen en schakering van de tegels behoort.

Original Style garandeert dat zijn tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We maken geen garanties, uitdrukkelijk of impliciet, ten aanzien van slijtagebestendigheid of onderhoudsmaatregelen.

Het is van groot belang dat de instructies van de producent voor voeg- en lijmmiddelen worden opgevolgd ten aanzien van hun geschiktheid in combinatie met onze producten. Raadpleeg de leverancier van de voeg- en lijmmiddelen van wie u de producten hebt gekocht in geval van twijfel. Original Style maakt geen beweringen over de geschiktheid voor gebruik van de lijmen en voegmiddelen van derde partijen. We wijzen u erop dat het gebruik van bepaalde bijtende reinigingsmiddelen kan leiden tot een reactie van de tegels, waarvan het uiterlijk kan veranderen.

Index by name

	Alaska Beige	CS1190-6030-A	48
	Alaska Beige	CS1190-6060-A	
	Alaska Grey	CS1189-6030-A	48
	Alaska Grey	CS1189-6060-A	
	Alaska White	CS1188-6030-A	48
	Alaska White	CS1188-6060-A	
NEW	Alquimia Dark Blue Nat	CS2440-9090	54
	Amelia Carbon Matt	CS1063-9015	32
	Amelia Carbon Matt	CS1063-9022	
	Amelia Carbon Matt	CS1063-9045	
	Amelia Carbon Polished	CS2141-6030	
	Amelia Grey Matt	CS1062-9015	32
	Amelia Grey Matt	CS1062-9022	
	Amelia Grey Matt	CS1062-9045	
	Amelia Grey Polished	CS2140-6030	
	Amelia White Matt	CS1061-9015	30
	Amelia White Matt	CS1061-9022	
	Amelia White Matt	CS1061-9045	
	Amelia White Polished	CS2139-6030	
NEW	Berliner Sand Flames Rectified	CS2436-12020	12
NEW	Berliner Sand Line Rectified	CS2435-12020	
NEW	Berliner Sand Nat Rectified	CS2434-12020	
NEW	Berliner Sand Nat Rectified	CS2434-9090	
NEW	Berliner Weiss Flames Rectified	CS2433-12020	08
NEW	Berliner Weiss Line Rectified	CS2432-12020	
NEW	Berliner Weiss Nat Rectified	CS2431-12020	
NEW	Berliner Weiss Nat Rectified	CS2431-9090	
NEW	Berliner Zement Flames Rectified	CS2439-12020	10
NEW	Berliner Zement Line Rectified	CS2438-12020	
NEW	Berliner Zement Nat Rectified	CS2437-12020	
NEW	Berliner Zement Nat Rectified	CS2437-9090	
	Bianco Floe Polished	CS2156-12060	22
	Bianco Floe Polished	CS2156-6060	
	Bianco Oro	CS2242-12060	20
NEW	Bianco Oro	CS2242-6060	
	Bianco Oro	CS2242-9090	
NEW	Bianco Oro	CS2448-9090	70
	Boreal Mix	CS2239-12020	
	Boreal Natural	CS2240-12020	
	Brasilia Cinza Rectified	CS936-12020	
	Celaya Grey	CS1205-6030	94
	Celaya White	CS1204-6060	
	Celaya White	CS1204-6030	94
	City Venezia Bianco Matt	CS2015-6030	
	City Venezia Bianco Matt	CS2015-6060	100
	City Venezia Bianco Polished	CS2016-6060	
	City Venizia Bianco Polished	CS2016-6030	100

	Fusuma Ivory	CS2224-7525	114
	Fusuma Ivory Décor	CS2262-7525	
	Fusuma White	CS2223-7525	112
	Fusuma White Décor	CS2261-7525	
NEW	Galana	CS2452-6060	06
NEW	Galana Gloss	CS2454-10033	
	Ice White Gloss Glazed Ceramic	CS431-3060	108
	Ice White Rectified Gloss	CS777-6030	
	Ice White Rectified Matt Ceramic	CS778-6030	51
	Kaamos Black 1cm	CS2179-6060	
	Kaamos Black 2cm	CS2182-6060	51
	Kaamos Grey 1cm	CS2180-6060	
	Kaamos Grey 2cm	CS2183-6060	50
	Kaamos Ivory 1cm	CS2181-6060	
	Kaamos Ivory 2cm	CS2184-6060	80
	Krea Alamo Ash Matt	CS1931-12020	
	Krea Alamo Natural Matt	CS1933-12020	74
	Lakeland Blanco	CS2205-9015	
NEW	Lakeland Haya Matt	CS2404-9015	75
	Lakeland Taupe	CS2206-9015	74
	Lignum Beige Natural	CB05-031-10016	77
	Lignum Beige Slip Resistant	CB05-032-10016	
	Lignum Cream Natural	CB05-028-10016	76
	Lignum Cream Slip Resistant	CB05-029-10016	
	Lignum Grey Natural	CB05-034-10016	78
	Lignum Grey Slip Resistant	CB05-035-10016	
	Lignum Nut Natural	CB05-043-10016	78
	Lignum Nut Slip Resistant	CB05-044-10016	
	Lignum Taupe Natural	CB05-040-10016	79
	Lignum Taupe Slip Resistant	CB05-041-10016	
	Lignum White Natural	CB05-025-10016	76
	Lignum White Slip Resistant	CB05-026-10016	
	Madison Silver	CS1108-5020	128
	Madison White	CS1106-5020	128
	Madison White Mix Gloss	CS2146-5020	128
	Maison Blanc	CS2032-6030	118
	Mediterraneo Grey Matt	CS2255-9090	43
	Mediterraneo Grey Polished	CS2256-9090	
	Mediterraneo Off White Matt	CS2084-9090	40
	Mediterraneo Off White Polished	CS2086-9090	
	Mediterraneo Soft Beige Matt	CS2253-9090	42
	Mediterraneo Soft Beige Polished	CS2254-9090	
	Mescla Grey	CS2252-6030	44
	Mescla Off White	CS2251-6030	44
	Metallic Copper	CS975-6030	64
	Metallic Copper	CS975-6060	
	Metallic Copper Linear Mosaic	CS975-LINMOS	66

	Metallic Steel	CS974-6030	64
	Metallic Steel	CS974-6060	
	Metallic Steel Linear Mosaic	CS974-LINMOS	66
	Mineral Grafite Natural	CS741-6060	105
	Mineral Grafite Polished	CS743-6060	
	Mineral Grafite Structured	CS742-6060	103
	Mineral Nude Natural	CS744-6060	
	Mineral Nude Polished	CS746-6060	
	Mineral Nude Polished	CS746-9090	
	Mineral Nude Structured	CS745-6060	102
	Mineral Off White Natural	CS750-6060	
	Mineral Off White Polished	CS752-6060	
	Mineral Off White Polished	CS752-9090	
	Mineral Off White Structured	CS751-6060	104
	Mineral Portland Natural	CS747-6060	
	Mineral Portland Polished	CS749-6060	
	Mineral Portland Polished	CS749-9090	
	Mineral Portland Structured	CS748-6060	126
	Montblanc Anthracite	CS1037-5020	
	Montblanc Anthracite Brick	CS1037-3007	124
	Montblanc Blue	CS1036-5020	126
	Montblanc Blue Brick	CS1036-3007	124
	Montblanc Décor Blue	CS1038-5020	126
	Montblanc Décor Pearl	CS1039-5020	126
NEW	Montblanc Denim	CS2523-3007	123
NEW	Montblanc Emerald Brick	CS2524-3007	123
	Montblanc Pearl	CS1035-5020	126
	Montblanc Pearl Brick	CS1035-3007	124
NEW	Montblanc Pink	CS2522-3007	120
NEW	Montblanc Sage Brick	CS2525-3007	123
	Montblanc Smart Blue	CS1040-5020	125
	Montblanc Smart Pearl	CS1041-5020	125
NEW	Montblanc Taupe	CS2521-3007	120
	Montblanc White	CS1034-5020	126
	Montblanc White Brick	CS1034-3007	124
NEW	Naturalia Brown	CS2367-6015	72
NEW	Naturalia Grey	CS2453-6015	72
	Neptune Gris	CS2258-6030	46
	Neptune Ice	CS2359-6030	46
	Neptune Mica / Ivory	CS2259-6030	46
	Nero Venato	CS2142-12060	26
	Noir St. Laurent	CS1143-12060	24
	Nord Ris	CS2187-6060	88
	Oakwood Beige	CS1212-9015	82
	Oakwood Brown	CS1211-9015	84
	Oakwood Grey	CS1213-9015	84
	Oakwood Nut	CS1210-9015	82

Index by name

	Pierre Belle Blanc Matt	CS2159-6060	28
	Pierre Belle Blanc Polished	CS2160-6060	
NEW	Pierre Belle Matt Rectified	CS2159-12060	16
NEW	Pierre Belle Polished Rectified	CS2160-12060	
	Pietra Lombarda Grigio	CS2236-6060	16
	Pietra Lombarda Grigio	CS2236-9090	
	Pietra Lombarda Off White	CS2190-6060	34
	Pietra Lombarda Off White	CS2190-9090	
	Portland Stone Ash Matt	CS2161-6060	62
	Rush Copper	CS2152-6030	63
	Rush Steel	CS2153-6030	63
	Rush White	CS2173-6030	36
	Sandstorm Gobi	CS1200-6030	36
	Sandstorm Kalahari	CS1201-6030	38
	Sandstorm Mojave	CS1202-6030	38
	Sandstorm Sahara	CS1203-6030	106
	Simplemente	CS614-6060	116
NEW	Splitfaced Natural Stone Panel Black Quartz	EW-BLOZ-PAN6015	
NEW	Splitfaced Natural Stone Panel Black Slate	EW-BLSL-PAN6015	
NEW	Splitfaced Natural Stone Panel Grey Quartz	EW-GROZ-PAN6015	
NEW	Splitfaced Natural Stone Panel Rusty Quartz	EW-RSOZ-PAN6015	18
NEW	Splitfaced Natural Stone Panel White Quartz	EW-WHQZ-PAN6015	
	St Martin	CS2241-12060	
NEW	St Martin Matt Rectified	CS2449-9090	
	Steel Black	CS2165-12060	58
	Steel Concept	CS2163-12060	60
	Steel Matt	CS944-12060	59
	Steel Midnight	CS2164-12060	92
	Toronto Grey Matt	CS2155-9090	92
	Toronto Off White Matt	CS2154-9090	14
NEW	Travertino Navona Grigio Matt Rectified	CS2450-12060	
NEW	Travertino Navona Grigio Matt Rectified	CS2450-6060	
NEW	Travertino Navona Grigio Matt Rectified	CS2450-9090	
NEW	Travertino Navona Grigio Polished Rectified	CS2451-12060	96
	View Grey	CS2144-6030	
	View Off White	CS2136-6030	96
NEW	View Off White Rectified	CS2400-6060	

Index by name

CB05-025-10016	Lignum White Natural	76
CB05-026-10016	Lignum White Slip Resistant	
CB05-028-10016	Lignum Cream Natural	76
CB05-029-10016	Lignum Cream Slip Resistant	
CB05-031-10016	Lignum Beige Natural	76
CB05-032-10016	Lignum Beige Slip Resistant	
CB05-034-10016	Lignum Grey Natural	76
CB05-035-10016	Lignum Grey Slip Resistant	
CB05-040-10016	Lignum Taupe Natural	76
CB05-041-10016	Lignum Taupe Slip Resistant	
CB05-043-10016	Lignum Nut Natural	76
CB05-044-10016	Lignum Nut Slip Resistant	
CS1034-3007	Montblanc White Brick	124
CS1034-5020	Montblanc White	126
CS1035-3007	Montblanc Pearl Brick	124
CS1035-5020	Montblanc Pearl	126
CS1036-3007	Montblanc Blue Brick	124
CS1036-5020	Montblanc Blue	126
CS1037-3007	Montblanc Anthracite Brick	124
CS1037-5020	Montblanc Anthracite	126
CS1038-5020	Montblanc Décor Blue	126
CS1039-5020	Montblanc Décor Pearl	126
CS1040-5020	Montblanc Smart Blue	125
CS1041-5020	Montblanc Smart Pearl	125
CS1061-9015	Amelia White Matt	30
CS1061-9022	Amelia White Matt	
CS1061-9045	Amelia White Matt	32
CS1062-9015	Amelia Grey Matt	
CS1062-9022	Amelia Grey Matt	32
CS1062-9045	Amelia Grey Matt	
CS1063-9015	Amelia Carbon Matt	32
CS1063-9022	Amelia Carbon Matt	
CS1063-9045	Amelia Carbon Matt	128
CS1106-5020	Madison White	
CS1108-5020	Madison Silver	128
CS1143-12060	Noir St. Laurent	24
CS1188-6030-A	Alaska White	48
CS1188-6060-A	Alaska White	
CS1189-6030-A	Alaska Grey	48
CS1189-6060-A	Alaska Grey	
CS1190-6030-A	Alaska Beige	48
CS1190-6060-A	Alaska Beige	
CS1200-6030	Sandstorm Gobi	36
CS1201-6030	Sandstorm Kalahari	
CS1202-6030	Sandstorm Mojave	38
CS1203-6030	Sandstorm Sahara	
CS1204-6030	Celaya White	94
CS1204-6060	Celaya White	
CS1205-6030	Celaya Grey	94

CS1210-9015	Oakwood Nut	82
CS1211-9015	Oakwood Brown	84
CS1212-9015	Oakwood Beige	82
CS1213-9015	Oakwood Grey	84
CS1931-12020	Krea Alamo Ash Matt	80
CS1933-12020	Krea Alamo Natural Matt	81
CS2015-6030	City Venezia Bianco Matt	100
CS2015-6060	City Venezia Bianco Matt	
CS2016-6030	City Venezia Bianco Polished	
CS2016-6060	City Venezia Bianco Polished	
CS2032-6030	Maison Blanc	118
CS2084-9090	Mediterraneo Off White Matt	40
CS2086-9090	Mediterraneo Off White Polished	
CS2136-6030	View Off White	96
CS2139-6030	Amelia White Polished	32
CS2140-6030	Amelia Grey Polished	32
CS2141-6030	Amelia Carbon Polished	32
CS2142-12060	Nero Venato	26
CS2144-6030	View Grey	96
CS2146-5020	Madison White Mix Gloss	128
CS2152-6030	Rush Copper	62
CS2153-6030	Rush Steel	63
CS2154-9090	Toronto Off White Matt	92
CS2155-9090	Toronto Grey Matt	92
CS2156-12060	Bianco Floe Polished	22
CS2156-6060	Bianco Floe Polished	
NEW CS2159-12060	Pierre Belle Matt Rectified	28
CS2159-6060	Pierre Belle Blanc Matt	
NEW CS2160-12060	Pierre Belle Polished Rectified	34
CS2160-6060	Pierre Belle Blanc Polished	
CS2161-6060	Portland Stone Ash Matt	56
CS2163-12060	Steel Concept	59
CS2164-12060	Steel Midnight	58
CS2165-12060	Steel Black	63
CS2173-6030	Rush White	51
CS2179-6060	Kaamos Black 1cm	50
CS2180-6060	Kaamos Grey 1cm	51
CS2181-6060	Kaamos Ivory 1cm	51
CS2182-6060	Kaamos Black 2cm	51
CS2183-6060	Kaamos Grey 2cm	50
CS2184-6060	Kaamos Ivory 2cm	88
CS2187-6060	Nord Ris	16
CS2190-6060	Pietra Lombarda Off White	
CS2190-9090	Pietra Lombarda Off White	74
CS2205-9015	Lakeland Blanco	74
CS2206-9015	Lakeland Taupe	112
CS2223-7525	Fusuma White	114
CS2224-7525	Fusuma Ivory	

CS2236-6060	Pietra Lombarda Grigio	16
CS2236-9090	Pietra Lombarda Grigio	
CS2239-12020	Boreal Mix	70
CS2240-12020	Boreal Natural	70
CS2241-12060	St Martin	18
CS2242-12060	Bianco Oro	20
NEW CS2242-6060	Bianco Oro	
CS2242-9090	Bianco Oro	44
CS2251-6030	Mescla Off White	44
CS2252-6030	Mescla Grey	42
CS2253-9090	Mediterraneo Soft Beige Matt	44
CS2254-9090	Mediterraneo Soft Beige Polished	
CS2255-9090	Mediterraneo Grey Matt	46
CS2256-9090	Mediterraneo Grey Polished	46
CS2258-6030	Neptune Gris	112
CS2259-6030	Neptune Mica / Ivory	114
CS2261-7525	Fusuma White Décor	46
CS2262-7525	Fusuma Ivory Décor	72
NEW CS2367-6015	Naturalia Brown	96
NEW CS2400-6060	View Off White Rectified	75
NEW CS2404-9015	Lakeland Haya Matt	08
NEW CS2431-12020	Berliner Weiss Nat Rectified	
NEW CS2431-9090	Berliner Weiss Nat Rectified	
NEW CS2432-12020	Berliner Weiss Line Rectified	
NEW CS2433-12020	Berliner Weiss Flames Rectified	12
NEW CS2434-12020	Berliner Sand Nat Rectified	
NEW CS2434-9090	Berliner Sand Nat Rectified	
NEW CS2435-12020	Berliner Sand Line Rectified	
NEW CS2436-12020	Berliner Sand Flames Rectified	10
NEW CS2437-12020	Berliner Zement Nat Rectified	
NEW CS2437-9090	Berliner Zement Nat Rectified	
NEW CS2438-12020	Berliner Zement Line Rectified	
NEW CS2439-12020	Berliner Zement Flames Rectified	54
NEW CS2440-9090	Alquimia Dark Blue Nat	20
NEW CS2448-9090	Bianco Oro	18
NEW CS2449-9090	St Martin Matt Rectified	14
NEW CS2450-12060	Travertino Navona Grigio Matt Rectified	
NEW CS2450-6060	Travertino Navona Grigio Matt Rectified	
NEW CS2450-9090	Travertino Navona Grigio Matt Rectified	
NEW CS2451-12060	Travertino Navona Grigio Polished Rectified	06
NEW CS2452-6060	Galana	72
NEW CS2453-6015	Naturalia Grey	11
NEW CS2454-10033	Galana Gloss	120
NEW CS2521-3007	Montblanc Taupe	120
NEW CS2522-3007	Montblanc Pink	120

Index by name

NEW CS2523-3007	Montblanc Denim	123
NEW CS2524-3007	Montblanc Emerald Brick	123
NEW CS2525-3007	Montblanc Sage Brick	108
CS431-3060	Ice White Gloss Glazed Ceramic	106
CS614-6060	Simplesmente	105
CS741-6060	Mineral Grafite Natural	
CS742-6060	Mineral Grafite Structured	
CS743-6060	Mineral Grafite Polished	
CS744-6060	Mineral Nude Natural	103
CS745-6060	Mineral Nude Structured	
CS746-6060	Mineral Nude Polished	
CS746-9090	Mineral Nude Polished	
CS747-6060	Mineral Portland Natural	104
CS748-6060	Mineral Portland Structured	
CS749-6060	Mineral Portland Polished	
CS749-9090	Mineral Portland Polished	
CS750-6060	Mineral Off White Natural	102
CS751-6060	Mineral Off White Structured	
CS752-6060	Mineral Off White Polished	
CS752-9090	Mineral Off White Polished	
CS777-6030	Ice White Rectified Gloss	108
CS778-6030	Ice White Rectified Matt Ceramic	
CS936-12020	Brasilia Cinza Rectified	90
CS944-12060	Steel Matt	64
CS974-6030	Metallic Steel	66
CS974-6060	Metallic Steel	
CS974-LINMOS	Metallic Steel Linear Mosaic	64
CS975-6030	Metallic Copper	
CS975-6060	Metallic Copper	66
CS975-LINMOS	Metallic Copper Linear Mosaic	
NEW EW-BLQZ-PAN6015	Splitfaced Natural Stone Panel Black Quartz	16
NEW EW-BLSLPAN6015	Splitfaced Natural Stone Panel Black Slate	
NEW EW-GROQZ-PAN6015	Splitfaced Natural Stone Panel Grey Quartz	
NEW EW-RSQZ-PAN6015	Splitfaced Natural Stone Panel Rusty Quartz	
NEW EW-WHQZ-PAN6015	Splitfaced Natural Stone Panel White Quartz	

Rear Cover Image – Walls: Berliner Zement; Natural CS2437-12020, Lines CS2439-12020 & Flames CS2434-12020
Floor: Berliner Zement Natural CS2434-9090 see page 10



Living

A showstopping collection of unique wall tile designs



Mosaics

Glorious mosaics in every material and style imaginable



Glassworks

A dazzling collection of glass tiles



Earthworks

The beauty of natural stone for walls and floors

GENERAL ENQUIRIES

Tel: +44 (0)1392 473004

UK SALES

Tel: +44 (0)1392 473000

EXPORT SALES

Tel: +44 (0)1392 473001

Email: info@originalstyle.com

Website: www.originalstyle.com



ORIGINALSTYLE

Tiles to Inspire

The 'Original Style' logo is a registered trade mark of Original Style Ltd. Original Style Limited is registered in England number 3018117. Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£2.00 €3.00 \$3.50

IM-0026486 TWORKS9/07/21

Printed using Vegetable inks
and Green energy

© Copyright Original Style Ltd 2021

