



©

ORIGINALSTYLE
Tileworks



Caption: Wall: Montblanc Emerald Brick IM-0026159 see page 21 **Floor:** Mosaics Range Black Porcelain Hexagons IM-0024550
Front Cover: Jewel Black Polished IM-0026935 see page 36 **Floor:** Mediterraneo Off White Matt IM-0009292 see page 68

Tileworks

Welcome to our collection of contemporary tiles, reflecting the most up to date trends in interior design, with formats and finishes in a variety of tastes for a multitude of settings and locations.

We're constantly seeking out porcelain and ceramic tiles from around the world, to offer you a collection that is both beautiful and practical. In this collection you'll find a wide selection of innovative textures as well as different formats and finishes, all thanks to the latest inkjet technology that allows for so many different effects.

Please note: Tiles are shown in proportion to products in the same range, but not necessarily to others in this brochure. Please use the stated dimensions as your guide to actual sizes.

04

Feature Tiles


Interesting textures and show stopping designs



28

Stone Effect


Tiles with the look of natural stone



72

Concrete Effect


The look and feel of concrete and cement



82

Metal Effect


Porcelains with the patina of aged metal



90

Wood Effect

Porcelain tiles with all the character of wood



106

Glossary and Technical Section

Tile terms explained, tiling calculator and technical information





Walls: Oken Hexagon Garnet IM-0026910 see page 09 with Oken Brick White IM-0026915 see page 12

Feature Tiles

Take a look at our collection of décor and feature tiles.
Perfect if you want to add interest, texture or something
a bit different into your scheme




Oken Hexagon *Glazed porcelain*

Wall and floor suitable porcelain hexagons with textured, rustic surfaces and nuanced tones and details.
Also available in ceramic brick format for walls, see pages 10-13

Please note:

Oken hexagons replicate the aged appearance of vintage ceramic tiles, including worn edge-effects (see detail below) and a wide variation in detail and colour saturation. Three tiles of each colour are shown here to demonstrate typical variations, but individual tiles may look different from those shown. Tiles should always be blended for a pleasing distribution of shades before fixing.




Worn edge effect detail.

Blue Hexagon IM-0026891
267 x 232 x 9mm (each)
19.19kg per m² • Detail variation: 20 faces
PEI Rating: 2





Oken Hexagon Anthracite IM-0026911



Worn edge effect detail.


Anthracite Hexagon IM-0026911
 267 x 232 x 9mm (each)
 19.19kg per m² • Detail variation: 20 faces
 PEI Rating: 2



Oken Hexagon *Glazed porcelain*

Please note:

Oken hexagons replicate the aged appearance of vintage ceramic tiles, including worn edge-effects (see detail below) and a wide variation in detail and colour saturation. Three tiles of each colour are shown here to demonstrate typical variations, but individual tiles may look different from those shown. Tiles should always be blended for a pleasing distribution of shades before fixing.



Worn edge effect detail.

Green Hexagon IM-0026908

267 x 232 x 9mm

19.19kg per m² • Detail variation: 20 faces

PEI Rating: 2






Oken Hexagon Garnet IM-0026910 with Oken Brick White IM-0026915 see page 12



Garnet Hexagon IM-0026910
267 x 232 x 9mm
19.19kg per m² · Detail variation: 20 faces
PEI Rating: 2



White Hexagon IM-0026909
267 x 232 x 9mm
19.19kg per m² · Detail variation: 20 faces
PEI Rating: 2



Oken Hexagon White IM-0026909

Oken Brick *Glazed ceramic*

Colourful brick wall tiles with rustic, aged effects and a varied and detailed patina. Also available in porcelain hexagon format that's suitable for floors - see pages 06-09



Garnet Brick IM-0026916
300 x 75 x 9mm (each)
15.99kg per m² • Detail variation: 35 faces

Blue Brick IM-0026914
300 x 75 x 9mm (each)
15.99kg per m² • Detail variation: 35 faces

Three tiles are shown to demonstrate typical variations in detail and colour.
Tiles should be blended before fixing for a pleasing distribution of shades.







Oken Brick *Glazed ceramic*



White Brick IM-0026915 • **NEW**
300 x 75 x 9mm (each)
15.99kg per m² • Detail variation: 35 faces



Green Brick IM-0026913 • **NEW**
300 x 75 x 9mm (each)
15.99kg per m² • Detail variation: 35 faces



Anthracite Brick IM-0026918 • **NEW**
300 x 75 x 9mm (each)
15.99kg per m² • Detail variation: 35 faces

Three tiles are shown to demonstrate typical variations in detail and colour.
Tiles should be blended before fixing for a pleasing distribution of shades.





Oken Brick Anthracite IM-0026918



Oken Green Brick IM-0026913

Sherbet *Glazed ceramic*

Elongated bricks with a modern-rustic feel.
Available in five playful pastel tones
with a textured sugary finish



White IM-0027225 • 250 x 50 x 9mm
13.2kg per m²



Pink IM-0027223 • 250 x 50 x 9mm
13.2kg per m²



Blue IM-0027224 • 250 x 50 x 9mm
13.2kg per m²



enlarged texture detail





Sherbet *Glazed ceramic*



Grey IM-0027227 • 250 x 50 x 9mm
13.2kg per m²



Green IM-0027226 • 250 x 50 x 9mm
13.2kg per m²



enlarged texture detail





Sherbet Grey IM-0027227 with Living Meadow Catkin IM-0026235

Montblanc *Glazed gloss ceramic*

The deep gloss finish and variegated rustic details of Montblanc will add wow factor to any wall. Five of the colours shown here are exclusive to Original Style.



Montblanc Taupe Brick IM-0026162



Taupe Brick
IM-0026162 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Please note: shades may vary between Montblanc formats, we do not recommend mixing different formats of the same colour.



Pink Brick
IM-0026160 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Montblanc Bricks; White IM-0023185 see page 23, and Pink IM-0026160



Montblanc Emerald Brick IM-0026159 **Floor:** Mosaics Range Black Porcelain Hexagons IM-0024550

Montblanc

Glazed gloss ceramic



Emerald Brick
IM-0026159 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Sage Brick
IM-0026145 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²

Please note: shades may vary between Montblanc formats, we do not recommend mixing different formats of the same colour.



Montblanc Sage IM-0026145 with Living Eden Hothouse IM-0019194

Montblanc *Glazed gloss ceramic*



Denim Brick

IM-0026164 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Blue Brick

IM-0013039 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Please note: shades may vary between Montblanc formats, we do not recommend mixing different formats of the same colour.



Montblanc Denim IM-0026164




White Brick

IM-0023185 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Pearl Brick

IM-0004339 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Anthracite Brick

IM-0022665 • 300 x 75 x 9mm
Detail variation: 20 faces
16.9kg per m²



Please note: shades may vary between Montblanc formats, we do not recommend mixing different formats of the same colour.



Montblanc Bricks; White IM-0023185 and Anthracite IM-0022665



Montblanc Bricks; White IM-0023185, Pearl IM-0004339 and Blue IM-0013039

Montblanc *Glazed gloss ceramic*

The deep gloss finish and variegated details of Montblanc will add wow factor to any wall



White • NEW SIZE

IM-0029815 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Please note: shades may vary between Montblanc formats, we do not recommend mixing different formats of the same colour.



Montblanc White IM-0029815



Montblanc Blue IM-0029814 and Blue Stack IM-0029820



Blue • NEW SIZE

IM-0029814 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Blue Stack • NEW SIZE

IM-0029820 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Denim • NEW

IM-0029820 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Montblanc Denim IM-0029820



Montblanc Sage IM-0029817



Montblanc Sage Stack IM-0029821


Montblanc

Glazed gloss ceramic



Sage • NEW

IM-0029817 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Sage Stack • NEW

IM-0029821 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces


Please note: shades may vary between Montblanc formats, we do not recommend mixing different formats of the same colour.





Smoked Pearl • NEW

IM-0029816 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces




Taupe • NEW

IM-0029818 • 600 x 200 x 9mm • 16.9kg per m²
Detail variation: 6 faces



Please note: shades may vary between Montblanc formats, we do not recommend mixing different formats of the same colour.



Montblanc Smoked Pearl IM-0029816



Montblanc Taupe IM-0029818



Stone Effect


A range of incredibly realistic stone replications,
from dark, moody marble to soft and subtle travertine



Hartland

Designed by our team in Exeter and manufactured exclusively for us in Italy, Hartland offers realistic veining, beautifully realised surface details and rustic chipped edges for a convincing natural stone effect – in three soft colours

Rectified glazed porcelain



Priory (white)

IM-0026637 • 900 x 600 x 10mm

22kg per m²

Detail variation: 15 faces






Wall: Winchester Cosmopolitan Flint Bricks IM-0023803 **Floor:** Hartland Priory White IM-0026637

Hartland

Rectified glazed porcelain



Abbey (beige)


IM-0026634 • 900 x 600 x 10mm

IM-0026635 • 600 x 600 x 10mm

IM-0026636 • 600 x 300 x 10mm

22kg per m²

Detail variation: 15 faces




To recreate the pattern shown opposite, repeat blocks of the following five tiles as illustrated above
900 x 600 (x2) / 600 x 600 (x1) / 600 x 300 (x2)



Hartland

Rectified glazed porcelain



Chapel (grey)

IM-0026638 • 900 x 600 x 10mm • **NEW**

22kg per m²

Detail variation: 15 faces






Wall: Winchester Panorama Cliff Bricks IM-0011768 **Floor:** Hartland Chapel (grey) IM-0026638

Jewel Black

Rectified glazed polished porcelain

This polished porcelain is all about impact.
Jewel Black has a highly polished finish, imitating precious jewel tones
and inspired by Onyx - perfect for bringing wow-factor to any space



Jewel Black* (Polished)

IM-0026935 • 1200 x 600 x 11mm • 36.8kg per m² • Detail variation: 16 Faces
PEI Rating: 2



*If used on the floor, only suitable for residential, light traffic areas
as the polished surface may be prone to scratching




Wall: Jewel Black IM-0026935 **Floor:** Mediterraneo Off White IM-0009292 see page 68

Marmi Nero

Bold, sophisticated and full of character.

These striking black marble-effect tiles evoke a luxurious feel, perfect for glamorous living spaces

Rectified glazed honed porcelain



Also in this range:



• Hexagon mosaics (see page 44)

Marmi Nero Honed


IM-0027238 • 1200 x 600 x 10mm • 24kg per m² • Detail variation: 20 Faces

IM-0027234 • 600 x 600 x 9mm • 20kg per m² • Detail variation: 36 Faces

IM-0027236 • 600 x 300 x 9mm • 20kg per m² • Detail variation: 40 Faces

PEI Rating: 2

Rectified glazed polished porcelain



Marmi Nero Polished*

IM-0027239 • 1200 x 600 x 10mm • 24kg per m² • Detail variation: 20 Faces

IM-0027235 • 600 x 600 x 9mm • 20kg per m² • Detail variation: 36 Faces

IM-0027237 • 600 x 300 x 9mm • 20kg per m² • Detail variation: 40 Faces

PEI Rating: 2

When placing polished porcelain tiles on the wall and honed porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

Polished, semi-polished and honed tiles should be sealed before fixing. See page 110.



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Wall: Marmi Nero Polished IM-0027239 **Floor:** Marmi Nero Honed IM-0027238

Statuarietto

Clean, crisp and simple, these tiles embody the world's most premium Carrara marbles. Their realistic veining is perfect for those looking to bring grandeur to a space or to add a touch of something special

Rectified glazed honed porcelain



Also in this range:



• Hexagon mosaics (see page 44)

Statuarietto Honed

IM-0027252 • 1200 x 600 x 10mm • 24kg per m² • Detail variation: 30 Faces

IM-0027248 • 600 x 600 x 9mm • 20kg per m² • Detail variation: 54 Faces

IM-0027250 • 600 x 300 x 9mm • 20kg per m² • Detail variation: 60 Faces

PEI Rating: 4

Rectified glazed polished porcelain



Statuarietto Polished*

IM-0027253 • 1200 x 600 x 10mm • 24kg per m² • Detail variation: 30 Faces

IM-0027249 • 600 x 600 x 9mm • 20kg per m² • Detail variation: 54 Faces

IM-0027251 • 600 x 300 x 9mm • 20kg per m² • Detail variation: 60 Faces

PEI Rating: 4

When placing polished porcelain tiles on the wall and honed porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

Polished, semi-polished and honed tiles should be sealed before fixing. See page 110.



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Statuario Nuovo

More muted than Statuarietto (on the previous page). Statuario Nuovo, has larger and softer veining effects. These tiles have a classic appeal and natural elegance, reflecting the beauty of real marble

Rectified glazed honed porcelain



Also in this range:



• Hexagon mosaics (see page 44)

Statuario Nuovo Honed


IM-0027245 • 1200 x 600 x 10mm • 24kg per m² • Detail variation: 23 Faces

IM-0027241 • 600 x 600 x 9mm • 20kg per m² • Detail variation: 54 Faces

IM-0027243 • 600 x 300 x 9mm • 20kg per m² • Detail variation: 60 Faces

PEI Rating: 4

Rectified glazed polished porcelain



Statuario Nuovo Polished

IM-0027246 • 1200 x 600 x 10mm • 24kg per m² • Detail variation: 23 Faces

IM-0027242 • 600 x 600 x 9mm • 20kg per m² • Detail variation: 54 Faces

IM-0027244 • 600 x 300 x 9mm • 20kg per m² • Detail variation: 40 Faces

PEI Rating: 4

When placing polished porcelain tiles on the wall and honed porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

Polished, semi-polished and honed tiles should be sealed before fixing. See page 110.



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Hexagon Mosaics

Honed porcelain hexagon mosaics to match
Statuarietto (page 40), Statuario Nuovo (page 41) and Marmi Nero (page 39)
marble-effect tiles



Statuarietto Honed Hexagon Mosaic

IM-0027254 • 253 x 292 x 9mm • 20kg per m²
PEI Rating: 4


Other Statuarietto tiles are on page 40



Statuario Nuovo Honed Hexagon Mosaic

IM-0027247 • 253 x 292 x 9mm • 20kg per m²
PEI Rating: 4

Other Statuario Nuovo tiles are on page 41



Marmi Nero Honed Hexagon Mosaic

IM-0027240 • 253 x 292 x 9mm • 20kg per m²
PEI Rating: 2

Other Statuario Nuovo tiles are on page 39

Honed tiles should be sealed before fixing. See page 110.



Statuario Nuovo Honed Hexagon Mosaics IM-0027247




Statuarietto IM-0027254 and Marmi Nero IM0027240 Honed Hexagon Mosaics

Bianco Oro *Rectified glazed porcelain*

Create a luxury feel with the beautiful gold veining of Bianco Oro, immersed in a pure white marble effect but with all the practicalities of porcelain



Bianco Oro Matt
IM-0026055 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 28 Faces
PEI Rating: 4



Bianco Oro Polished*
IM-0003995 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 27 Faces
IM-0022810 • 900 x 900 x 10.8mm • 23kg per m² • Detail variation: 28 Faces
PEI Rating: 3

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching




Wall: Bianco Oro Polished IM-0003995 **Floor:** Bianco Oro Matt IM-0026055

Nero Venato

Rectified glazed polished porcelain

Make a statement with glamorous black marble effect tiles
with dramatic white and golden veining



Nero Venato* (Polished)

IM-0013279 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 20 Faces
PEI Rating: 3




*If used on the floor, only suitable for residential, light traffic areas
as the polished surface may be prone to scratching



Galana

White carrara marble effect tiles with soft grey veining,
in formats for walls and floors

Rectified glazed ceramic



Galana Gloss


IM-0025732 • 1000 x 330 x 7mm

12.3kg per m²

Detail variation: 16 faces



Rectified glazed porcelain



Galana

IM-0025540 • 600 x 600 x 10mm

22.4kg per m² • PEI Rating: 4

Detail variation: 32 faces





Wall: Galana Gloss IM-0025732 **Floor:** Galana Matt IM-0025540

Pierre Belle

Rectified glazed porcelain

The neutral colours and subtle directional veining in this classic French Limestone replica give Pierre Belle an enduring popularity



Blanc Matt

IM-0025915 • 1200 x 600 x 10mm • 23kg per m²
Detail variation: 34 Faces



Blanc Polished*

IM-0025738 • 1200 x 600 x 10mm • 23kg per m²
Detail variation: 34 Faces

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Pierre Belle Blanc Polished IM-0025738


St. Martin *Rectified glazed porcelain*

Choose the subtle veining of St Martin for a glamorous yet sophisticated style



St Martin Matt

IM-0025874 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 22 Faces
PEI Rating: 4



St Martin Polished*

IM-0016352 • 1200 x 600 x 10mm • 23kg per m² • Detail variation: 22 Faces
PEI Rating: 4



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



St Martin Polished IM-0016352

Pietra Lombarda

Rectified glazed porcelain

Capturing the coveted 'Ceppo de Gre' Italian stone style,
this Terazzo brings an elegant touch



Off White

IM-0009622 • 600 x 600 x 9.5mm • 21.7kg per m²

Detail variation: 40 Faces

PEI Rating: 4






Pietra Lombarda Off White IM-0009622

Berliner

Rectified glazed porcelain

Stone effect tiles inspired by grand urban architecture.
Three distinct texture options can be mixed or used individually
for maximum design flexibility




Weiss Natural

IM-0025700 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces
IM-0025941 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 20 Faces
PEI Rating: 5



Weiss Line

IM-0025858 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces
PEI Rating: 5




Weiss Flames

IM-0025574 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces
PEI Rating: 5



Berliner

Rectified glazed porcelain




Zement Natural

IM-0025484 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces

IM-0025532 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 15 Faces

PEI Rating: 5



Zement Line

IM-0025468 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces

PEI Rating: 5



Zement Flames

IM-0025617 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 75 Faces


PEI Rating: 5



Walls: Berliner Zement; Natural IM-0025484, Lines IM-0025468 & Flames IM-0025617 **Floor:** Berliner Zement Natural IM-0025532

Berliner

Rectified glazed porcelain




Sand Natural

IM-0025705 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 78 Faces

IM-0025832 • 900 x 900 x 10mm • 23kg per m² • Detail variation: 20 Faces


PEI Rating: 5



Sand Line

IM-0025862 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 78 Faces

PEI Rating: 5



Sand Flames

IM-0025633 • 1200 x 200 x 10mm • 22.1kg per m² • Detail variation: 78 Faces

PEI Rating: 5



Walls: Berliner Sand; Natural IM-0025705, Lines IM-0025862 & Flames IM-0025633
Floor: Berliner Sand Natural IM-0025705

Amelia

Rectified glazed porcelain

In three gorgeous co-ordinating colours, two finishes and a range of sizes; Amelia is beautifully versatile. A large number of faces gives this range a variation in detail that replicates natural stone.



White Matt

IM-0001862 • 895 x 145 x 10mm

IM-0007053 • 895 x 220 x 10mm

IM-0021157 • 895 x 445 x 10mm

22.9kg per m² • Detail variation: 7m² area repeat

PEI Rating: 4



Also in this range; see page 66



• Grey



White Polished*

IM-0022533 • 590 x 290 x 10mm

22.9kg per m² • Detail variation: 7m² area repeat

PEI Rating: 4



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.



Wall and Floor: Amelia White Matt – random mix of IM-0001862, IM-0007053 & IM-0021157

Amelia

Rectified glazed porcelain



Grey Matt

IM-0014733 • 895 x 145 x 10mm
 IM-0019870 • 895 x 220 x 10mm
 IM-0011411 • 895 x 445 x 10mm
 22.9kg per m² • Detail variation: 7m² area repeat
 PEI Rating: 4




Grey Polished*

IM-0005328 • 590 x 290 x 10mm
 22.9kg per m² • Detail variation: 7m² area repeat
 PEI Rating: 4

Also in this range; see page 64



• White



Carbon Polished*

IM-0009365 • 590 x 290 x 10mm
 22.9kg per m² • Detail variation: 7m² area repeat
 PEI Rating: 3

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.




*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Left hand wall and floor: Amelia Grey IM-0019870 **Right (rear) Wall:** Amelia White IM-0007053

Mediterraneo *Rectified glazed porcelain*

Large format neutral tiles that are inspired by Mediterranean cliff landscapes. Mediterraneo offers a light texture and a rustic feel with warm natural tones



Off White Matt IM-0009292
Off White Polished* IM-0015575
 877 x 877 x 12mm • 24kg per m²
 Detail variation: 12 faces
 PEI Rating: 4

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.



*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Floor: Mediterraneo Off White Matt IM-0009292 **Wall:** Montblanc White Brick IM-0023185 see page 24

Kaamos

Rectified porcelain

Kaamos is an attractive and popular collection of natural-looking sandstone replicas in three colours



Ivory Natural

IM-0018880

598 x 598 x 10mm


22.12kg per m²



Black Natural

IM-0009095

598 x 598 x 10mm


22.12kg per m²

Kaamos Black Natural IM-0009095

Grey Natural

IM-0022797

598 x 598 x 10mm

22.12kg per m²

Kaamos Grey Natural IM-0022797





Concrete Effect

Concrete and cement effect tiles are chic yet utilitarian with an enduring industrial charm. Our collection includes plank and traditional tile formats, plus slip resistant options for outdoor use

Nord Ris

Rectified glazed porcelain

A simple cement effect tile with a modern feel,
ideal for contemporary spaces



Nord Ris
IM-0004042 • 600 x 600 x 9,5mm
21.7kg per m² • Detail variation: 19 faces
PEI Rating: 4





Floor: Nord Ris IM-0004042 **Wall:** Artworks Brilliant White Metro IM-0003718

Brasilia

Rectified glazed porcelain

Über cool and contemporary
concrete-effect planking



Brasilia Cinza

IM-0001065 • 1200 x 200 x 10mm
22.1kg per m² • Detail variation: 36 faces
PEI Rating: 5





Toronto *Rectified glazed porcelain*

Add a luxurious yet contemporary feel
with the textured details of Toronto



Off White
IM-0010862 • 877 x 877 x 12mm
24kg per m² • Detail variation: 9 faces
PEI Rating: 4



Grey
IM-0014256 • 877 x 877 x 12mm
24kg per m² • Detail variation: 9 faces
PEI Rating: 4





Floor: Toronto Grey IM-0014256 **Wall:** Artworks Chancel Grey Bricks IM-0004649

Celaya


Rectified glazed porcelain

Looks and feels just like
a plastered surface



White

IM-0019758 • 595 x 295 x 10mm
IM-0011107 • 595 x 595 x 10mm
24.3kg per m² • Detail variation: 10 faces
PEI Rating: 4



Grey

IM-0008816 • 595 x 295 x 10mm
24.3kg per m² • Detail variation: 10 faces
PEI Rating: 3



Celaya Grey IM-0008816



Walls: Nero Venato IM-0013279 see page 48 and Winchester Panorama Tor IM-0009128 **Floor:** Celaya White IM-0011107





Metal Effect

Fabulous porcelain tiles that recreate the beautiful
colours and patinas of aged metal

Steel Matt

Rectified glazed metallic-finish porcelain

With an industrial character and a dash of glamour, these striking metal effect tiles are thoroughly modern yet evocative of a bygone era



Steel Matt

IM-0023561 • 1200 x 600 x 10mm
23kg per m² • Detail variation: 15 faces
PEI Rating: 4





Steel Matt IM-0023561

Steel

Rectified glazed metallic-finish porcelain

These steel effect tiles will add a dramatic dimension and a contemporary feel with their ethereal textures and rich colour variation effect tiles are thoroughly modern yet evocative of a bygone era



Midnight Blue

IM-0000688 • 1200 x 600 x 10mm

23kg per m² • Detail variation: 24 faces

PEI Rating: 2



*If used on the floor, only suitable for residential, light traffic areas




Steel Midnight Blue IM-0000688

Rush

Rectified glazed metallic-finish ceramic

Glazed ceramic tiles with
a beautiful metallic sheen



Copper

IM-0005071 • 600 x 300 x 10mm


18.5kg per m² • Detail variation: 15 faces



Walls: Rush Copper IM-0005071 and White Lady Glass Mosaics IM-0012210 from the Mosaics range **Floor:** Celaya Grey IM-0008816 see page 80



Rush Steel IM-0023387 and Rush White IM-0017894 from the Living range



Steel

IM-0023387 • 600 x 300 x 10mm
18.5kg per m² • Detail variation: 15 faces







Wood Effect

These amazingly realistic wood effect tiles, created with the latest inkjet technology, capture the depth and colour of natural wood while providing the practicality and durability of glazed porcelain

Nebraska

Glazed porcelain

A small-format plank tile in four wood-stain effect colours. Use alone or mix together for a stunning coastal look.



White IM-0026864
600 x 100 x 9mm
1.16kg per m² • Detail variation: 35 faces
PEI Rating: 4






Design featuring all Nebraska colours



Aqua IM-0026865
600 x 100 x 9mm
1.16kg per m² • Detail variation: 35 faces
PEI Rating: 3



Blue IM-0026874
600 x 100 x 9mm
1.16kg per m² • Detail variation: 35 faces
PEI Rating: 3



Marine IM-0026890
600 x 100 x 9mm
1.16kg per m² • Detail variation: 35 faces
PEI Rating: 2


Boreal

Rectified glazed porcelain

A wood effect tile in two tones, choose from 'Natural' a warm, golden varied tone or 'Mix' which has a more rustic appeal all with multiple varying faces



Mix* IM-0001422
1200 x 200 x 10mm
23kg per m²
Detail variation: 63 faces
PEI Rating: 4



Natural IM-0012568
1200 x 200 x 10mm
23kg per m²
Detail variation: 36 faces
PEI Rating: 4



Boreal Mix IM-0001422



*Packs of Boreal 'Mix' tiles feature heavy variations in colour (as shown above for a bold, rustic appearance)



Packs of Boreal 'Natural' tiles vary in detail to accurately replicate wood but are a consistent blend of light golden tones



Naturalia *Glazed porcelain*

Great for smaller areas or irregular spaces such as hallways, Naturalia's short plank format is practical and effortlessly stylish



Grey IM-0025545
600 x 150 x 9mm
20.8kg per m² • Detail variation: 20 faces
PEI Rating: 3



Brown IM-0024464
600 x 150 x 9mm
20.8kg per m² • Detail variation: 20 faces
PEI Rating: 3






Lakeland *Glazed porcelain*

A simple, beautiful wood-effect tile in three colour options, so versatile it works in contemporary and traditional settings alike



Blanco

IM-0019448 • 900 x 150 x 8.5mm
18.8kg per m² • PEI Rating: 4



Taupe

IM-0016196 • 900 x 150 x 8.5mm
18.8kg per m² • PEI Rating: 4





Floor: Lakeland Haya IM-0024511 Wall: Mosaics Range Mini Pink Penny Round IM-0024559



Haya
IM-0024511 • 900 x 150 x 8.5mm
18.8kg per m² • PEI Rating: 4




Lignum

Rectified glazed porcelain

Beautiful wood-effect planks with realistic details and textures.
Available in four colours.



Floor: Lignum White Natural IM-0014735 **Decorative Wall:** Living Eden Glade IM-0017704 with View Off White IM-0005844 coordinating plain tiles



White Natural
IM-0014735 • 1000 x 165 x 10.5mm



Beige Natural
IM-0008181 • 1000 x 165 x 10.5mm



Floor: Lignum Beige Natural IM-0008181 **Wall:** Winchester Artisan Ickworth Half Tiles IM-0022747 and Skirtings IM-0003524

Lignum

Rectified glazed porcelain



Grey Natural

IM-0017504 • 1000 x 165 x 10.5mm





Taupe Natural
IM-0004878 · 1000 x 165 x 10.5mm



Walls: (left) Celaya White IM-0019758 see page 78 and (right) Lignum Taupe Natural IM-0004878

Krea *Rectified glazed porcelain*

Realistic planks that recreate the muted tones of sun bleached wood - in two soft colourways



Krea Alamo Ash Matt IM-0010309 with Montblanc Bricks; White IM-0023185 and Anthracite (in the recess) IM-0022665 see page 22



Alamo Ash
IM-0016357
1200 x 200 x 11mm • 25kg per m²





Alamo Natural
IM-0010309
1200 x 200 x 11mm · 25kg per m²



Technical information



Glossary

Technical terms explained

Porcelain – Tiles that are made with white clay, fired at a high temperature making them dense, hard-wearing and perfect for floors. Porcelain tiles have extremely low water absorption of less than 0.5% and can be glazed or unglazed.

Ceramic – Tiles that are made with red, brown or white clay, they are softer and less dense meaning they are easier to cut, drill and ideal for wall applications. Ceramic tiles have much higher water absorption and are always glazed.

Rectified Glazed Porcelain – Tiles that have been cut during the manufacturing process to meet exact size requirements. They can come in a variety of finishes from matt, glazed, metal effect or satin.

Rectification – the process of finishing the tiles by removing the edges to give a cleaner finish and meet exact sizing requirements. As each tile is the same size these can be fitted with minimal grout joints.

Non-Rectified – Non-rectified tiles, on the other hand, are tiles with natural, uneven pressed edges that may vary slightly in size and require a wider grout gap.

Ink-Jet – A term that refers to the print or pattern on the tile which has been applied using an ink-jet printer.

Full-bodied – This refers to tiles whose surface colour is the same all the way through the tile. Also known as 'through bodied' or 'technical' porcelain, these tiles are made of a single material with no glaze applied making them extremely hard wearing and perfect for any and every application.

Double Loaded – These tiles are also unglazed but are made of two layers of different porcelain material with the visible layer comprising the top few mm of the tile. These are also extremely hard-wearing but lower cost than full-bodied porcelain.

Variegated – When a tile face has a wide variety of colours and tones.

For further technical information, including PEI and PTV, please turn to page 109

Acknowledgements

Original Style gratefully acknowledges the assistance of the following companies with the photographic settings:

Amara Living	www.amara.com	Garden Trading	www.gardentrading.co.uk	Quince Living	www.quinceliving.co.uk
Amos Lighting (Exeter)	www.amoslighting.co.uk	H&M	www.hm.com	Roberts Radio	www.robertsradio.co.uk
Anthropologie	www.anthropologie.com/en-gb	Habitat	www.habitat.co.uk	Samuel Heath	www.samuelheath.co.uk
Balineum	www.balineum.co.uk	Heal's	www.heals.com	Sapphire Spaces	www.sapphirespaces.co.uk
Bohemia	www.bohemiadesign.co.uk	House of Fraser	www.houseoffraser.co.uk	Selfridges	www.selfridges.com
Bathroom Village	www.bathroomvillage.com	Ironmongery Direct	www.ironmongerydirect.co.uk	Stovax	www.stovax.com
Christian Louboutin	www.christianlouboutin.com	Ikea	www.ikea.com/gb	Tap For You	www.tapforyou.co.uk
Cox & Cox	www.coxandcox.co.uk	John Lewis	www.johnlewis.com	Tap Warehouse	www.tapwarehouse.com
Cult Furniture	www.cultfurniture.com	Jones the Bootmakers	www.jonesbootmaker.com	The Cotswold Company	www.cotswoldco.com
The Conran Shop	www.conranshop.co.uk	Kartell	www.kartell.com/gb	The Scandinavian Shop	www.scandinavianshop.co.uk
Darts Farm	www.dartsfarm.co.uk	L'Occitane	www.loccitane.com	The White Company	www.thewhitecompany.com
Debenhams	www.debenhams.com	Laura Ashley	www.lauraashley.com	Toby's Reclamation	www.tobysreclamation.com
Decorum	www.decorum-shop.co.uk	Mason Cash	www.masoncash.co.uk	Totnes Tile Studio	tel 44 (0)1803 865865
Designers Guild	www.designersguild.com	Next	www.next.co.uk	UKBW	www.ukbw.com
Drench	www.drench.co.uk	Nordic House	www.nordichouse.co.uk	Victorian Plumbing	www.victorianplumbing.co.uk
Dune	www.dunelondon.com	Oliver Bonas	www.oliverbonas.com	Wayfair	www.wayfair.co.uk
Fern & Grey	www.fernandgrey.com	Orange Tree	www.theorangetree.co.uk	West Elm	www.westelm.co.uk
French Connection	www.frenchconnection.com	Plumb Centre (Exeter)	www.plumbcenter.co.uk	William Holland	www.williamholland.com
Furniture Village	www.furniturevillage.co.uk	Pooky	www.pooky.com	Zara	www.zarahome.com/gb

Tile area calculator

Calculateur de surface de carrelage / Rechner für Fliesenfläche / Rekenhulpmiddel voor te betegelen ondergronden

Nominal size*	
Tiles / Carreaux / Fliesen / Tegels	Per m ²
267 x 232	16
300 x 75	44.4
300 x 300	11.1
300 x 600	5.6
500 x 200	10.0
585 x 585	2.9
590 x 290	5.8
600 x 100	16.7
600 x 150	11.1
600 x 200	9
600 x 600	2.8
750 x 250	5.3
877 x 877	1.3
895 x 145	7.7
895 x 220	5.1
895 x 445	2.5
900 x 150	7.4
900 x 600	1.8
900 x 900	1.2
1000 x 165	6.1
1000 x 330	3
1200 x 200	4.2
1200 x 600	1.4

*All of the above dimensions are subject to a tolerance of ± 2 mm. Quantities shown exclude grout gaps between each tile. Please allow an additional 5% for cutting/wastage.

*Remarque : Toutes les dimensions précédentes sont sujettes à une tolérance de ± 2 mm. Les quantités démontrées n'incluent pas les joints entre les carreaux. Nous vous recommandons de prévoir au moins 5% supplémentaires pour les chutes.

*Beachten Sie bitte: Alle oben genannten Abmessungen können Abweichungen von ± 2 mm aufweisen. Angegebene Mengen schliessen die Fugen zwischen jeder Fliese aus.

Es empfiehlt sich, mindestens 5% material für etwaiger Bruch einzuplanen.

*Voor alle afmetingen geldt een tolerantiewaarde van ± 2 mm. Voeg openingen tussen tegels zijn niet meegerekend in de aangegeven hoeveelheden. Houd rekening met vijf procent snijverlies.

Keys to Symbols

Signification des symboles / Symbolerklärung / Sleutel voor symbolen

Wet & dry walls (<i>inc. showers and wet rooms</i>)	
Wet & dry floors (<i>inc. showers and wet rooms</i>)	
Dry walls only	
Dry floors only	
Internal use only	
Internal & external use	
External use All our porcelain tiles have passed the ISO 10545-12 frost resistance test, making them suitable for external use. We recommend that only tiles with shod wet (4596 shod wet) slip resistance results of 36+ are used in external situations. Original Style Ltd cannot be held liable for cracking that can occur due to adverse weather conditions or poor installation.	

Murs secs et humides (<i>dont douches et douches italiennes</i>)	
Sols secs et humides (<i>dont douches et douches italiennes</i>)	
Murs secs uniquement	
Sols secs uniquement	
Usage intérieur uniquement	
Usage intérieur et extérieur	
Usage extérieur Tous nos carreaux en porcelaine ont passé le test ISO 10545-12 de résistance au gel et conviennent donc à un usage extérieur. Nous recommandons toutefois de poser en extérieur uniquement les carreaux dont la résistance au glissement est supérieure à 36 (selon les résultats de la VEP, 4596). Original Style Ltd déclinera toute responsabilité en cas de fissuration des carreaux due à des conditions climatiques défavorables ou à une mauvaise installation.	

Nass- und Trockenmauern (<i>Inkl. Duschen und Nassräume</i>)	
Nass- und Trockenböden (<i>Inkl. Duschen und Nassräume</i>)	
Nur für Trockenwände	
Nur für Trockenböden	
Nur für Innenbereiche	
Für Innen- und Außenbereiche	
Externe Nutzung Unsere gesamtes Feinsteinzeug hat den Frostbeständigkeitstest nach ISO 10545-12 bestanden, so dass sie für den externen Gebrauch eingesetzt werden können. Wir empfehlen, dass nur Fliesen mit einer Rutschfestigkeit von über 36 in externen Bereichen verwendet werden. Original Style Ltd haftet nicht für Risse, die durch widrige Witterungsverhältnisse oder eine falsche Installation auftreten.	

Natte en droge wanden (<i>incl. douches</i>)	
Natte en droge vloeren (<i>incl. douches</i>)	
Alleen droge wanden	
Alleen droge vloeren	
Alleen voor binnengebruik	
Voor binnen- en buitengebruik	
Buitengebruik Al onze tegels hebben de vorstbestendigheidstest doorstaan van ISO 10545-12, zodat ze geschikt zijn voor buitengebruik. We raden aan dat alleen tegels met een (4596 shod wet) slipbestendigheid van 36+ buiten worden gebruikt. Original Style Ltd is niet aansprakelijk voor scheuren die optreden als gevolg van slechte weersomstandigheden of een onjuiste installatie.	

PEI wear ratings

Wear ratings for glazed porcelains and ceramics, in line with ISO 10545-7

Taux d'usure pour les Porcelaines Émaillées et les Céramiques, selon la norme ISO 10545-7 / Verschleißwerte für glasiertes Feinsteinzeug und Keramik, nach ISO 10545-7 / Slijtageclassificatie voor geglaazuurd porselein en keramiek, in overeenstemming met ISO 10545-7

2 Floor coverings in areas that are walked on by soft soled or normal footwear with low traffic and occasional scratching / Revêtements pour les sols sur lesquels on marche avec des chaussures aux semelles souples ou normales, où le passage est faible et où le risque de rayures est peu élevé / Bodenbeläge für Bereiche, die mit weich besohnten oder normalen Schuhen betreten werden. Geringer Durchgangsverkehr, gelegentliche Kratzer / Vloeroppervlak op plaatsen met licht verkeer en incidentele krassen waar men op loopt met schoenen met zachte zolen of normale schoenen

3 Floor coverings in areas that, with normal footwear, are walked on more often with small amounts of scratching and dirt. Suitable for residential kitchens, halls and corridors / Revêtements pour les sols sur lesquels le passage avec des chaussures normales est plus fréquent, et où rayures et salissures sont légères. Convient aux cuisines, aux halls et aux couloirs domestiques / Bodenbeläge für Bereiche, die mit normalem Schuhwerk betreten werden. Geringe Kratzer und Verschmutzungen. Geeignet für Wohnküchen, Flure und Dielen / Vloeroppervlak op plaatsen waar men, met normale schoenen, vaker loopt met kleine hoeveelheden vuil en krassen. Geschikt voor huishoudelijke keukens, hallen en gangen

4 Floor coverings that are walked on by regular traffic with some scratching dirt. Suitable for entrances, commercial kitchens etc / Revêtements pour les sols sur lesquels le passage est régulier avec salissures et rayures. Convient aux entrées, aux cuisines commerciales, etc / Bodenbeläge für Bereiche mit regelmäßigem Durchgang und gewissen Kratzverschmutzungen. Geeignet für Eingänge, Großküchen etc / Vloeroppervlak op plaatsen waar regelmatig op wordt gelopen met wat krassend vuil. Geschikt voor ingangen, commerciële keukens, enz

5 Floor coverings that are subject to severe pedestrian traffic over sustained periods with some scratching dirt. Suitable for shopping centres, airport concourses, hotel foyers etc / Revêtements pour les sols sur lesquels le passage est intense sur de longues périodes, avec salissures et rayures. Convient aux centres commerciaux, aux halls d'aéroport, aux réceptions d'hôtels, etc. / Bodenbeläge für Bereiche mit starkem Fußgängerverkehr über längere Zeiträume mit gewissen Kratzverschmutzungen. Geeignet für Einkaufszentren, Flughafengebäude, Empfangshallen etc / Vloeroppervlak op plaatsen die worden blootgesteld aan een grote hoeveelheid voetgangers gedurende langere perioden met krassend vuil. Geschikt voor winkelcentra, luchthavenhallen, hotelfoyers, enz

Deep abrasion wear ratings

Wear rating: for unglazed porcelains in line with ISO 10545-6 (<175mm³) Passes current tests for deep abrasion in line with ISO 10545-6

Taux d'usure : pour les porcelaines et les céramiques non émaillées, selon la norme ISO 10545-6 (<175mm³) Ces carreaux satisfont les normes d'essai actuelles d'abrasion profonde conformément à ISO 10545-6

Verschleißwerte: für unglasiertes Feinsteinzeug und unglasierte Keramik, nach ISO 10545-6 (<175 mm³) Diese Fliesen entsprechen der höchsten Abnutzungsprüfungsklassifizierung nach ISO 10545-6

Slijtagebestendigheid: voor ongeglaazuurd porselein en keramiek conform ISO 10545-6 (<175 mm³) Deze tegels doorstaan de actuele slijtagebeoordelingen conform ISO 10545-6

Slip readings - please note:

Values issued by Original Style for slip resistance relate to the test results as supplied from Lucideon or from in-house testing. These values can change during the lifetime of a tile as a result of the following factors: Surface wear / Poor cleaning regimes / Sealants or wax coatings, correctly or incorrectly applied / Chemical exposures which may acid etch the surface / Body fats build up especially when placed in barefoot areas. If in any doubt always retest the surface on a regular basis.

Large Formats

We do not recommend the use of large format ceramic or porcelain tiles in a 50:50 brickbond pattern installation. The reason for this is that slight curvature in the tile may become noticeable and may not be deemed to be visually acceptable.

For installation of tiles larger than 600mm we recommend the use of a levelling clip system to help reduce lipping at grout joints and assist in achieving the most level result.

Nous déconseillons d'utiliser des carreaux grand format en céramique ou en porcelaine dans les installations aux motifs « mur de brique 50:50 ». En effet, ce type d'installation risque d'accentuer la légère courbure de ces carreaux, ce qui pourrait altérer défavorablement l'effet visuel recherché.

Großformatige Keramik- und Porzellan-Fliesen werden für die Verlegung im 50:50 Backsteinmuster nicht empfohlen, da mögliche leichte Krümmungen in den Fliesen dadurch sichtbar werden und ein visuell nicht zufriedenstellendes Resultat ergeben könnten.

Wij adviseren tegen het gebruik van keramische of porseleinen tegels met een groot formaat in een baksteen patroon (50:50 brickbond) installatie. De reden hiervoor is dat de lichte kromming in de tegel duidelijker zichtbaar kan zijn. Dit kan een minder visueel aanvaardbaar eindresultaat veroorzaken.

Slip testing

Pendulum test BS7976-2



This test is designed to simulate the action of a slipping foot and uses a weighted swinging arm which contacts the surface of the tile with a standard rubber slider that represents the rubber sole of a shoe in both dry and wet conditions. The slip resistance is the upswing measured from a scale on the instrument. The greater the upswing, the lower the slip resistance and the greater the slip potential.

Accepted limits for flooring using this technique are:

SLIP POTENTIAL	SLIP RESISTANCE VALUE USING 4596 RUBBER SLIDER
High	0 to 24
Moderate	25 to 35
Low	36+

Pendulum test BS7976-2

(Transport & Road Research Laboratory)

As above, to determine the wet co-efficient of friction using a TRRL rubber slider to represent barefoot in wet conditions (to test as appropriate).

Accepted limits for flooring using this technique are:

SLIP POTENTIAL	SLIP RESISTANCE VALUE TRRL 55 RUBBER SLIDER
High	19 and below
Moderate	20 to 39
Low	40 to 74

The testing is conducted in-house.

Important information

Nominal dimensions

We quote nominal dimensions throughout this brochure which are subject to slight variation within internationally accepted standards.

Shade variation

Shade variation is an inherent feature of Tileworks porcelain and ceramic tiles. We recommend that tiles are loosely laid out and 'blended' prior to fixing to achieve the most pleasing distribution of shades. Differences between batches can be more marked, for this reason we recommend that you buy all the tiles at one time. No liability for shading issues can be accepted after installation.

Adhesives and Grouts

Always use high quality adhesives and grouts following manufacturers' recommendations for their use and suitability for the type of tile, the application and the substrate being tiled.

Sealing

Polished, semi-polished and honed porcelain surfaces are susceptible to staining if not protected. We recommend that all of our polished, semi-polished and honed porcelains are treated with an appropriate product (such as LTP MPG Sealer) before fixing and again after installation. Always follow the manufacturer's instructions.

Installation, adhesives, grouts, sealants, cleaning and maintenance

Please refer to our Fixing Guide at www.originalstyle.com/guides before commencing any installations as Original Style cannot accept responsibility for any faults after tiles have been fixed. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials. For technical queries, please contact our technical department at info@originalstyle.com

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles.

Limits of liability

Original Style accepts no liability for the faulty installation of its products. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, size, colour, texture and shade of the tiles. Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

It is imperative to follow sealer, grout and adhesive manufacturers' instructions regarding their suitability with our products. If in doubt please consult the sealant/grout/adhesive stockist from whom you purchased the products. Original Style makes no representations as to the fitness for purpose of third party sealants, adhesives and grouts. Please note the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

Informations essentielles

Dimensions nominales

Les dimensions indiquées dans cette brochure correspondent aux dimensions nominales, qui sont sujettes à de légères variations dans les limites des normes internationalement admises.

Nuances de teinte

Les nuances de teinte sont une caractéristique inhérente aux carreaux en céramique et porcelaine Tileworks. Nous vous conseillons de positionner et d'assortir les carreaux avant de les cimenter afin d'obtenir la meilleure distribution possible des nuances. Les différences peuvent être plus flagrantes entre les lots; pour cette raison, nous vous recommandons d'acheter l'ensemble de vos carreaux en même temps. Une fois la pose réalisée, tout problème lié aux nuances de teinte ne saurait donner lieu à réclamation.

Adhésifs et Coulis

Utilisez toujours des adhésifs et des coulis de haute qualité en suivant les recommandations des fabricants concernant leur utilisation et leur adéquation au type de carrelage, à l'application et au support à carrelé.

Imperméabilisation et Traitement

Les surfaces en porcelaine polies, semi polies et adoucies sont susceptibles de se tacher si elles ne sont pas protégées par un produit imperméabilisant approprié. Nous recommandons que toutes nos porcelaines polies, semi polies et adoucies soient traitées avec un produit approprié avant et après la pose. Suivez toujours les instructions du fabricant.

Installation, adhésifs, joints, imperméabilisants, nettoyage et entretien

Merci de vous reporter au guide d'installation sur www.originalstyle.com/guides avant de commencer l'installation de votre carrelage Original Style car nous ne pouvons accepter la responsabilité pour les défauts une fois l'installation faite. Original Style déclinera toute responsabilité en cas de réclamation concernant un usage inadapté de produits imperméabilisants, de colles ou de ciments.

Pour tout renseignement technique, veuillez contacter notre département technique sur info@originalstyle.com

Photographies

En raison des variations au niveau de l'éclairage du studio et des encres d'impression, les couleurs affichées dans ce catalogue sont susceptibles d'être légèrement différentes de celles des carreaux réels.

Limitation de responsabilité

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses produits. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style sera confinée, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Notez que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture, de la taille et de la teinte des carreaux. Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus. Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Il est impératif de suivre les instructions des fabricants de colles et de ciments-joints afin d'en vérifier la compatibilité avec nos produits. En cas de doute, consultez le revendeur qui vous aura fourni la colle ou le ciment-joint. Original Style n'assumera aucune responsabilité en ce qui concerne la compatibilité ou l'usage de colles et de ciments-joints tiers. Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.

Wichtige Informationen

Nennmasse

In dieser Broschüre werden Nennmaße angegeben die innerhalb internationaler gültigen Standards leicht veränderlich sind.

Variationen des Farbtons

Bedingt durch den Herstellungsprozess entstehen geringfügige Farbvariationen. Wir empfehlen, die Fliesen vor dem Verkleben lose zu verlegen und dann zu "mischen", um die angenehmste Verteilung der Farbtöne zu erreichen. Unterschiede zwischen mehreren Chargen können ausgeprägter sein, daher empfehlen wir Ihnen, alle Fliesen auf einmal zu kaufen. Nach der Verlegung der Fliesen kann keinerlei Haftung für Probleme mit dem Farbton mehr übernommen werden.

Kleber & Mörtel

Verwenden Sie immer hochwertige Klebstoffe und Fugenmörtel und befolgen Sie die Anweisungen des Herstellers bezüglich ihrer Verwendung und Eignung für den Fliesentyp, die Anwendung und den zu verfliesenden Untergrund.

Abdichtung

Polierte, halbpolierte und geschliffene Oberflächen sind anfällig für Flecken, wenn sie nicht geschützt werden. Wir empfehlen, alle unsere polierten, halbpolierten und geschliffenen Feinsteinzeugfliesen vor dem Verlegen und nach dem Verlegen mit einem geeigneten Produkt zu behandeln. Befolgen Sie immer die Anweisungen des Herstellers.

Installation, Kleber, fugenmörtel, versiegelungsmittel, reinigung und pflege

Bitte lesen Sie vor Beginn der Installation die Installationsanleitung unter www.originalstyle.com/guides, da Original Style keine Haftung für Fehler übernehmen kann, nachdem die Fliesen befestigt wurden. Original Style übernimmt keine Haftung für jegliche Ansprüche in Bezug auf die inkorrekte Verwendung von Versiegelungen, Kleber oder Fugenmaterialien.

Bei technischen Fragen wenden Sie sich bitte an unsere technische Abteilung unter info@originalstyle.com

Photographie

Aufgrund variierender Beleuchtungsverhältnisse im Studio oder bei Druckfarben können die im Katalog zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Einzelhändler für Original Style nach Mustern fragen.

Haftungsbeschränkung

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikelaustausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation anzeigen, dass hinsichtlich Qualität, Farbgebung, Textur, Größe oder Schattierung keine Beanstandungen vorliegen. Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen.

Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten. Beachten Sie bitte, dass die Fliesen auf Säure basierte Reinigungsmittel reagieren und ihr Aussehen verändern können.

Belangrijke informatie

Nominale afmetingen

Tegelafmetingen kunnen enigszins afwijken van de nominale afmetingen binnen internationaal geaccepteerde standaarden.

Kleurnuances

Uiteenlopende kleurnuances zijn een inherente eigenschap van porseleinen en keramische tegels van Tileworks. Voordat u gaat tegelzetten bevelen wij u aan om alle bestelde tegels eerst te mixen, waardoor er prachtige kleurschakeringen ontstaan. Wij raden u aan alle benodigde tegels in 1 keer te bestellen, omdat er verschillen kunnen zijn tussen de serie tegels onderling. Als de tegels eenmaal zijn gezet, kunnen wij niet aansprakelijk worden gehouden voor mogelijke ontevredenheid over de nuanceverschillen.

Lijmen en voegmiddelen

Gebruik altijd lijm en voegmiddel van hoge kwaliteit. Volg de richtlijnen van de producenten inzake gebruik en geschiktheid voor het type tegel, het aanbrengen en de ondergrond die wordt betegeld.

Impregneren

Net als voor alle gepolijste oppervlakken het geval is, kan gepolijst porselein vlekken gaan vertonen, als het niet behandeld is met een hiervoor bestemd impregneermiddel.

We raden aan dat al onze gepolijste porseleinen tegels worden behandeld met een hiervoor bestemd product. Volg altijd de aanwijzingen van de producent op.

Installatie, lijmen, voegmiddelen, impregneermiddelen, reiniging en onderhoud

Raadpleeg de installatiegids op www.originalstyle.com/guides voordat u begint met het leggen, aangezien Original Style niet verantwoordelijk is voor defecten nadat de tegels zijn gezet. Original Style is niet aansprakelijk voor claims gerelateerd aan het onjuiste gebruik van impregneer-, lijm- of voegmaterialen.

Neem contact op met onze technische afdeling via info@originalstyle.com voor technische problemen.

Fotografie

Als gevolg van variaties in studiobelichting en printinkten kunnen de in deze brochure afgebeelde kleuren enigszins afwijken van die van de daadwerkelijke tegels. We raden altijd aan dat u uw Original Style-leverancier vraagt om enkele voorbeelden.

Aansprakelijkheidsbeperking

Original Style is niet aansprakelijk voor de verkeerde installatie van zijn producten. In geval van claims met betrekking tot de tegels zelf is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toe gestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product, en is gevolgschade niet inbegrepen. Claims moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Claims worden niet behandeld nadat de tegels zijn gezet. We wijzen u erop dat tot de zetting het aanvaarden van de hoeveelheid, kleur, structuur, afmetingen en schakering van de tegels behoort.

Original Style garandeert dat zijn tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We maken geen garanties, uitdrukkelijk of impliciet, ten aanzien van slijtagebestendigheid of onderhoudsmaatregelen.

Het is van groot belang dat de instructies van de producent voor voeg- en lijmmiddelen worden opgevolgd ten aanzien van hun geschiktheid in combinatie met onze producten. Raadpleeg de leverancier van de voeg- en lijmmiddelen van wie u de producten hebt gekocht in geval van twijfel. Original Style maakt geen beweringen over de geschiktheid voor gebruik van de lijmen en voegmiddelen van derde partijen. We wijzen u erop dat het gebruik van bepaalde bijtende reinigingsmiddelen kan leiden tot een reactie van de tegels, waarvan het uiterlijk kan veranderen.



Living

A showstopping collection of unique wall tile designs



Mosaics

Glorious mosaics in every material and style imaginable



Glassworks

A dazzling collection of glass tiles



Odyssey

Patterned wall & floor tiles in a range of styles

GENERAL ENQUIRIES

Tel: +44 (0)1392 473004

UK SALES

Tel: +44 (0)1392 473000

EXPORT SALES

Tel: +44 (0)1392 473001

Email: info@originalstyle.com

Website: www.originalstyle.com



ORIGINALSTYLE

Tiles to Inspire

The 'Original Style' logo is a registered trade mark of Original Style Ltd. Original Style Limited is registered in England number 3018117. Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

20/07/2023

© Copyright Original Style Ltd 2023